

PAVEMENT MANAGEMENT HISTORICAL PAVEMENT INDEX REPORT

Data from 1993 - 2002
Compiled January, 2003

District Four

Prepared by:
Idaho Transportation Department
Division of Planning



DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

D: The Idaho Transportation Department maintenance district number. It can be 1 - 6.

Route: The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

MACS Code (Segment Code): six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

Beginning Milepost: The milepost at the beginning of the test section of highway.

Ending Milepost: The milepost at the ending of the test section of highway.

DIR: Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

YEAR: Shows the year to which the indices correspond.

RI (Roughness Index): Formerly called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

CI (Crack Index): The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

SN (Skid Number): A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

FINAL INDEX: This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

REMARKS: This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS		
4	U.S.-20	002070	124.634	129.797	N	1993	3.00	4.00	61	3.52					
						1994	3.10	4.00	46	3.57	0.32				
						1995	3.10	4.00	46	3.57	0.32				
						1996	3.60	4.00	60	3.80	0.27				
						1997	3.40	4.00	60	3.71	0.28				
						1998	3.30	3.70	60	3.50	0.27				
						1999	3.30	3.50	67	3.40	0.27	SEALCOAT			1999
						2000	3.40	3.50	67	3.45	0.25				
						2001	3.30	3.50	67	3.40	0.27				
						2002	3.10	2.40	67	2.73	0.25				
						4	U.S.-20	002070	129.797	136.429	N	1993	2.90	4.00	61
1994	3.00	3.50	45	3.26	0.35										
1995	3.00	3.50	45	3.26	0.35										
1996	3.30	3.20	62	3.24	0.30										
1997	3.10	3.20	62	3.15	0.26										
1998	3.00	3.20	62	3.10	0.27										
1999	3.00	3.20	69	3.10	0.29							SEALCOAT			1999
2000	3.20	3.20	69	3.20	0.17										
2001	3.20	2.80	69	2.99	0.19										
2002	3.00	2.40	69	2.68	0.16										
4	U.S.-20	002070	136.429	138.600	N							1993	3.00	4.00	61
						1994	3.10	3.50	46	3.30	0.36				
						1995	3.10	3.50	46	3.30	0.36				
						1996	3.50	3.50	59	3.50	0.35				
						*1997	3.30	2.80	59	3.03	0.36				
						1998	3.30	2.80	57	3.03	0.31	PLANT MIX OVERLAY			1998
						1999	3.20	5.00	68	4.14	0.32	SEALCOAT			1999
						2000	3.70	5.00	68	4.38	0.24				
						2001	3.70	4.50	68	4.11	0.28				
						2002	3.50	4.50	68	4.02	0.26				
						4	U.S.-20	002070	138.600	144.470	N	1993	3.00	4.00	61
1994	3.10	3.50	46	3.30	0.36										
1995	3.10	3.50	46	3.30	0.36										
1996	3.50	3.50	59	3.50	0.35										
*1997	3.30	2.80	59	3.03	0.36										
1998	3.90	5.00	60	4.47	0.12							PLANT MIX OVERLAY			1998
1999	4.10	5.00	71	4.57	0.09										
2000	4.20	5.00	71	4.61	0.10										
2001	4.20	5.00	71	4.61	0.11										
2002	4.00	4.70	71	4.36	0.14										

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	U.S.-20	002070	144.470	151.500	N	1993	2.80	2.70	59	2.74									
						1994	2.90	2.40	36	2.63	0.48								
						1995	2.90	2.40	36	2.63	0.48								
						1996	3.20	2.40	51	2.78	0.48								
						*1997	3.00	2.40	51	2.68	0.44								
							4.20	5.00	52	4.61	0.09	PLANT MIX OVERLAY					1998		
							4.20	5.00	69	4.61	0.10								
							4.20	5.00	69	4.61	0.11								
							4.30	5.00	69	4.66	0.12								
							3.90	5.00	69	4.47	0.14								
						4	U.S.-20	002070	151.500	157.200	N	1993	3.60	2.50	60	3.02			
												1994	3.50	5.00	44	4.28	0.10		
1995	3.50	5.00	44	4.28	0.10														
1996	4.00	5.00	56	4.52	0.11														
1997	3.80	4.50	56	4.16	0.10														
*1998	3.80	4.50	56	4.16	0.14														
	4.30	5.00	59	4.66	0.04							MILL AND INLAY					1999		
	4.20	5.00	59	4.61	0.05														
	4.30	5.00	59	4.66	0.06														
	4.00	4.80	59	4.41	0.07														
4	U.S.-20	002070	157.200	165.119	N							1993	3.60	2.50	60	3.02			
												1994	3.50	5.00	44	4.28	0.10		
						1995	3.50	5.00	44	4.28	0.10								
						1996	4.00	5.00	56	4.52	0.11								
						1997	3.80	4.50	56	4.16	0.10								
						*1998	3.80	4.50	56	4.16	0.14								
							3.80	4.50	64	4.16	0.14								
							3.80	4.50	64	4.16	0.15								
							3.80	4.30	64	4.06	0.15								
							3.50	4.10	64	3.81	0.18								
						4	U.S.-20	002070	165.119	171.079	N	1993	3.50	2.00	60	2.71			
												1994	3.50	5.00	43	4.28	0.16		
1995	3.50	5.00	43	4.28	0.16														
1996	3.90	5.00	54	4.47	0.13														
1997	3.80	4.50	54	4.16	0.13														
1998	3.70	4.50	54	4.11	0.17														
1999	3.80	4.50	62	4.16	0.16														
2000	3.80	4.40	62	4.11	0.19														
2001	3.80	3.90	62	3.85	0.19														
2002	3.40	3.80	62	3.60	0.21														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS			
4	U.S.-20	002070	171.079	178.095	N	1993	3.50	2.50	59	2.97						
						1994	3.40	5.00	43	4.23	0.10					
						1995	3.40	5.00	43	4.23	0.10					
						1996	4.00	4.90	54	4.47	0.09					
						1997	3.80	4.90	54	4.37	0.11					
						1998	3.80	4.60	54	4.21	0.12					
						1999	3.90	4.50	64	4.21	0.12					
						2000	3.90	4.50	64	4.21	0.14					
						2001	3.90	4.40	64	4.16	0.15					
						2002	3.50	3.80	64	3.65	0.16					
						4	U.S.-20	002070	178.095	186.310	N	1993	2.50	3.00	57	2.76
1994	2.60	3.00	38	2.80	0.26											
1995	2.60	3.00	38	2.81	0.26											
1996	3.20	3.00	48	3.09	0.20											
1997	2.90	3.00	48	2.95	0.20											
1998	2.90	3.00	48	2.95	0.19											
1999	3.00	3.00	61	3.00	0.24							SEALCOAT				1999
2000	2.90	3.00	61	2.95	0.21											
2001	3.00	3.00	61	3.00	0.22											
2002	2.90	3.00	61	2.95	0.21											
4	U.S.-20	002070	186.310	191.558	N							*1993	2.70	3.50	56	3.11
						1994	2.70	3.50	39	3.11	0.36					
						1995	2.70	3.40	39	3.06	0.36					
						1996	3.20	3.30	48	3.25	0.27					
						1997	3.00	3.00	48	3.00	0.27					
						1998	2.90	3.00	48	2.95	0.26					
						1999	2.90	3.00	59	2.95	0.31					
						2000	2.90	2.90	59	2.90	0.31					
						2001	2.90	2.80	59	2.84	0.33					
						2002	2.70	2.30	59	2.49	0.32					
						4	U.S.-20	002070	191.558	194.830	N	*1993	2.80	2.00	58	2.38
1994	3.00	5.00	58	4.04	0.42							PLANT MIX OVERLAY			1994	
1995	3.00	5.00	58	4.04	0.42											
1996	3.70	5.00	49	4.38	0.08											
1997	3.50	4.70	49	4.12	0.07											
1998	3.50	4.70	49	4.12	0.10											
1999	3.50	4.70	59	4.12	0.10											
2000	3.40	4.50	59	3.97	0.11											
2001	3.50	4.50	59	4.02	0.12											
2002	3.40	4.30	59	3.87	0.14											

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	U.S.-20	002070	194.830	195.483	N	1993	3.20	5.00	58	4.14			
						1994	3.30	5.00	38	4.19	0.16	PLANT MIX OVERLAY	1994
						1995	3.30	5.00	38	4.19	0.16		
						1996	3.90	5.00	41	4.48	0.07		
						1997	3.70	5.00	41	4.38	0.06		
						1998	3.60	5.00	41	4.33	0.09		
						1999	3.60	5.00	64	4.33	0.08		
						2000	3.60	5.00	64	4.33	0.07		
						2001	3.80	5.00	64	4.42	0.10		
						2002	3.60	5.00	64	4.33	0.11		
4	U.S.-20	002070	195.530	196.039	N	1993	3.40	5.00	54	4.28			
						1994	3.30	5.00	29	4.24	0.12		
						1995	3.30	5.00	29	4.24	0.12		
						1996	3.90	5.00	29	4.51	0.11		
						1997	3.70	5.00	29	4.41	0.10		
						1998	3.80	5.00	41	4.46	0.14		
						1999	3.70	5.00	64	4.41	0.16		
						2000	3.80	5.00	64	4.46	0.16		
						2001	3.80	5.00	64	4.46	0.17		
						2002	3.60	4.80	64	4.26	0.20		
4	S.H.-21	002140	105.517	113.093	N	1993	2.60	2.00	60	2.26			
						1994	2.60	2.00	35	2.26	0.19		
						1995	2.60	2.00	35	2.26	0.19		
						1996	3.00	1.80	45	2.25	0.10		
						1997	2.90	1.70	45	2.23	0.11		
						1998	4.00	5.00	45	4.55	0.11	COLD IN PLACE RECYCLE	1998
						1999	3.60	5.00	57	4.38	0.08		
						2000	3.50	3.90	57	3.72	0.08		
						2001	3.60	3.30	60	3.43	0.09		
						2002	3.30	3.30	60	3.30	0.11		
4	S.H.-21	002140	113.093	116.500	N	2002	3.30	3.00	59	3.13	0.11		
4	S.H.-21	002140	113.093	116.710	N	1993	2.60	1.90	60	2.21			
						1994	2.50	1.90	37	2.16	0.21		
						1995	2.50	1.80	37	2.11	0.21		
						1996	2.70	1.70	45	2.07	0.12		
						*1997	2.50	1.60	45	2.00	0.14		
						1998	4.00	5.00	45	4.55	0.13	COLD IN PLACE RECYCLE	1998
						1999	3.50	5.00	57	4.34	0.08		
						2000	3.40	4.50	57	4.01	0.08		
						*2001	3.50	3.00	59	3.22	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	S.H.-21	002140	116.500	122.400	N	2002	3.40	5.00	57	4.28	0.05	PLANT MIX OVERLAY	2002
4	S.H.-21	002140	116.710	119.145	N	1993	3.20	4.00	58	3.64			
						1994	3.40	3.50	40	3.45	0.09		
						1995	3.40	3.30	40	3.34	0.09		
						1996	4.00	3.30	50	3.56	0.05		
						*1997	3.80	3.20	50	3.46	0.05		
						1998	3.80	3.20	50	3.46	0.04		
						1999	3.70	3.20	53	3.41	0.04		
						2000	3.70	3.20	53	3.42	0.04		
						*2001	3.70	3.20	59	3.42	0.04		
4	S.H.-21	002140	119.145	122.400	N	1993	3.00	3.00	58	3.00			
						1994	3.10	3.00	40	3.04	0.09		
						1995	3.10	3.00	40	3.04	0.09		
						1996	3.80	3.00	50	3.30	0.05		
						1997	3.60	2.80	50	3.15	0.05		
						1998	3.50	2.80	50	3.11	0.04		
						1999	3.50	2.80	53	3.10	0.04		
						*2000	3.40	2.80	53	3.06	0.04		
						*2001	3.60	2.80	57	3.15	0.04		
4	S.H.-21	002140	122.400	125.905	N	1993	3.00	3.00	58	3.00			
						1994	3.10	3.00	40	3.04	0.09		
						1995	3.10	3.00	40	3.04	0.09		
						1996	3.80	3.00	50	3.30	0.05		
						1997	3.60	2.80	50	3.15	0.05		
						1998	3.50	2.80	50	3.11	0.04		
						1999	3.50	2.80	53	3.10	0.04		
						*2000	3.40	2.80	53	3.06	0.04		
						2001	3.60	5.00	45	4.37	0.05	NEW CONST OR RECONST (FLEX)	2001
						2002	3.90	5.00	45	4.51	0.09		
4	S.H.-21	002140	125.905	130.869	N	1993	3.10	3.50	54	3.33			
						1994	3.10	3.50	36	3.33	0.13		
						1995	3.10	3.50	36	3.33	0.13		
						1996	3.80	3.50	43	3.61	0.05		
						1997	3.60	3.50	43	3.54	0.06		
						1998	3.60	3.50	43	3.54	0.06		
						1999	3.50	3.50	47	3.50	0.07		
						2000	3.40	3.50	47	3.45	0.07		
						2001	3.50	5.00	42	4.37	0.08	NEW CONST OR RECONST (FLEX)	2001
						2002	3.80	5.00	42	4.50	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-24	002270	051.068	051.210	N	1993	2.60	2.60	48	2.60		
						1994	2.50	2.60	31	2.55	0.34	
						1995	2.50	2.60	31	2.55	0.34	
						1996	2.60	2.50	33	2.54	0.15	
						1997	2.50	2.40	33	2.44	0.21	
						*1998	2.30	2.40	33	2.35	0.23	
						1999	2.90	2.40	36	2.61	0.37	PLANT MIX OVERLAY 1999
						*2000	2.50	2.30	38	2.38	0.27	
						2001	0.80	2.30	38	1.64	0.21	
						2002	2.30	2.30	38	2.30	0.23	SEALCOAT 2002
4	S.H.-24	002270	051.210	051.900	N	1993	2.60	2.60	48	2.60		
						1994	2.50	2.60	31	2.55	0.34	
						1995	2.50	2.60	31	2.55	0.34	
						1996	2.60	2.50	33	2.54	0.15	
						1997	2.50	2.40	33	2.44	0.21	
						*1998	2.30	2.40	33	2.35	0.23	
						1999	2.80	5.00	46	4.04	0.17	PLANT MIX OVERLAY 1999
						*2000	3.00	5.00	46	4.13	0.31	
						2001	3.00	5.00	46	4.14	0.35	
						2002	3.30	5.00	46	4.27	0.40	SEALCOAT 2002
4	S.H.-24	002270	051.900	052.455	N	1993	1.30	3.00	46	2.27		
						1994	1.20	3.00	25	2.22	0.35	
						1995	1.20	3.00	25	2.22	0.35	
						1996	2.50	3.00	32	2.78	0.19	
						1997	2.70	2.40	32	2.52	0.33	
						*1998	2.70	2.40	32	2.52	0.30	
						1999	2.50	5.00	37	3.92	0.35	PLANT MIX OVERLAY 1999
						2000	3.30	5.00	37	4.27	0.32	
						2001	3.30	5.00	37	4.27	0.30	
						2002	3.40	5.00	37	4.31	0.33	SEALCOAT 2002
4	S.H.-24	002280	000.330	000.900	ASC	1993	3.30	2.30	44	2.72		
						*1994	3.30	2.30	16	2.72	0.16	
						1995	3.50	5.00	21	4.31	0.00	COLD IN PLACE RECYCLE WITH OVERLAY 1995
						1996	3.50	5.00	21	4.32	0.18	
						1997	3.60	5.00	21	4.36	0.13	
						1998	3.60	5.00	43	4.36	0.18	
						1999	3.60	5.00	38	4.36	0.21	
						2000	3.40	4.50	38	4.00	0.23	
						2001	3.50	4.50	38	4.04	0.25	
						2002	3.40	3.80	38	3.61	0.26	
4	S.H.-24	002280	000.330	000.900	DES	1993	3.40	2.30	45	2.76		
						*1994	3.40	2.30	21	2.76	0.15	
						1995	3.50	5.00	28	4.31	0.00	COLD IN PLACE RECYCLE WITH OVERLAY 1995
						1996	3.50	5.00	42	4.32	0.18	
						1997	3.70	5.00	42	4.41	0.13	
						1998	3.80	5.00	42	4.45	0.14	
						1999	3.70	5.00	44	4.40	0.16	

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
4	S.H.-24	002280	000.900	003.281	ASC	2000	3.70	4.70	44	4.24	0.18							
						2001	3.80	4.70	44	4.29	0.15							
						2002	3.80	4.70	44	4.29	0.20							
						1993	3.30	2.30	44	2.72								
						*1994	3.30	2.30	16	2.72	0.16							
						1995	3.70	2.20	16	2.87	0.11							
						1996	2.90	1.00	25	1.86	0.09							
						1997	2.80	5.00	25	4.00	0.08	C.R.A.B.S.						
						1998	3.80	5.00	25	4.45	0.12							
						1999	3.80	5.00	44	4.45	0.11	SEALCOAT						
						2000	3.80	5.00	44	4.45	0.14							
						2001	3.80	5.00	44	4.45	0.14							
						2002	3.60	4.70	44	4.20	0.16							
						4	S.H.-24	002280	000.900	003.281	DES	1993	3.40	2.30	45	2.76		
*1994	3.40	2.30	21	2.76	0.15													
1995	3.90	2.30	20	3.02	0.10													
1996	2.90	2.30	25	2.57	0.09													
1997	3.00	5.00	25	4.09	0.11							C.R.A.B.S.						
1998	3.90	5.00	25	4.50	0.08													
1999	3.80	5.00	43	4.45	0.08							SEALCOAT						
2000	3.70	5.00	43	4.41	0.11													
2001	3.80	5.00	43	4.45	0.09													
2002	3.60	5.00	43	4.36	0.13													
4	S.H.-24	002280	003.281	003.400	ASC							1993	3.40	2.50	43	2.87		
												1994	3.40	2.50	43	2.87	0.18	
												1995	3.40	2.50	43	2.87	0.18	
												1996	3.10	2.50	25	2.75	0.10	
						1997	3.00	2.40	25	2.65	0.09	C.R.A.B.S.						
						1998	3.60	5.00	25	4.41	0.10							
						1999	3.60	5.00	43	4.41	0.11	SEALCOAT						
						2000	3.50	5.00	43	4.32	0.13							
						2001	3.70	5.00	43	4.45	0.11							
						2002	3.40	5.00	43	4.32	0.13							
						4	S.H.-24	002280	003.281	003.400	DES	1993	2.50	2.50	43	2.50		
												1994	3.40	2.50	43	2.87	0.18	
												1995	3.40	2.50	43	2.87	0.18	
												1996	3.10	2.50	25	2.75	0.10	
1997	2.70	2.50	25	2.58	0.43							C.R.A.B.S.						
1998	3.00	5.00	25	4.15	0.18													
1999	3.00	5.00	43	4.15	0.20							SEALCOAT						
2000	2.60	5.00	43	3.91	0.15													
2001	2.60	5.00	43	3.99	0.18													
2002	3.20	5.00	43	4.24	0.16													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-24	002280	003.400	003.638	ASC	1998	2.10	2.00	37	2.04	0.35	
						*1999	2.20	2.00	52	2.08	0.43	
						2000	2.10	2.00	52	2.04	0.40	
						2001	2.10	1.80	52	1.92	0.39	
						2002	3.30	1.80	52	2.42	0.21	SEALCOAT
4	S.H.-24	002280	003.400	003.638	DES	1998	2.00	2.00	32	2.00	0.32	2002
						*1999	2.20	2.00	38	2.08	0.45	
						2000	2.40	1.80	38	2.05	0.42	
						2001	2.00	1.80	38	1.88	0.31	
						2002	3.10	1.80	38	2.34	0.24	SEALCOAT
4	S.H.-24	002280	003.638	003.735	ASC	1998	2.10	2.00	37	2.04	0.35	2002
						*1999	2.20	2.00	52	2.08	0.43	
						2000	3.40	5.00	38	4.32	0.36	
						2001	3.60	5.00	38	4.41	0.40	
						2002	3.20	5.00	38	4.24	0.34	
4	S.H.-24	002280	003.638	003.735	DES	1998	2.00	2.00	32	2.00	0.32	
						*1999	2.20	2.00	38	2.08	0.45	
						2000	3.40	5.00	38	4.32	0.36	
						2001	3.60	5.00	38	4.41	0.40	
						2002	3.20	5.00	38	4.24	0.34	
4	S.H.-24	002280	005.120	005.750	N	1993	2.60	3.00	47	2.82		
						1994	2.80	3.00	12	2.91	0.19	
						1995	2.80	3.00	12	2.91	0.19	
						*1996	2.20	3.00	23	2.64	0.19	
						1997	1.60	2.80	27	2.26	0.36	
						1998	1.60	2.20	27	1.93	0.39	
						1999	2.30	5.00	43	3.78	0.25	
						2000	2.10	5.00	43	3.69	0.32	
						2001	2.20	5.00	43	3.74	0.33	
						2002	2.00	5.00	43	3.65	0.16	SEALCOAT
4	S.H.-24	002280	005.750	006.605	N	1993	2.60	3.00	47	2.82		2002
						1994	2.80	3.00	12	2.91	0.19	
						1995	2.80	3.00	12	2.91	0.19	
						*1996	2.20	3.00	23	2.64	0.19	
						1997	3.80	5.00	21	4.46	0.04	PLANT MIX OVERLAY
						1998	3.80	5.00	21	4.46	0.08	
						1999	3.90	5.00	35	4.50	0.11	SEALCOAT
						2000	3.90	4.60	35	4.28	0.13	
						2001	3.90	4.60	35	4.28	0.14	
						2002	3.60	4.60	35	4.15	0.19	SEALCOAT
											2002	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	S.H.-24	002280	006.605	009.450	N	1993	2.90	2.50	46	2.66									
						1994	2.90	2.40	23	2.60	0.13								
						1995	2.90	2.40	23	2.60	0.13								
						*1996	2.70	2.40	25	2.52	0.10								
						*1997	4.20	5.00	24	4.66	0.04	PLANT MIX OVERLAY					1997		
						1998	4.30	5.00	24	4.70	0.09								
						1999	4.30	5.00	39	4.70	0.11	SEALCOAT					1999		
						2000	4.10	5.00	39	4.62	0.12								
						2001	4.20	4.70	39	4.49	0.12								
						2002	3.90	4.70	39	4.36	0.15								
						4	S.H.-24	002280	009.450	012.100	N	1993	2.90	2.50	46	2.66			
												1994	2.90	2.40	23	2.60	0.13		
1995	2.90	2.40	23	2.60	0.13														
*1996	2.70	2.40	25	2.52	0.10														
*1997	4.20	5.00	24	4.66	0.04							PLANT MIX OVERLAY					1997		
1998	3.80	5.00	39	4.50	0.02														
1999	3.80	5.00	36	4.50	0.05							SEALCOAT					1999		
2000	3.70	5.00	36	4.46	0.05														
2001	3.80	5.00	36	4.50	0.06														
2002	3.70	5.00	36	4.46	0.08														
4	S.H.-24	002280	012.100	017.940	N							1993	2.40	1.50	51	1.87			
												1994	2.40	1.50	27	1.87	0.08		
						1995	2.40	1.50	27	1.87	0.08								
						*1996	2.60	1.50	41	1.95	0.14								
						1997	3.00	5.00	41	4.17	0.14	C.R.A.B.S.					1997		
						1998	3.70	5.00	41	4.46	0.15								
						1999	3.70	5.00	37	4.46	0.16	SEALCOAT					1999		
						2000	3.60	5.00	37	4.42	0.16								
						2001	3.70	5.00	37	4.46	0.16								
						2002	3.50	5.00	37	4.38	0.17								
						4	S.H.-24	002280	017.940	021.910	N	1993	2.30	4.00	47	3.29			
												1994	2.40	4.00	32	3.34	0.19		
1995	2.40	4.00	32	3.34	0.19														
*1996	3.20	4.00	55	3.67	0.18							SEALCOAT					1996		
1997	3.10	4.00	55	3.62	0.16							C.R.A.B.S.					1997		
1998	3.10	3.70	55	3.45	0.18														
1999	3.00	3.70	55	3.41	0.20							SEALCOAT					1999		
2000	3.00	3.70	55	3.41	0.20														
2001	2.90	2.10	55	2.42	0.21														
2002	3.20	2.10	55	2.55	0.11														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-24	002280	021.910	027.040	N	1993	2.80	4.50	49	3.79		
						1994	2.90	4.00	35	3.54	0.11	
						1995	2.90	4.00	35	3.54	0.11	
						1996	3.80	4.00	57	3.91	0.14	SEALCOAT
						1997	3.60	4.00	57	3.83	0.15	
						1998	3.60	4.00	57	3.83	0.15	
						1999	3.50	4.00	53	3.79	0.16	
						2000	3.40	4.00	53	3.75	0.18	
						2001	3.50	2.40	53	2.85	0.18	
						2002	3.20	2.40	53	2.72	0.16	
4	S.H.-24	002280	027.040	032.259	N	1993	2.80	4.50	47	3.79		
						1994	2.90	4.50	31	3.84	0.17	
						1995	2.90	4.50	31	3.83	0.17	
						1996	3.60	4.50	53	4.12	0.15	SEALCOAT
						1997	3.30	4.50	53	4.00	0.16	
						1998	3.30	4.10	53	3.77	0.16	
						1999	3.40	4.10	52	3.81	0.17	
						2000	3.20	3.80	52	3.55	0.19	
						2001	3.30	2.40	52	2.77	0.19	
						2002	3.40	2.40	52	2.81	0.11	
4	S.H.-24	002280	032.259	036.446	N	1993	3.30	4.50	50	4.00		
						1994	3.40	4.50	35	4.04	0.15	
						1995	3.40	4.50	35	4.04	0.15	
						1996	4.00	4.50	53	4.29	0.12	SEALCOAT
						1997	3.80	4.50	53	4.21	0.12	
						1998	3.80	4.50	53	4.21	0.10	
						1999	3.80	4.50	53	4.21	0.12	
						2000	3.80	4.30	53	4.09	0.13	
						2001	3.80	4.20	53	4.03	0.13	
						2002	3.50	3.00	53	3.20	0.12	
4	S.H.-24	002280	036.446	044.781	N	1993	2.90	2.50	52	2.66		
						1994	3.00	2.50	37	2.70	0.15	
						1995	3.00	2.50	37	2.70	0.15	
						1996	3.50	2.50	51	2.91	0.12	SEALCOAT
						1997	3.40	2.50	51	2.87	0.15	
						1998	3.40	2.50	51	2.87	0.15	
						1999	3.40	2.50	56	2.87	0.18	
						2000	3.40	2.50	56	2.87	0.17	
						2001	3.60	2.50	56	2.95	0.17	
						2002	3.50	2.50	56	2.91	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-24	002280	044.781	050.693	N	1993	3.10	3.00	54	3.04		
						1994	3.20	3.00	38	3.08	0.25	
						1995	3.20	3.00	38	3.08	0.25	
						1996	3.60	3.00	48	3.24	0.23	
						1997	3.50	3.00	48	3.20	0.22	
						1998	3.50	3.00	48	3.20	0.26	
						1999	3.50	3.00	55	3.20	0.34	
						2000	3.50	2.40	55	2.85	0.32	
						2001	3.70	1.90	55	2.64	0.25	
						2002	3.70	5.00	55	4.46	0.05	
4	S.H.-24	002280	050.693	054.310	N	1993	3.20	3.50	57	3.37		
						1994	3.40	3.50	36	3.45	0.17	
						1995	3.40	3.50	36	3.45	0.17	
						1996	3.40	3.50	43	3.45	0.14	
						1997	3.40	3.50	43	3.45	0.14	
						1998	3.40	3.50	43	3.45	0.19	
						1999	3.40	3.50	51	3.45	0.21	
						2000	3.40	3.50	51	3.45	0.22	
						2001	3.50	3.50	51	3.50	0.20	
						2002	3.10	3.50	51	3.33	0.19	
4	S.H.-24	002280	054.310	060.250	N	1993	3.00	3.00	55	3.00		
						1994	3.10	3.00	33	3.04	0.21	
						1995	3.10	3.00	33	3.04	0.21	
						1996	3.40	3.00	40	3.16	0.17	
						1997	3.30	3.00	40	3.12	0.17	
						1998	3.30	3.00	40	3.12	0.22	
						1999	3.40	3.00	50	3.16	0.27	
						2000	3.30	3.00	50	3.12	0.27	
						2001	3.40	3.00	50	3.16	0.25	
						2002	3.30	3.00	50	3.12	0.18	
4	S.H.-24	002280	060.250	062.650	N	1993	2.70	4.00	56	3.46		
						1994	2.90	4.00	39	3.54	0.25	SEALCOAT
						1995	2.90	4.00	39	3.54	0.25	
						1996	3.50	4.00	47	3.79	0.18	
						1997	3.30	4.00	47	3.71	0.19	
						1998	3.30	4.00	47	3.71	0.18	
						1999	3.30	4.00	54	3.71	0.23	
						2000	3.20	4.00	54	3.66	0.23	
						2001	3.30	4.00	54	3.71	0.24	
						2002	3.50	4.00	54	3.79	0.12	

1994

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-24	002280	062.650	066.916	N	2002	3.40	3.20	59	3.28	0.10	
4	S.H.-24	002280	062.650	067.533	N	1993	2.80	4.50	57	3.79		
						1994	3.00	4.50	42	3.87	0.14	SEALCOAT
						1995	3.00	4.50	42	3.87	0.14	
						1996	3.70	4.50	53	4.16	0.08	
						1997	3.30	4.50	53	4.00	0.12	
						1998	3.30	4.50	53	4.00	0.08	
						1999	3.30	4.50	58	4.00	0.08	
						2000	3.30	4.10	58	3.76	0.10	
						*2001	3.40	4.10	58	3.80	0.10	
4	S.H.-24	002280	066.916	067.533	N	2002	3.70	5.00	58	4.46	0.16	NEW CONST OR RECONST (FLEX)
4	S.H.-25	002270	000.000	000.626	N	1993	2.20	3.50	47	2.95		
						1994	2.40	3.50	24	3.03	0.30	
						1995	2.40	3.50	24	3.03	0.30	
						1996	2.60	3.50	29	3.12	0.12	
						1997	2.40	3.00	29	2.74	0.11	
						1998	2.30	2.30	29	2.30	0.16	
						1999	2.40	2.30	42	2.34	0.13	
						2000	2.40	2.00	42	2.16	0.19	
						2001	2.30	1.90	42	2.06	0.26	
						2002	2.30	1.90	42	2.06	0.26	
4	S.H.-25	002270	000.626	001.228	N	1993	2.60	3.00	43	2.84		SEALCOAT
						1994	2.40	3.00	23	2.76	0.32	
						1995	2.40	3.00	23	2.76	0.32	
						1996	2.90	3.00	27	2.96	0.09	
						1997	2.70	2.40	27	2.51	0.10	
						1998	2.70	2.40	27	2.51	0.18	
						1999	2.50	2.40	27	2.43	0.15	
						2000	2.50	2.20	42	2.31	0.12	
						2001	2.80	2.10	42	2.37	0.22	
						2002	2.60	2.10	42	2.29	0.16	
4	S.H.-25	002270	001.228	001.502	N	1993	1.60	2.00	51	1.84		SEALCOAT
						1994	1.80	2.00	11	1.92	0.40	
						1995	1.80	2.00	11	1.92	0.40	
						1996	3.10	2.00	24	2.42	0.19	
						1997	2.70	2.00	24	2.27	0.17	
						1998	2.70	2.00	24	2.27	0.26	
						1999	2.70	2.00	24	2.27	0.28	
						2000	2.80	4.50	42	3.83	0.15	
						2001	2.90	4.50	42	3.87	0.15	
						2002	2.90	4.50	42	3.87	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	S.H.-25	002270	001.502	001.838	N	1993	1.40	2.50	56	2.07		SEALCOAT	1993
						1994	0.80	2.50	27	1.84	0.38		
						1995	0.80	2.50	27	1.84	0.38		
						1996	2.60	2.50	37	2.53	0.26		
						1997	2.40	2.40	37	2.40	0.23		
						1998	2.40	2.40	37	2.40	0.29		
						1999	2.30	2.40	37	2.36	0.26		
						2000	2.20	2.40	42	2.32	0.09		
						2001	2.10	2.40	42	2.28	0.09		
						2002	2.00	2.40	42	2.24	0.08		
4	S.H.-25	002270	001.838	002.100	N	1993	3.60	3.50	50	3.53		SEALCOAT	1993
						1994	3.50	3.50	22	3.50	0.17		
						1995	3.50	3.50	22	3.50	0.17		
						*1996	3.50	3.00	26	3.19	0.08		
						1997	3.10	3.00	27	3.03	0.14		
						1998	3.40	3.00	27	3.15	0.16		
						1999	3.50	3.00	44	3.19	0.19		
						2000	3.50	3.00	44	3.19	0.19		
						2001	3.50	3.00	44	3.19	0.19		
						2002	3.40	3.00	44	3.15	0.21		
4	S.H.-25	002270	002.100	002.356	N	1993	3.60	3.50	50	3.53		SEALCOAT	1993
						1994	3.50	3.50	22	3.50	0.17		
						1995	3.50	3.50	22	3.50	0.17		
						*1996	3.50	3.00	26	3.19	0.08		
						1997	3.30	5.00	24	4.35	0.09	COLD IN PLACE RECYCLE	1997
						1998	4.10	5.00	24	4.65	0.06		
						1999	3.90	5.00	24	4.57	0.04		
						2000	4.00	5.00	44	4.61	0.04		
						2001	4.10	5.00	44	4.65	0.05		
						2002	4.00	5.00	44	4.61	0.07		
4	S.H.-25	002270	002.356	004.700	N	1993	3.60	2.00	48	2.66			
						1994	3.60	1.90	15	2.60	0.27		
						1995	3.60	1.70	15	2.49	0.27		
						*1996	3.70	1.70	24	2.53	0.20		
						1997	3.40	5.00	21	4.33	0.20	COLD IN PLACE RECYCLE	1997
						1998	4.30	5.00	21	4.70	0.07		
						1999	4.20	5.00	63	4.66	0.07	PLANT MIX OVERLAY	1999
						2000	4.20	5.00	63	4.66	0.07		
						2001	4.30	5.00	63	4.70	0.08		
						2002	4.00	5.00	63	4.58	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-25	002270	004.700	005.342	N	1993	3.60	2.00	48	2.66		
						1994	3.60	1.90	15	2.60	0.27	
						1995	3.60	1.70	15	2.49	0.27	SEALCOAT
						*1996	3.70	1.70	24	2.53	0.20	
						1997	3.60	1.70	42	2.49	0.12	SEALCOAT
						1998	3.50	1.70	42	2.44	0.19	
						1999	3.40	1.70	63	2.40	0.25	
						2000	3.40	1.70	63	2.40	0.28	
						2001	3.50	1.70	63	2.44	0.31	
						2002	3.20	1.70	63	2.32	0.36	
4	S.H.-25	002270	005.342	008.403	N	1993	3.00	3.40	61	3.23		
						1994	2.90	3.00	35	2.95	0.39	
						1995	2.90	3.00	35	2.95	0.39	SEALCOAT
						1996	3.30	3.00	48	3.12	0.35	
						1997	3.20	3.00	48	3.08	0.23	SEALCOAT
						1998	3.30	3.00	48	3.12	0.31	
						1999	3.30	3.00	55	3.12	0.44	
						2000	3.20	3.00	55	3.08	0.37	
						2001	3.40	2.90	55	3.10	0.54	
						2002	3.20	2.90	55	3.02	0.50	
4	S.H.-25	002270	008.403	010.420	N	1993	3.20	3.50	63	3.37		
						1994	3.50	3.00	42	3.20	0.32	
						1995	3.50	3.00	42	3.20	0.32	SEALCOAT
						1996	3.50	3.00	49	3.20	0.29	SEALCOAT
						1997	3.50	3.00	49	3.20	0.27	
						1998	3.50	3.00	49	3.20	0.25	
						1999	3.60	2.90	58	3.18	0.32	
						2000	3.50	2.90	58	3.14	0.32	
						2001	3.60	2.90	58	3.18	0.45	
						2002	3.40	2.90	58	3.10	0.30	
4	S.H.-25	002270	010.420	014.600	N	1993	3.10	3.00	56	3.04		
						1994	3.10	3.00	38	3.04	0.18	
						1995	3.10	1.90	38	2.39	0.18	
						1996	3.10	1.70	55	2.27	0.11	SEALCOAT
						1997	2.90	1.70	55	2.19	0.12	
						1998	2.90	1.70	55	2.19	0.11	
						1999	2.70	1.70	56	2.11	0.13	
						2000	2.50	1.70	56	2.03	0.13	
						2001	2.20	1.70	56	1.90	0.18	
						2002	3.60	5.00	56	4.42	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
4	S.H.-25	002270	014.600	018.000	N	1993	3.00	2.50	56	2.70								
						1994	3.00	2.50	38	2.70	0.19							
						1995	3.00	2.00	38	2.41	0.19							
						*1996	3.20	1.90	52	2.43	0.12	SEALCOAT	1996					
						1997	3.00	1.70	54	2.23	0.13							
						1998	3.00	1.70	54	2.23	0.14							
						1999	2.90	1.70	56	2.19	0.16							
						2000	2.90	1.70	56	2.19	0.11							
						2001	2.50	1.70	56	2.03	0.22							
						2002	3.60	5.00	56	4.42	0.05							
						4	S.H.-25	002270	018.000	019.112	N	1993	3.00	2.50	56	2.70		
												1994	3.00	2.50	38	2.70	0.19	
1995	3.00	2.00	38	2.41	0.19													
*1996	3.20	1.90	52	2.43	0.12													
1997	3.00	5.00	43	4.17	0.13							COLD IN PLACE RECYCLE	1997					
1998	3.30	5.00	43	4.29	0.22													
1999	3.30	5.00	61	4.29	0.22													
2000	3.30	4.50	61	4.00	0.24													
2001	3.30	2.00	61	2.53	0.26													
2002	3.10	2.00	61	2.45	0.26													
4	S.H.-25	002270	019.112	024.368	N							1993	3.00	2.00	54	2.41		
												1994	3.10	2.00	32	2.45	0.20	
						1995	3.10	1.90	32	2.39	0.20							
						1996	3.20	1.90	36	2.43	0.14							
						1997	3.20	5.00	36	4.25	0.15	COLD IN PLACE RECYCLE	1997					
						1998	3.40	5.00	36	4.33	0.22							
						1999	3.40	4.70	56	4.16	0.24							
						2000	3.40	4.50	56	4.04	0.24							
						2001	3.40	3.00	56	3.16	0.25							
						2002	3.10	3.00	56	3.04	0.27							
						4	S.H.-25	002270	024.368	030.564	N	1993	2.80	2.00	52	2.33		
												1994	2.80	1.90	30	2.27	0.21	
1995	2.80	1.90	30	2.27	0.21													
1996	2.90	1.90	35	2.31	0.15													
1997	2.80	5.00	35	4.09	0.16							COLD IN PLACE RECYCLE	1997					
1998	3.40	5.00	35	4.33	0.19													
1999	3.30	4.70	51	4.12	0.21													
2000	3.30	4.30	51	3.88	0.21													
2001	3.30	3.40	51	3.35	0.24													
2002	3.10	3.00	51	3.04	0.24													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS	
										INDEX	DEPTH			
4	S.H.-25	002270	037.570	042.470	N	2002	3.90	5.00	49	4.54	0.03	REHABILITATION AND RESURFACE	2002	
4	S.H.-25	002270	037.570	043.172	N	1993	3.10	2.50	50	2.74				
						1994	3.10	2.30	36	2.63	0.35			
						1995	3.10	2.30	36	2.63	0.35	SEALCOAT	1995	
						1996	3.00	2.30	47	2.59	0.19	SEALCOAT	1996	
						1997	2.90	2.30	47	2.54	0.22			
						1998	2.90	1.90	47	2.31	0.24			
						1999	2.90	1.90	48	2.31	0.24			
						2000	2.90	1.50	48	2.08	0.24			
						*2001	2.90	1.50	48	2.08	0.26			
4	S.H.-25	002270	042.470	045.693	N	2002	2.40	1.50	48	1.84	0.14			
4	S.H.-25	002270	043.172	045.693	N	1993	3.20	2.50	51	2.76				
						1994	3.20	2.00	32	2.45	0.07			
						1995	3.20	2.00	32	2.45	0.07	SEALCOAT	1995	
						1996	2.90	2.00	44	2.34	0.11	SEALCOAT	1996	
						1997	2.70	1.90	44	2.20	0.12			
						1998	2.80	1.50	44	1.99	0.10			
						1999	2.60	1.50	49	1.91	0.11			
						2000	2.50	1.50	49	1.88	0.13			
						*2001	2.40	1.50	49	1.84	0.15			
4	S.H.-25	002270	045.693	046.025	N	1993	1.30	3.20	50	2.47				
						1994	2.50	3.20	35	2.93	0.24			
						1995	2.50	3.20	35	2.93	0.24	SEALCOAT	1995	
						1996	2.50	3.20	45	2.93	0.12	SEALCOAT	1996	
						1997	2.20	3.10	45	2.75	0.11			
						1998	2.20	2.60	45	2.44	0.16			
						1999	2.20	2.60	45	2.44	0.16			
						2000	2.10	2.50	49	2.34	0.15			
						2001	2.30	2.30	49	2.30	0.25			
						2002	2.20	2.30	48	2.26	0.17			
4	S.H.-25	002270	046.025	046.410	N	1993	2.30	3.40	43	2.93				
						1994	2.20	3.40	30	2.89	0.40			
						1995	2.20	3.40	30	2.89	0.40	SEALCOAT	1995	
						1996	2.50	3.40	37	3.02	0.20	SEALCOAT	1996	
						1997	2.10	3.30	37	2.79	0.20			
						1998	2.20	3.30	37	2.83	0.35			
						1999	2.10	3.30	37	2.79	0.30			
						2000	2.00	2.50	49	2.28	0.31			
						2001	2.30	2.50	49	2.41	0.37			
						2002	2.20	2.50	48	2.37	0.28			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	S.H.-25	002270	046.410	050.665	N	1993	2.80	1.50	40	2.04									
						1994	2.80	5.00	24	4.07	0.22	PLANT MIX OVERLAY	1994						
						1995	2.80	5.00	24	4.07	0.22	SEALCOAT	1995						
						1996	3.80	5.00	25	4.49	0.10	SEALCOAT	1996						
						1997	3.60	5.00	25	4.41	0.11								
						1998	3.60	5.00	25	4.41	0.14								
						1999	3.60	5.00	37	4.41	0.17								
						2000	3.50	4.00	37	3.79	0.15								
						2001	3.60	4.00	37	3.83	0.19								
						2002	3.40	4.00	37	3.74	0.15	SEALCOAT	2002						
						4	S.H.-25	002270	050.665	050.830	N	1993	2.00	1.50	46	1.69			
												1994	2.00	1.50	46	1.69	0.31		
1995	2.00	1.50	46	1.69	0.31														
1996	2.00	1.50	34	1.69	0.23														
1997	1.80	1.50	34	1.61	0.26														
1998	1.80	1.50	34	1.61	0.23														
1999	1.80	1.50	53	1.61	0.26														
*2000	1.70	1.50	53	1.57	0.33														
2001	2.70	1.50	37	2.00	0.13														
2002	2.70	5.00	37	4.03	0.13							SEALCOAT	2002						
4	S.H.-25	002270	052.455	052.697	N							1993	2.30	3.20	47	2.82			
												1994	2.20	3.20	31	2.78	0.30		
						1995	2.20	3.00	31	2.66	0.30								
						1996	2.50	2.70	29	2.61	0.09								
						1997	2.90	2.50	29	2.66	0.12								
						*1998	2.80	2.00	29	2.33	0.17								
						1999	2.60	2.00	43	2.25	0.16	PLANT MIX OVERLAY	1999						
						2000	3.40	4.50	43	4.04	0.20								
						2001	3.40	4.50	43	4.03	0.08								
						2002	2.90	4.50	43	3.82	0.09	SEALCOAT	2002						
						4	S.H.-25	002270	052.697	053.394	N	1993	2.50	1.50	50	1.94			
												1994	2.50	1.50	33	1.94	0.20		
1995	2.50	1.50	33	1.94	0.20														
1996	2.70	1.40	28	1.98	0.11														
1997	2.50	1.30	28	1.83	0.17														
*1998	2.50	1.30	28	1.83	0.17														
1999	2.20	5.00	28	3.74	0.14							NEW CONST OR RECONST (FLEX)	1999						
2000	3.20	5.00	43	4.19	0.10														
2001	3.20	5.00	43	4.18	0.11														
2002	3.20	5.00	43	4.18	0.13														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	S.H.-25	002270	053.394	053.623	N	1993	3.30	1.50	53	2.24									
						*1994	3.30	1.50	35	2.24	0.22	PLANT MIX OVERLAY	1995						
							3.50	5.00	37	4.37	0.00								
							3.90	5.00	27	4.54	0.09								
							3.80	5.00	27	4.50	0.12	SEALCOAT	1997						
							*1998	3.70	5.00	27	4.45	0.16							
								2.50	5.00	24	3.95	0.07							
								2.40	5.00	43	3.91	0.06							
								2.70	4.50	43	3.75	0.06							
								3.00	4.50	43	3.87	0.07							
						4	S.H.-25	002270	053.623	054.394	N	1993	3.30	1.50	53	2.24			
												*1994	3.30	1.50	35	2.24	0.22	PLANT MIX OVERLAY	1995
													3.50	5.00	37	4.37	0.00		
	3.90	5.00	27	4.54	0.09														
	3.80	5.00	27	4.50	0.12							SEALCOAT	1997						
	*1998	3.70	5.00	27	4.45							0.16							
		3.50	4.50	52	4.08							0.16							
		3.80	4.50	52	4.20							0.17							
		3.90	4.50	52	4.25							0.19							
		3.70	4.50	52	4.16							0.21							
4	S.H.-25	002270	054.394	056.790	N							*1993	2.70	1.70	51	2.11			
												1994	2.90	1.70	34	2.19	0.29	NEW CONST OR RECONST (FLEX)	1994
													3.50	5.00	34	4.37	0.00	PLANT MIX OVERLAY	1995
							4.00	5.00	31	4.58	0.07								
							3.90	5.00	31	4.54	0.08	SEALCOAT	1997						
							3.70	5.00	31	4.46	0.10								
							3.80	5.00	50	4.50	0.13								
							3.80	4.60	50	4.26	0.12								
							3.90	4.60	50	4.30	0.16								
							3.70	4.30	50	4.05	0.17								
						4	S.H.-25	002270	057.360	058.048	N	*1993	1.90	2.00	52	1.95			
												*1994	2.30	2.00	40	2.12	0.21	NEW CONST OR RECONST (FLEX)	1994
													3.50	5.00	40	4.37	0.00	PLANT MIX OVERLAY	1995
	3.70	5.00	29	4.45	0.04														
	3.50	5.00	29	4.37	0.05							SEALCOAT	1997						
	*1998	3.20	5.00	29	4.25							0.07							
		3.50	5.00	44	4.37							0.06							
		3.50	4.50	44	4.08							0.08							
		3.60	4.30	44	4.00							0.11							
		3.20	2.60	44	2.84							0.11							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	S.H.-25	015999	056.790	057.340	N	*1994	2.90	5.00	34	3.95	0.29		
						1995	3.50	5.00	34	4.37	0.00		
						1996	3.50	5.00	31	4.37	0.04		
						1997	3.20	5.00	31	4.25	0.06	SEALCOAT	1997
						1998	3.00	5.00	31	4.17	0.04		
						1999	3.10	5.00	50	4.21	0.04		
						2000	3.10	5.00	50	4.21	0.05		
						2001	3.20	5.00	50	4.25	0.05		
						2002	3.10	5.00	50	4.21	0.07		
4	U.S.-26	002240	138.970	145.700	N	1993	3.40	2.00	52	2.62			
						1994	3.50	2.00	41	2.66	0.08		
						1995	3.50	2.00	41	2.66	0.08		
						1996	3.60	1.90	51	2.65	0.11		
						1997	3.50	1.90	51	2.61	0.11		
						*1998	3.40	1.90	51	2.57	0.11		
						1999	3.40	5.00	54	4.28	0.12	PLANT MIX OVERLAY	1999
						2000	3.50	5.00	54	4.32	0.06		
						2001	3.60	5.00	54	4.37	0.10		
						2002	3.40	5.00	54	4.28	0.10		
4	U.S.-26	002240	145.700	149.992	N	1993	3.40	2.00	52	2.62		SEALCOAT	1993
						1994	3.50	2.00	41	2.66	0.08		
						1995	3.50	2.00	41	2.66	0.08		
						1996	3.60	1.90	51	2.65	0.11		
						1997	3.50	1.90	51	2.61	0.11		
						*1998	3.40	1.90	51	2.57	0.11		
						1999	2.80	5.00	38	4.01	0.26	C.R.A.B.S.	1999
						2000	3.50	5.00	38	4.32	0.08		
						2001	3.50	5.00	38	4.32	0.10		
						2002	3.40	5.00	38	4.28	0.12		
4	U.S.-26	002240	149.992	150.355	N	1993	1.50	3.00	48	2.32		SEALCOAT	1993
						1994	1.80	3.00	39	2.46	0.06		
						1995	1.80	2.90	39	2.40	0.06		
						1996	2.50	2.50	41	2.50	0.08		
						1997	2.00	2.50	41	2.27	0.08		
						1998	2.00	2.50	41	2.27	0.08		
						1999	2.00	2.50	50	2.27	0.07		
						2000	2.30	2.50	50	2.41	0.08	C.R.A.B.S.	2000
						2001	2.30	2.50	50	2.41	0.08		
						2002	2.30	2.50	50	2.41	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	U.S.-26	002240	150.355	156.144	N	1993	3.40	3.00	53	3.17		SEALCOAT	1993
						1994	3.40	2.80	39	3.06	0.11		
						1995	3.40	2.70	39	3.01	0.11		
						1996	3.40	2.50	46	2.90	0.12		
						1997	3.20	2.30	46	2.70	0.12		
						1998	3.20	2.30	46	2.70	0.16		
						1999	3.20	2.30	47	2.70	0.17		
						2000	3.20	5.00	47	4.19	0.18	C.R.A.B.S.	2000
						2001	4.10	5.00	47	4.59	0.09		
						2002	3.80	5.00	47	4.46	0.11		
4	U.S.-26	002240	156.144	165.450	N	1993	3.40	4.50	57	4.00		PLANT MIX OVERLAY	1993
						1994	3.40	3.50	43	3.45	0.12		
						1995	3.40	3.50	43	3.45	0.12	SEALCOAT	1995
						1996	3.40	3.30	53	3.34	0.12		
						1997	3.30	2.80	53	3.02	0.13		
						1998	3.40	2.70	53	3.01	0.13		
						1999	3.30	2.40	56	2.80	0.15		
						2000	3.40	5.00	56	4.28	0.16	C.R.A.B.S.	2000
						2001	4.00	5.00	56	4.55	0.13		
						2002	3.70	5.00	56	4.41	0.15		
4	U.S.-26	002240	165.450	165.928	N	1993	3.30	4.50	56	4.00		PLANT MIX OVERLAY	1993
						1994	3.00	4.50	40	3.87	0.16		
						1995	3.00	4.50	40	3.87	0.16	SEALCOAT	1995
						1996	3.30	4.50	56	4.00	0.09	SEALCOAT	1996
						1997	3.20	4.50	56	3.96	0.09		
						1998	3.20	4.50	56	3.96	0.06		
						1999	3.20	4.50	53	3.95	0.08		
						2000	3.30	4.50	53	4.00	0.09	C.R.A.B.S.	2000
						2001	2.70	4.50	53	3.75	0.07		
						2002	3.00	4.50	53	3.87	0.10		
4	S.H.-27	002290	000.000	007.000	N	1993	2.90	1.90	50	2.31			
						1994	2.70	1.50	34	1.99	0.37		
						1995	2.70	1.50	34	1.99	0.37		
						1996	2.30	1.50	45	1.83	0.18		
						1997	3.90	5.00	45	4.54	0.04	PLANT MIX OVERLAY	1997
						1998	3.90	5.00	45	4.54	0.11		
						1999	4.00	5.00	33	4.58	0.12	SEALCOAT	1999
						2000	3.80	5.00	33	4.50	0.11		
						2001	3.90	5.00	33	4.54	0.11		
						2002	3.50	5.00	33	4.37	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
4	S.H.-27	002290	007.000	012.898	N	1993	3.20	2.90	50	3.02							
						1994	3.20	2.00	30	2.49	0.25						
						1995	3.20	2.00	30	2.49	0.25						
						1996	2.90	2.00	38	2.37	0.18						
						1997	4.10	5.00	38	4.62	0.06	PLANT MIX OVERLAY					1997
						1998	4.10	5.00	38	4.62	0.10						
						1999	4.10	5.00	35	4.62	0.12	SEALCOAT					1999
						2000	4.00	5.00	35	4.58	0.11						
						2001	4.10	5.00	35	4.62	0.13						
						2002	3.60	5.00	35	4.42	0.14						
4	S.H.-27	002290	012.898	019.946	N	1993	3.10	2.00	49	2.45							
						1994	3.00	1.80	27	2.30	0.34						
						1995	3.00	1.80	27	2.30	0.34						
						*1996	2.50	1.60	38	1.97	0.19						
						1997	3.90	5.00	36	4.53	0.07	PLANT MIX OVERLAY					1997
						1998	4.00	5.00	36	4.57	0.13						
						1999	4.00	5.00	32	4.58	0.13	SEALCOAT					1999
						2000	3.90	5.00	32	4.53	0.14						
						2001	4.00	5.00	32	4.57	0.15						
						2002	3.60	5.00	32	4.41	0.17						
4	S.H.-27	002290	019.946	020.448	N	1993	3.40	2.00	52	2.58							
						1994	3.30	2.00	19	2.54	0.23						
						1995	3.30	2.00	19	2.54	0.23						
						1996	2.50	2.00	33	2.21	0.14						
						1997	2.10	2.00	33	2.04	0.14						
						1998	2.30	2.00	33	2.12	0.20						
						1999	2.20	2.00	46	2.08	0.22						
						2000	2.10	2.00	46	2.04	0.21						
						2001	2.00	1.50	46	1.71	0.23						
						2002	3.10	1.50	46	2.17	0.16						
4	S.H.-27	002290	020.448	020.780	N	1993	2.50	4.00	51	3.35							
						1994	1.70	4.00	17	3.01	0.42						
						1995	1.70	3.50	17	2.72	0.42						
						1996	2.90	3.50	33	3.24	0.19						
						1997	2.50	3.00	33	2.78	0.26						
						1998	2.40	3.00	33	2.74	0.22						
						1999	2.50	2.80	49	2.67	0.30						
						2000	2.40	2.70	49	2.57	0.25						
						2001	2.50	2.60	49	2.55	0.27						
						2002	2.80	2.60	49	2.68	0.31						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
FINAL INDEX REPORT FOR 1993-2002

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	S.H.-27	002290	024.547	025.950	N	2000	3.30	2.00	53	2.54	0.07								
						2001	3.40	2.00	53	2.58	0.07								
						2002	3.30	2.00	53	2.54	0.07	SEALCOAT	2002						
						1993	2.80	2.00	46	2.33									
						1994	2.90	1.90	25	2.32	0.20								
						1995	2.90	1.90	25	2.32	0.20								
						1996	3.30	1.90	32	2.49	0.11								
						1997	2.90	1.90	32	2.32	0.12								
						1998	2.80	1.40	32	1.99	0.15								
						1999	3.60	5.00	45	4.40	0.05	C.R.A.B.S.	1999						
						2000	3.60	5.00	45	4.40	0.06								
						2001	3.70	5.00	45	4.44	0.06								
						2002	3.30	5.00	45	4.28	0.05	SEALCOAT	2002						
						4	S.H.-27	002290	025.950	026.423	N	1993	2.90	2.00	47	2.38			
1994	2.90	2.00	20	2.38	0.61														
1995	2.90	2.00	20	2.38	0.61														
1996	2.70	1.90	35	2.23	0.47														
1997	2.40	1.90	35	2.11	0.39														
1998	2.50	1.60	35	1.98	0.44														
1999	3.60	5.00	41	4.40	0.02							C.R.A.B.S.	1999						
2000	3.60	5.00	41	4.40	0.03														
2001	3.70	5.00	41	4.44	0.03														
2002	3.40	5.00	41	4.32	0.03							SEALCOAT	2002						
4	S.H.-27	002290	026.423	026.561	N							1993	1.00	2.00	55	1.61			
												1994	1.90	2.00	55	1.96	0.28		
												1995	1.90	2.00	55	1.96	0.28		
												1996	2.90	1.90	35	2.28	0.25		
						1997	2.80	1.90	35	2.24	0.25								
						1998	2.80	1.60	35	2.06	0.28								
						1999	3.60	5.00	41	4.45	0.04	C.R.A.B.S.	1999						
						2000	3.80	5.00	41	4.53	0.04								
						2001	3.90	5.00	41	4.57	0.03								
						2002	3.90	5.00	41	4.57	0.03	SEALCOAT	2002						
						4	U.S.-30	002040	172.604	174.900	N	*1993	2.90	3.50	55	3.23			
												1994	2.80	3.50	34	3.18	0.32	SEALCOAT	1994
												1995	2.80	3.50	34	3.18	0.32		
												1996	3.60	3.50	34	3.54	0.14		
1997	3.60	3.50	34	3.54	0.14														
1998	3.50	3.50	35	3.50	0.13														
1999	3.50	3.50	64	3.50	0.16														
2000	3.50	3.50	64	3.50	0.16														
2001	3.50	3.50	64	3.50	0.16														
2002	3.30	3.50	64	3.41	0.17														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	U.S.-30	002040	174.900	176.300	N	1993	3.00	2.50	56	2.72		
						1994	3.00	2.50	34	2.72	0.17	SEALCOAT
						1995	3.00	2.50	34	2.72	0.17	
						1996	3.30	2.50	34	2.85	0.14	
						1997	3.20	2.50	34	2.81	0.12	
						1998	3.20	2.40	35	2.75	0.14	
						1999	3.20	2.40	65	2.75	0.15	
						2000	3.20	2.40	65	2.75	0.20	
						2001	3.20	2.40	65	2.75	0.16	
						2002	2.90	2.40	65	2.62	0.16	
4	U.S.-30	002040	176.300	177.510	N	1993	3.50	4.00	42	3.79		
						1994	3.50	3.50	18	3.50	0.17	SEALCOAT
						1995	3.50	2.50	18	2.91	0.17	
						1996	3.60	2.50	18	2.95	0.15	
						1997	3.40	2.50	18	2.87	0.15	
						*1998	3.40	2.40	35	2.81	0.21	
						1999	3.20	2.90	62	3.03	0.13	
						2000	3.10	2.90	62	2.98	0.13	SEALCOAT
						2001	3.20	2.80	62	2.97	0.11	
						2002	3.00	2.80	62	2.88	0.11	
4	U.S.-30	002040	177.510	180.650	N	1993	3.50	4.00	42	3.79		
						1994	3.50	3.50	18	3.50	0.17	
						1995	3.50	2.50	18	2.91	0.17	
						1996	3.60	2.50	18	2.95	0.15	
						1997	3.40	2.50	18	2.87	0.15	
						*1998	3.40	2.40	35	2.81	0.21	
						1999	3.40	5.00	52	4.33	0.27	C.R.A.B.S.
						2000	3.70	5.00	52	4.45	0.03	SEALCOAT
						2001	3.80	5.00	52	4.49	0.04	
						2002	3.70	5.00	52	4.45	0.04	
4	U.S.-30	002040	180.650	181.256	N	1993	3.20	3.00	44	3.08		
						1994	3.30	3.00	34	3.12	0.38	
						1995	3.30	2.90	34	3.06	0.38	
						1996	3.20	2.90	34	3.02	0.19	
						1997	3.10	2.90	34	2.98	0.12	
						1998	3.10	2.90	35	2.98	0.22	
						1999	3.00	5.00	57	4.16	0.16	C.R.A.B.S.
						2000	3.00	4.50	57	3.87	0.19	SEALCOAT
						2001	3.00	4.50	57	3.87	0.20	
						2002	2.70	4.00	57	3.45	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	U.S.-30	002040	181.256	184.170	N	1993	3.40	4.00	50	3.73		
						1994	3.40	3.00	24	3.17	0.19	
						1995	3.40	2.60	24	2.95	0.19	
						1996	3.60	2.60	24	3.04	0.11	
						1997	3.50	5.00	24	4.32	0.14	
						1998	3.40	2.90	35	3.12	0.16	
						1999	3.40	5.00	46	4.28	0.19	C.R.A.B.S.
						*2000	3.80	5.00	46	4.46	0.05	SEALCOAT
						2001	3.80	5.00	45	4.46	0.06	
						2002	3.70	5.00	45	4.41	0.06	
4	U.S.-30	002040	184.170	185.419	N	1993	3.60	3.50	52	3.54		
						1994	3.60	3.50	29	3.54	0.23	
						1995	3.60	3.50	29	3.54	0.23	
						1996	3.90	3.50	29	3.67	0.13	
						1997	3.90	3.50	29	3.67	0.13	
						*1998	3.80	3.50	35	3.63	0.16	
						1999	3.70	3.50	42	3.58	0.16	
						2000	3.60	3.50	42	3.54	0.17	SEALCOAT
						2001	3.50	3.50	42	3.50	0.18	
						2002	3.30	3.50	42	3.41	0.18	
4	U.S.-30	002040	185.419	191.200	N	1993	3.00	3.50	53	3.27		
						1994	3.00	3.00	34	3.00	0.22	
						1995	3.00	2.50	34	2.72	0.22	
						1996	3.20	2.50	34	2.81	0.16	
						1997	3.10	2.50	34	2.76	0.14	
						*1998	3.10	2.50	35	2.76	0.17	
						1999	3.10	2.50	56	2.76	0.17	
						2000	3.00	2.00	56	2.44	0.17	SEALCOAT
						2001	3.00	2.00	56	2.44	0.18	
						2002	3.10	2.00	56	2.49	0.14	
4	U.S.-30	002040	191.200	192.240	N	1993	2.70	3.20	51	2.97		
						1994	2.70	2.80	30	2.75	0.17	
						1995	2.70	2.60	30	2.64	0.17	
						1996	3.10	2.50	30	2.76	0.12	
						1997	2.90	2.50	30	2.67	0.13	
						*1998	3.00	2.50	35	2.72	0.20	
						1999	3.20	5.00	47	4.19	0.27	PLANT MIX OVERLAY
						2000	3.50	4.70	47	4.16	0.08	SEALCOAT
						2001	3.70	4.70	47	4.25	0.10	
						2002	3.40	4.50	47	4.00	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
4	U.S.-30	002040	192.240	193.300	N	1993	3.10	3.50	53	3.32							
						1994	3.20	3.00	29	3.08	0.08						
						1995	3.20	3.00	29	3.08	0.08						
						1996	3.70	3.00	29	3.31	0.09						
						1997	3.60	3.00	29	3.26	0.10						
						1998	3.50	3.00	35	3.22	0.09						
						1999	3.50	5.00	50	4.32	0.10	PLANT MIX OVERLAY					1999
						2000	3.70	5.00	50	4.41	0.03	SEALCOAT					2000
						2001	3.70	5.00	50	4.41	0.04						
						2002	3.40	4.60	50	4.06	0.06						
4	U.S.-30	002040	193.300	196.300	N	1993	2.50	2.50	49	2.50							
						1994	2.60	2.50	29	2.54	0.55						
						1995	2.60	2.50	29	2.54	0.55						
						1996	3.00	2.30	29	2.61	0.29						
						1997	2.90	2.30	29	2.56	0.26						
						1998	2.90	2.30	35	2.56	0.33						
						1999	2.90	5.00	42	4.06	0.34	PLANT MIX OVERLAY					1999
						2000	3.30	5.00	42	4.24	0.12	SEALCOAT					2000
						2001	3.40	5.00	42	4.28	0.13						
						2002	3.30	5.00	42	4.24	0.13						
4	U.S.-30	002040	196.300	200.815	N	1993	2.60	2.00	47	2.26							
						1994	2.60	2.00	27	2.26	0.16						
						1995	2.60	2.00	27	2.26	0.16						
						1996	3.10	2.00	27	2.49	0.13						
						1997	3.10	2.00	27	2.49	0.15						
						1998	3.00	2.00	35	2.45	0.18						
						*1999	3.00	5.00	42	4.09	0.19	PLANT MIX OVERLAY					1999
						2000	3.20	5.00	42	4.18	0.09	SEALCOAT					2000
						2001	3.30	5.00	42	4.23	0.11						
						2002	3.20	5.00	42	4.18	0.13						
4	U.S.-30	002040	200.815	201.639	N	1993	2.10	4.00	34	3.20							
						1994	2.00	4.00	13	3.15	0.55						
						1995	2.00	4.00	13	3.15	0.55						
						1996	3.00	4.00	13	3.58	0.36						
						1997	2.70	3.00	13	2.87	0.35						
						1998	2.70	3.00	35	2.87	0.40						
						1999	2.80	3.00	45	2.91	0.42	PLANT MIX OVERLAY					1999
						2000	3.10	3.00	45	3.04	0.41	SEALCOAT					2000
						2001	3.10	3.00	45	3.04	0.43						
						2002	2.70	3.50	45	3.16	0.46						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
4	U.S.-30	002040	201.639	201.994	N	1993	1.50	4.00	36	2.93			
						1994	1.50	4.00	13	2.92	0.33		
						1995	1.50	3.60	13	2.70	0.33		
						1996	2.70	3.60	13	3.21	0.13		
						1997	2.60	3.60	13	3.17	0.19		
						1998	2.50	3.60	35	3.13	0.23		
						1999	2.40	3.60	45	3.09	0.20		
						2000	2.30	3.60	45	3.04	0.20		
						2001	2.10	3.60	45	2.96	0.29		
						2002	2.00	3.60	45	2.92	0.26		
4	U.S.-30	002040	201.994	202.233	N	1993	2.20	4.00	32	3.23			
						1994	2.10	4.00	10	3.19	0.38		
						1995	2.10	4.00	10	3.18	0.38		
						*1996	2.90	4.00	10	3.53	0.17		
						1997	2.30	4.00	13	3.27	0.22		
						1998	2.10	4.00	35	3.19	0.22		
						1999	2.50	4.00	45	3.36	0.30		
						2000	2.40	4.00	45	3.32	0.31		
						2001	2.40	4.00	45	3.32	0.34		
						2002	1.80	4.00	45	3.07	0.30		
4	U.S.-30	002040	202.233	202.446	N	1993	2.20	4.00	32	3.23			
						1994	2.10	4.00	10	3.19	0.38		
						1995	2.10	4.00	10	3.18	0.38		
						*1996	2.90	4.00	10	3.53	0.17		
						1997	2.70	5.00	07	4.02	0.19	PLANT MIX OVERLAY	1997
						1998	2.80	5.00	35	4.06	0.32		
						1999	2.90	5.00	45	4.10	0.36		
						2000	2.80	5.00	45	4.06	0.31		
						2001	3.00	5.00	45	4.15	0.40		
						2002	2.50	5.00	45	3.94	0.24		
4	U.S.-30	002040	202.446	204.692	N	1993	2.50	3.50	41	3.04			
						1994	2.40	3.00	14	2.72	0.37		
						1995	2.40	3.00	14	2.72	0.37		
						1996	3.20	3.00	14	3.09	0.31		
						1997	2.90	5.00	14	4.04	0.28	PLANT MIX OVERLAY	1997
						1998	3.60	5.00	35	4.36	0.08		
						1999	3.70	5.00	39	4.40	0.09		
						2000	3.60	5.00	39	4.36	0.11		
						2001	3.70	5.00	39	4.40	0.14		
						2002	3.60	5.00	39	4.36	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	U.S.-30	002040	204.692	210.086	N	1993	3.30	2.50	54	2.83		
						1994	3.30	2.50	25	2.83	0.35	
						1995	3.30	2.30	25	2.71	0.35	SEALCOAT
						1996	3.60	2.00	25	2.72	0.24	
						1997	3.50	5.00	25	4.32	0.26	PLANT MIX OVERLAY
						1998	3.90	5.00	35	4.50	0.09	
						1999	4.00	5.00	50	4.54	0.11	
						2000	3.90	5.00	50	4.53	0.13	
						2001	3.90	5.00	50	4.50	0.14	
						2002	3.70	5.00	50	4.41	0.17	
4	U.S.-30	002040	210.086	210.625	N	1993	2.50	2.30	49	2.38		
						1994	2.90	2.30	30	2.55	0.24	
						1995	2.90	2.30	30	2.55	0.24	SEALCOAT
						1996	3.20	2.20	30	2.62	0.30	NEW CONST OR RECONST (FLEX)
						1997	3.20	5.00	30	4.23	0.35	PLANT MIX OVERLAY
						1998	2.40	5.00	35	3.89	0.09	
						1999	2.50	5.00	42	3.93	0.10	
						2000	2.50	5.00	42	3.93	0.14	
						2001	2.40	5.00	42	3.89	0.11	
						2002	2.90	5.00	42	4.10	0.21	
4	U.S.-30	002040	210.625	211.480	N	1993	2.70	2.00	47	2.31		
						1994	2.60	2.00	21	2.27	0.39	
						*1995	2.60	2.10	21	2.32	0.39	SEALCOAT
						1996	4.20	5.00	21	4.63	0.04	NEW CONST OR RECONST (FLEX)
						1997	3.90	5.00	21	4.49	0.06	
						1998	3.80	5.00	35	4.45	0.06	
						1999	3.90	5.00	39	4.49	0.07	
						2000	3.80	5.00	39	4.45	0.07	
						2001	3.90	5.00	39	4.49	0.07	
						2002	3.80	5.00	39	4.45	0.09	
4	U.S.-30	002040	211.480	212.094	N	1993	2.70	2.00	47	2.31		
						1994	2.60	2.00	21	2.27	0.39	
						*1995	2.60	2.10	21	2.32	0.39	SEALCOAT
						1996	3.30	2.10	22	2.65	0.14	NEW CONST OR RECONST (FLEX)
						1999	3.70	5.00	38	4.40	0.09	
4	U.S.-30	002040	216.940	216.950	N	1993	0.40	3.50	47	2.13		
						1994	0.70	3.50	21	2.27	0.46	
						1995	0.70	3.50	21	2.27	0.46	
						1996	0.70	3.50	22	2.27	0.46	
						1997	3.90	3.50	21	3.67	0.06	SEALCOAT
						1998	3.80	3.50	35	3.63	0.06	
						1999	3.70	3.50	38	3.58	0.09	
						2000	3.80	5.00	39	4.47	0.07	
						2001	3.90	5.00	39	4.51	0.07	
						2002	3.80	5.00	39	4.47	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS										
4	U.S.-30	002040	217.210	217.314	N	1993	1.90	3.50	49	2.81													
						1994	1.30	3.50	26	2.56	0.29												
						1995	1.30	3.50	26	2.56	0.29												
						1996	0.70	5.00	26	3.17	0.29	MILL AND INLAY					1996						
						1997	3.90	5.00	26	4.53	0.06	SEALCOAT					1997						
						1998	3.80	5.00	35	4.49	0.06												
						*1999	3.70	5.00	45	4.44	0.09												
						2000	4.00	5.00	39	4.57	0.14	MILL AND INLAY					2000						
						2001	2.50	5.00	39	3.94	0.07												
						2002	2.10	5.00	39	3.77	0.17												
						4	U.S.-30	002040	217.314	218.197	N	1993	1.90	3.50	49	2.81							
												1994	1.30	3.50	26	2.56	0.29						
												1995	1.30	3.50	26	2.56	0.29						
1996	0.70	5.00	26	3.17	0.29							MILL AND INLAY					1996						
1997	3.90	5.00	26	4.53	0.06							SEALCOAT					1997						
1998	3.80	5.00	35	4.49	0.06																		
*1999	3.70	5.00	45	4.44	0.09																		
2000	3.50	2.70	40	3.03	0.28							PLANT MIX OVERLAY					2000						
2001	3.80	4.50	40	4.20	0.09																		
2002	3.20	4.50	40	3.95	0.10																		
4	U.S.-30	002040	218.197	218.570	N							1993	2.30	1.50	50	1.84							
												1994	2.40	1.50	20	1.88	0.19						
												*1995	2.40	1.50	20	1.88	0.19						
						1996	3.40	5.00	20	4.31	0.18	MILL AND INLAY					1996						
						1997	3.30	5.00	20	4.27	0.14	SEALCOAT					1997						
						1998	3.00	3.00	35	3.00	0.20												
						1999	3.00	3.00	27	3.00	0.18												
						2000	3.60	2.90	27	3.19	0.21	PLANT MIX OVERLAY					2000						
						2001	3.70	5.00	27	4.44	0.17												
						2002	3.30	5.00	27	4.27	0.17												
						4	U.S.-30	002040	218.570	218.674	N	1993	2.30	1.50	50	1.84							
												1994	2.40	1.50	20	1.88	0.19	SEALCOAT					1994
												*1995	2.40	1.50	20	1.88	0.19						
1996	2.70	1.50	20	2.01	0.23							MILL AND INLAY					1996						
1997	2.00	1.50	20	1.71	0.21							SEALCOAT					1997						
1998	1.80	1.50	35	1.62	0.26																		
1999	2.10	1.50	27	1.75	0.23																		
2000	4.00	1.50	27	2.56	0.21							MILL AND INLAY					2000						
2001	2.60	1.50	27	1.97	0.14																		
2002	3.50	1.50	27	2.35	0.15																		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	U.S.-30	002040	218.674	219.676	N	1993	3.10	5.00	39	4.17		PLANT MIX OVERLAY	1993
						1994	2.80	4.00	10	3.47	0.57	SEALCOAT	1994
						1995	2.80	3.50	10	3.19	0.57		
						1996	3.30	3.50	10	3.41	0.41		
						1997	3.10	3.10	10	3.10	0.37		
						1998	3.00	3.10	32	3.05	0.51		
						1999	2.90	2.90	29	2.90	0.47		
						2000	2.80	2.50	29	2.63	0.49		
						2001	2.90	2.50	29	2.67	0.50		
						2002	2.70	2.40	29	2.53	0.45		
4	U.S.-30	002040	219.676	220.668	ASC	1999	3.00	3.80	28	3.43	0.45		
						2000	2.80	3.10	28	2.96	0.46		
						2001	3.30	3.10	28	3.19	0.35		
						2002	3.20	2.50	28	2.81	0.35		
4	U.S.-30	002040	219.676	220.668	DES	1999	3.00	3.80	28	3.43	0.45		
						2000	2.80	3.80	28	3.34	0.46		
						2001	3.30	2.40	28	2.80	0.35		
						2002	3.20	2.40	28	2.76	0.35		
4	U.S.-30	002040	220.668	223.553	N	1993	3.00	1.50	39	2.18		PLANT MIX OVERLAY	1993
						1994	3.00	5.00	33	4.09	0.30	MILL AND INLAY	1994
						1995	3.00	4.50	33	3.81	0.30		
						1996	3.90	4.50	33	4.22	0.09		
						1997	3.90	4.50	33	4.22	0.10		
						1998	3.80	4.50	32	4.18	0.16		
						*1999	3.90	4.50	39	4.22	0.17		
						2000	3.80	4.50	39	4.18	0.16		
						2001	3.80	4.50	39	4.18	0.20		
						2002	3.40	4.50	39	4.00	0.18		
4	U.S.-30	002040	223.553	223.910	N	1993	2.70	1.50	50	2.04			
						1994	2.70	5.00	26	3.95	0.38		
						1995	2.70	3.40	26	3.08	0.38		
						1996	3.10	3.40	26	3.26	0.09		
						1997	2.90	2.50	26	2.68	0.10		
						1998	3.00	2.50	32	2.72	0.11		
						*1999	2.70	2.50	39	2.59	0.10		
						2000	3.50	5.00	39	4.31	0.12	PLANT MIX OVERLAY	2000
						2001	3.30	5.00	39	4.22	0.03		
						2002	3.20	5.00	39	4.18	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
4	U.S.-30	002040	223.910	224.488	N	1993	2.80	2.00	45	2.33			
						1994	2.60	2.00	23	2.25	0.35		
						1995	2.60	2.00	23	2.25	0.35		
						1996	3.20	2.00	23	2.49	0.20		
						1997	2.90	5.00	23	4.12	0.17	PLANT MIX OVERLAY	1997
						1998	3.80	5.00	32	4.50	0.10		
						1999	3.60	5.00	47	4.41	0.13	SEALCOAT	1999
						2000	3.50	5.00	47	4.37	0.16	PLANT MIX OVERLAY	2000
						2001	3.60	5.00	47	4.41	0.20		
						2002	3.40	5.00	47	4.33	0.22		
4	U.S.-30	002040	224.488	227.294	N	1993	3.40	2.40	50	2.84			
						1994	3.30	2.40	23	2.80	0.30		
						1995	3.30	2.40	23	2.80	0.30		
						1996	3.80	2.40	23	3.02	0.21		
						1997	3.60	5.00	23	4.37	0.21	PLANT MIX OVERLAY	1997
						1998	4.00	5.00	32	4.55	0.15		
						1999	4.00	5.00	43	4.55	0.16	SEALCOAT	1999
						2000	3.90	5.00	43	4.50	0.18		
						2001	4.00	5.00	43	4.55	0.19		
						2002	3.70	5.00	43	4.41	0.19		
4	U.S.-30	002040	227.294	227.790	N	1993	3.00	3.50	54	3.29			
						1994	2.90	3.50	21	3.25	0.52		
						1995	2.90	3.50	21	3.25	0.52		
						1996	3.30	3.50	21	3.41	0.37		
						1997	3.20	3.50	21	3.37	0.41		
						1998	3.30	3.50	32	3.41	0.42		
						1999	3.20	3.50	44	3.37	0.41	SEALCOAT	1999
						2000	3.10	3.50	44	3.33	0.42		
						2001	2.90	2.70	44	2.78	0.43		
						2002	2.60	2.40	44	2.48	0.49		
4	U.S.-30	002040	227.790	231.156	N	1993	3.30	3.50	58	3.41			
						1994	3.10	3.50	27	3.32	0.50		
						1995	3.10	3.50	27	3.32	0.50		
						1996	3.00	3.00	27	3.00	0.27		
						1997	2.90	3.00	27	2.95	0.28		
						1998	2.90	3.00	32	2.95	0.36		
						1999	2.90	3.00	49	2.95	0.33		
						2000	2.80	3.00	49	2.91	0.36		
						2001	2.80	2.90	49	2.85	0.37		
						2002	2.30	2.40	49	2.35	0.40		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	U.S.-30	002040	231.156	233.890	N	1993	3.10	3.50	55	3.32		
						1994	3.10	3.50	36	3.32	0.60	
						1995	3.10	3.50	36	3.32	0.60	
						1996	3.10	2.50	36	2.76	0.35	
						1997	3.00	2.20	36	2.55	0.36	
						1998	3.10	2.20	32	2.59	0.47	
						1999	3.10	2.20	49	2.59	0.39	
						2000	3.00	2.10	49	2.50	0.41	
						2001	3.00	2.00	49	2.44	0.43	
						2002	2.60	2.00	49	2.26	0.42	
4	U.S.-30	002040	233.890	236.300	N	1993	3.20	2.50	57	2.81		
						*1994	3.10	2.50	36	2.76	0.50	
						1995	3.10	2.50	36	2.76	0.50	
						1996	2.90	2.50	36	2.67	0.27	
						1997	2.90	2.00	36	2.40	0.28	
						1998	2.90	2.00	32	2.40	0.37	
						1999	2.90	1.90	49	2.33	0.33	
						2000	2.80	1.80	49	2.24	0.37	
						2001	2.80	1.50	49	2.08	0.31	
						2002	2.50	1.50	49	1.94	0.34	
4	U.S.-30	002040	236.300	240.000	N	1993	2.90	1.00	53	1.84		
						*1994	2.90	2.00	34	2.40	0.25	
						1995	3.50	5.00	32	4.33	0.00	COLD IN PLACE RECYCLE
						1996	3.10	5.00	32	4.15	0.12	
						1997	2.90	5.00	32	4.06	0.14	
						1998	2.90	5.00	32	4.06	0.20	
						1999	2.90	4.50	40	3.78	0.20	
						2000	2.70	4.50	40	3.69	0.20	
						2001	2.80	4.00	40	3.46	0.24	
						2002	2.80	2.90	40	2.85	0.25	
4	U.S.-30	002040	240.000	241.842	N	1993	3.00	4.50	55	3.83		
						1994	2.90	3.00	34	2.95	0.17	
						1995	2.90	3.00	34	2.95	0.17	
						1996	3.10	3.00	34	3.04	0.07	
						1997	4.10	5.00	34	4.59	0.04	SEALCOAT
						1998	3.90	5.00	32	4.50	0.03	
						1999	3.90	4.30	61	4.12	0.03	
						2000	3.90	4.30	61	4.12	0.03	
						2001	3.90	3.40	61	3.62	0.03	
						2002	3.60	3.40	61	3.48	0.03	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS		
4	U.S.-30	002040	241.842	243.700	N	1993	3.00	4.50	54	3.87					
						1994	2.90	3.50	36	3.25	0.16				
						1995	2.90	3.50	36	3.25	0.16				
						*1996	3.20	3.50	36	3.37	0.08				
						1997	4.10	5.00	33	4.62	0.06	SEALCOAT			1997
						1998	3.90	5.00	32	4.54	0.03				
						1999	4.00	5.00	62	4.58	0.04				
						2000	3.90	4.80	62	4.42	0.04				
						2001	4.00	4.80	62	4.46	0.04				
						2002	3.90	4.70	62	4.36	0.03				
4	U.S.-30	002040	243.700	249.430	N	1993	3.00	4.50	54	3.87					
						1994	2.90	3.50	36	3.25	0.16				
						1995	2.90	3.50	36	3.25	0.16	SEALCOAT			1995
						*1996	3.20	3.50	36	3.37	0.08	SEALCOAT			1996
						1997	3.60	3.50	37	3.54	0.05	SEALCOAT			1997
						1998	3.50	3.50	32	3.50	0.05				
						1999	3.50	3.50	63	3.50	0.05				
						2000	3.40	3.50	63	3.45	0.06				
						2001	3.40	3.50	63	3.45	0.06				
						2002	3.10	3.00	63	3.04	0.08				
4	U.S.-30	002040	249.430	252.422	N	1993	3.20	4.50	54	3.96					
						1994	3.20	3.50	34	3.37	0.21				
						1995	3.20	3.50	34	3.37	0.21	SEALCOAT			1995
						1996	3.70	3.50	34	3.58	0.16	SEALCOAT			1996
						1997	3.60	3.50	34	3.54	0.16				
						1998	3.50	3.50	32	3.50	0.19				
						1999	3.50	3.50	57	3.50	0.21				
						2000	3.50	3.50	57	3.50	0.21				
						2001	3.50	3.50	57	3.50	0.22				
						2002	3.50	3.50	57	3.50	0.23				
4	U.S.-30	002040	252.422	255.442	N	1993	3.80	4.50	49	4.20					
						1994	3.60	4.00	25	3.83	0.28				
						1995	3.60	4.00	25	3.83	0.28	SEALCOAT			1995
						1996	4.20	4.00	25	4.08	0.18	SEALCOAT			1996
						1997	4.10	4.00	25	4.04	0.19				
						1998	4.10	4.00	32	4.04	0.22				
						1999	4.10	4.00	40	4.04	0.25				
						2000	4.10	4.00	40	4.04	0.25				
						2001	4.10	4.00	40	4.04	0.27				
						2002	3.90	4.00	40	3.95	0.26				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
4	U.S.-30	002040	255.442	256.716	N	1993	3.50	4.50	46	4.05			
						1994	3.40	4.50	22	4.00	0.27		
						1995	3.40	4.50	22	3.99	0.27	SEALCOAT	1995
						1996	4.10	4.50	22	4.32	0.20	SEALCOAT	1996
						1997	3.90	4.50	22	4.23	0.19		
						1998	3.80	4.50	32	4.18	0.22		
						1999	3.90	4.50	33	4.22	0.25		
						2000	3.80	4.50	33	4.18	0.27		
						2001	3.90	4.50	33	4.23	0.25		
						2002	3.80	4.50	33	4.18	0.30		
4	U.S.-30	002040	256.716	257.538	N	1993	1.80	3.50	45	2.77			
						1994	2.50	3.50	29	3.07	0.26		
						1995	2.50	3.50	29	3.07	0.26		
						1996	3.20	3.50	29	3.37	0.11		
						1997	1.40	3.30	29	2.49	0.08		
						1998	2.90	2.50	32	2.67	0.14		
						1999	2.80	2.50	39	2.62	0.13		
						2000	2.80	2.50	39	2.62	0.17		
						2001	2.80	2.50	39	2.62	0.14		
						2002	2.70	2.40	39	2.52	0.19		
4	U.S.-30	002043	217.282	217.594	N	1993	2.20	4.50	41	3.52			
						1994	2.20	4.50	27	3.52	0.38		
						1995	2.20	4.50	27	3.52	0.38		
						1996	3.20	4.50	42	3.94	0.10		
						1997	3.00	4.00	42	3.57	0.10		
						1998	2.80	4.00	42	3.48	0.15		
						1999	2.90	4.00	52	3.53	0.15		
						2000	3.20	4.00	52	3.65	0.09		
						2001	3.40	4.00	52	3.74	0.11		
						2002	2.90	4.00	52	3.53	0.09		
4	U.S.-30	002043	217.594	217.948	N	1993	2.20	4.00	40	3.23			
						1994	2.20	4.00	40	3.23	0.21		
						1995	2.20	4.00	40	3.22	0.21		
						1996	3.80	4.00	42	3.91	0.15		
						1997	3.40	4.00	42	3.74	0.17		
						1998	3.40	4.00	42	3.74	0.18		
						1999	3.50	4.00	52	3.78	0.18		
						2000	3.80	4.00	52	3.91	0.07		
						2001	3.90	4.00	52	3.95	0.08		
						2002	3.60	4.00	52	3.82	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
4	U.S.-30	002043	217.948	218.298	N	1993	2.30	2.50	30	2.41		
						1994	2.30	2.50	20	2.41	0.53	
						1995	2.30	4.00	20	3.28	0.53	
						1996	3.70	4.00	32	3.87	0.18	
						1997	3.20	4.00	32	3.66	0.15	
						1998	3.20	4.00	32	3.66	0.10	
						1999	2.90	4.00	49	3.53	0.26	
						2000	3.80	4.00	49	3.91	0.12	
						2001	4.00	4.00	49	4.00	0.14	
						2002	3.60	4.00	49	3.83	0.13	
4	U.S.-30	002043	218.298	218.674	N	1993	1.70	4.00	33	3.00		
						1994	1.80	4.00	37	3.05	0.49	
						1995	1.80	4.00	37	3.05	0.49	
						1996	3.50	4.00	37	3.78	0.08	
						1997	3.00	3.00	37	3.00	0.10	
						1998	3.50	3.00	35	3.21	0.10	
						1999	3.00	3.00	58	3.00	0.12	
						2000	2.70	4.50	58	3.72	0.13	
						2001	2.90	4.50	58	3.80	0.12	
						2002	2.10	4.50	58	3.46	0.12	
4	S.H.-46	002200	000.000	000.210	N	1994	1.50	3.50	39	2.73	0.04	
						1995	1.50	3.50	39	2.73	0.04	
						1996	2.40	3.20	34	2.89	0.18	
						1997	1.20	3.20	34	2.42	0.12	
						1998	2.20	3.20	34	2.81	0.10	
						1999	2.30	3.20	34	2.85	0.08	
						2000	2.20	4.50	39	3.60	0.14	
						2001	1.90	4.50	39	3.48	0.08	
						2002	2.20	4.50	39	3.60	0.13	
4	S.H.-46	002200	000.210	000.782	N	1993	2.60	3.50	45	3.15		
						1994	2.30	3.50	45	3.03	0.12	
						1995	2.30	3.50	45	3.03	0.12	
						1996	2.40	3.50	34	3.07	0.16	
						1997	1.90	3.50	34	2.87	0.16	
						1998	2.20	3.50	34	2.99	0.15	
						1999	2.20	3.50	37	2.99	0.16	
						2000	2.30	3.20	37	2.84	0.19	SEALCOAT
						2001	2.30	3.20	37	2.85	0.18	
						2002	2.20	3.20	37	2.81	0.17	

2000

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
4	S.H.-46	002200	000.782	001.214	N	1993	3.70	3.50	49	3.57							
						1994	3.20	3.50	49	3.38	0.12						
						1995	3.20	3.00	49	3.07	0.12						
						1996	3.40	3.00	37	3.15	0.16						
						1997	3.20	3.00	37	3.07	0.14						
						1998	3.20	3.00	37	3.07	0.19						
						1999	3.20	3.00	48	3.07	0.16						
						2000	3.20	3.00	48	3.07	0.20	SEALCOAT					2000
						2001	3.10	3.00	48	3.03	0.21						
						2002	2.90	3.00	48	2.96	0.21						
4	S.H.-46	002200	001.214	006.955	N	1993	3.50	3.00	52	3.20							
						1994	3.40	3.00	52	3.16	0.10						
						1995	3.40	3.00	52	3.16	0.10						
						1996	3.00	2.60	40	2.76	0.13						
						1997	2.90	2.00	40	2.37	0.11						
						1998	2.50	2.00	40	2.20	0.16						
						1999	2.40	5.00	45	3.90	0.17	C.R.A.B.S.					1999
						2000	3.80	5.00	45	4.49	0.05	SEALCOAT					2000
						2001	3.80	5.00	45	4.49	0.06						
						2002	3.50	5.00	45	4.36	0.07						
4	S.H.-46	002200	006.955	010.450	N	1993	3.10	3.50	51	3.34							
						1994	3.10	3.50	51	3.34	0.07	SEALCOAT					1994
						1995	3.10	3.50	51	3.34	0.07						
						1996	2.80	2.50	42	2.61	0.15						
						1997	2.60	2.00	42	2.23	0.14						
						*1998	2.40	1.80	42	2.03	0.15						
						1999	2.10	5.00	48	3.78	0.19	C.R.A.B.S.					1999
						2000	3.80	5.00	48	4.49	0.05	SEALCOAT					2000
						2001	3.80	5.00	48	4.49	0.06						
						2002	3.40	5.00	48	4.32	0.08						
4	S.H.-46	002200	010.450	010.742	N	1993	3.10	3.50	51	3.34							
						1994	3.10	3.50	51	3.34	0.07	SEALCOAT					1994
						1995	3.10	3.50	51	3.34	0.07						
						1996	2.80	2.50	42	2.61	0.15						
						1997	2.60	2.00	42	2.23	0.14						
						*1998	2.40	1.80	42	2.03	0.15						
						*1999	3.00	1.80	43	2.26	0.13						
						2000	3.20	1.80	47	2.38	0.15	SEALCOAT					2000
						2001	3.20	1.80	47	2.38	0.13						
						2002	2.80	1.80	47	2.22	0.10						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	S.H.-46	002200	010.742	011.009	N	1993	3.10	3.50	51	3.34									
						1994	3.10	3.50	51	3.34	0.07	SEALCOAT	1994						
						1995	3.10	3.50	51	3.34	0.07								
						1996	2.80	2.50	42	2.61	0.15								
						1997	2.60	2.00	42	2.23	0.14								
						*1998	2.40	1.80	42	2.03	0.15								
						*1999	3.00	1.80	43	2.26	0.13								
						*2000	2.50	1.80	47	2.06	0.12								
						2001	2.70	1.80	39	2.14	0.21								
						2002	2.60	1.80	39	2.10	0.17								
						4	S.H.-46	002200	011.009	011.505	N	1993	2.60	3.50	35	3.15			
												1994	2.70	3.50	35	3.19	0.28	SEALCOAT	1994
1995	2.70	3.50	35	3.18	0.28														
1996	3.00	3.50	43	3.30	0.29														
1997	2.70	3.00	43	2.88	0.18														
1998	2.60	3.00	43	2.84	0.22														
1999	2.60	3.00	44	2.84	0.22														
2000	2.60	2.60	44	2.60	0.23														
2001	2.70	2.60	44	2.63	0.29														
2002	2.70	2.40	44	2.51	0.35														
4	S.H.-46	002200	011.505	012.465	N							1993	1.80	3.50	44	2.84			
												1994	1.90	3.00	44	2.57	0.28	SEALCOAT	1994
						1995	1.90	3.00	44	2.57	0.28								
						1996	3.00	3.00	45	3.00	0.25								
						1997	2.60	3.00	45	2.84	0.24								
						1998	2.40	3.00	45	2.76	0.21								
						1999	2.40	3.00	52	2.76	0.25								
						2000	2.50	3.00	52	2.80	0.32								
						2001	2.60	3.00	52	2.84	0.36								
						2002	2.50	2.70	52	2.62	0.35								
						4	S.H.-46	002200	012.465	012.764	N	1993	1.30	4.00	41	2.97			
												1994	0.90	4.00	41	2.82	0.10	SEALCOAT	1994
1995	0.90	4.00	41	2.82	0.10														
1996	1.60	4.00	42	3.08	0.11														
1997	1.20	4.00	42	2.93	0.12														
1998	1.20	4.00	42	2.93	0.14														
1999	1.20	4.00	42	2.93	0.11														
2000	1.30	4.00	52	2.97	0.15														
2001	1.30	4.00	52	2.97	0.17														
2002	1.20	3.70	52	2.74	0.20														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	S.H.-46	002200	012.764	017.032	N	1993	3.10	4.50	48	3.92									
						1994	3.10	4.50	48	3.92	0.05	SEALCOAT	1994						
						1995	3.10	4.20	48	3.74	0.05								
						1996	3.90	4.20	49	4.07	0.10								
						1997	3.70	4.20	49	3.99	0.08								
						1998	3.70	4.20	49	3.99	0.08								
						1999	3.70	3.50	48	3.58	0.10								
						2000	3.70	2.70	48	3.11	0.15								
						2001	3.70	2.70	48	3.11	0.16								
						2002	3.60	2.70	48	3.07	0.15								
						4	S.H.-46	002200	019.510	021.700	N	1993	2.40	4.50	56	3.63			
												1994	2.50	4.50	56	3.67	0.15	SEALCOAT	1994
1995	2.50	4.50	56	3.67	0.15														
*1996	3.80	4.50	59	4.21	0.14														
1997	3.40	4.50	59	4.04	0.13														
1998	3.30	4.50	59	4.00	0.12														
1999	3.40	4.50	62	4.04	0.12														
2000	3.50	4.50	62	4.08	0.15														
2001	3.50	4.50	62	4.08	0.14														
2002	3.60	4.50	62	4.12	0.16														
4	S.H.-46	002200	021.700	026.315	N							1993	2.70	3.50	55	3.17			
												1994	2.70	2.80	55	2.75	0.31		
						1995	3.50	2.80	55	3.08	0.00	RUT FILLING	1995						
						1996	3.70	2.80	57	3.17	0.16								
						1997	3.50	2.80	57	3.08	0.15								
						1998	3.50	2.80	57	3.08	0.15								
						1999	3.50	2.80	61	3.08	0.17								
						2000	3.50	2.80	61	3.08	0.19								
						2001	3.50	2.80	61	3.08	0.21								
						2002	3.50	3.00	61	3.20	0.14								
						4	S.H.-46	002200	026.315	031.420	N	1993	2.80	2.50	56	2.62			
												1994	2.80	2.30	56	2.50	0.23		
1995	3.50	2.30	56	2.79	0.00							RUT FILLING	1995						
1996	3.70	2.30	59	2.87	0.14														
1997	3.50	2.30	59	2.79	0.16														
1998	3.50	2.30	59	2.79	0.15														
1999	3.50	2.10	61	2.67	0.15														
2000	3.50	2.10	61	2.67	0.16														
2001	3.50	1.90	61	2.56	0.16														
2002	3.50	1.90	61	2.56	0.08														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-46	002200	031.420	035.100	N	1993	2.80	5.00	59	4.09		
						1994	3.00	5.00	59	4.17	0.18	
						1995	3.00	5.00	59	4.17	0.18	
						1996	3.70	4.50	58	4.16	0.16	
						1997	3.60	4.50	58	4.12	0.15	
						1998	3.50	4.50	58	4.08	0.15	
						1999	3.50	4.50	60	4.08	0.14	
						2000	3.60	4.50	60	4.12	0.17	
						2001	3.60	4.50	60	4.12	0.18	
						2002	3.40	4.50	60	4.04	0.11	
4	S.H.-46	002200	035.100	036.200	N	1993	2.30	5.00	57	3.88		
						1994	2.20	5.00	57	3.84	0.52	
						1995	2.20	4.00	57	3.25	0.52	
						1996	3.40	4.00	48	3.75	0.08	
						1997	3.20	4.00	48	3.66	0.08	
						1998	3.20	4.00	48	3.66	0.09	
						1999	3.10	4.00	56	3.62	0.09	
						2000	3.20	4.00	56	3.66	0.10	
						2001	3.20	4.00	56	3.66	0.09	
						2002	3.30	4.00	56	3.71	0.12	
4	S.H.-46	002200	036.200	038.000	N	1993	3.10	5.00	58	4.21		
						1994	2.90	5.00	58	4.13	0.18	
						1995	2.90	5.00	58	4.13	0.18	
						1996	3.70	5.00	59	4.46	0.11	
						1997	3.40	5.00	59	4.33	0.12	
						1998	3.40	5.00	59	4.33	0.08	
						1999	3.40	5.00	60	4.33	0.10	
						2000	3.40	5.00	60	4.33	0.12	
						2001	3.50	5.00	60	4.38	0.11	
						2002	3.40	5.00	60	4.33	0.10	
4	S.H.-46	002200	038.000	043.052	N	1993	3.00	1.40	59	2.06		
						1994	3.10	1.40	59	2.10	0.14	
						1995	3.10	1.40	59	2.10	0.14	
						1996	3.60	1.30	58	2.24	0.13	
						1997	3.50	1.30	58	2.20	0.14	
						1998	3.50	1.30	58	2.20	0.11	
						1999	4.30	4.50	61	4.41	0.02	PLANT MIX OVERLAY
						2000	4.10	4.50	61	4.33	0.03	
						2001	4.20	4.40	61	4.31	0.03	
						2002	4.00	4.40	61	4.23	0.03	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

1999

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
4	S.H.-46	002201	000.000	000.237	N	1993	1.90	4.00	45	3.12			
						1994	1.80	4.00	31	3.08	0.06		
						1995	1.80	4.00	31	3.08	0.06		
						1996	2.30	3.50	35	3.00	0.11		
						1997	2.50	3.50	35	3.08	0.14		
						1998	2.20	3.00	35	2.66	0.12		
						1999	2.20	3.00	35	2.66	0.13		
						2000	2.10	3.00	61	2.62	0.13	SEALCOAT	2000
						2001	2.20	3.00	61	2.66	0.14		
						2002	2.10	3.00	61	2.62	0.13		
						4	S.H.-46	002201	000.237	000.685	N	1993	1.70
1994	1.70	2.00	24	1.87	0.16								
1995	1.70	2.00	24	1.87	0.16								
1996	2.40	1.80	43	2.04	0.13								
1997	2.20	1.80	43	1.96	0.10								
1998	2.10	1.70	43	1.86	0.15								
1999	3.10	4.50	45	3.91	0.13								
2000	3.00	4.50	45	3.87	0.09							SEALCOAT	2000
2001	3.00	4.50	45	3.87	0.09								
2002	3.30	4.50	45	4.00	0.10								
4	S.H.-46	002201	000.685	001.187	N							1993	2.40
						1994	2.40	3.00	24	2.77	0.14		
						1995	2.40	3.00	24	2.77	0.14		
						1996	2.60	2.00	41	2.22	0.12		
						1997	2.60	1.50	41	1.92	0.09		
						1998	2.50	1.50	41	1.88	0.09		
						1999	3.50	4.50	47	4.12	0.13		
						2000	3.30	4.50	47	4.04	0.09	SEALCOAT	2000
						2001	3.40	4.50	47	4.08	0.08		
						2002	3.50	4.50	47	4.11	0.14		
						4	S.H.-46	002202	017.032	019.000	N	1993	2.50
1994	2.50	4.50	56	3.74	0.17								
1995	2.50	4.50	56	3.67	0.17								
1996	3.30	4.50	49	4.00	0.12								
1997	3.10	4.50	49	3.92	0.10								
1998	3.00	4.50	49	3.88	0.12								
1999	3.10	4.30	62	3.80	0.12								
2000	3.00	4.30	62	3.76	0.16								
2001	3.10	4.10	62	3.68	0.15								
2002	3.10	4.00	62	3.62	0.16								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
4	S.H.-50	002260	000.000	003.955	N	1993	3.30	2.50	56	2.83			
						1994	3.00	5.00	43	4.15	0.20	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	43	4.15	0.20		
						1996	4.20	5.00	28	4.66	0.10		
						1997	4.10	4.50	28	4.33	0.10		
						1998	4.10	4.50	28	4.33	0.16		
						1999	4.10	4.50	31	4.33	0.16		
						2000	4.00	4.40	31	4.23	0.18		
						2001	4.00	4.40	31	4.23	0.17		
						2002	3.60	4.20	31	3.95	0.21		
4	S.H.-50	002260	003.955	004.792	N	1993	2.20	1.80	53	1.96			
						1994	2.30	1.80	32	2.00	0.28		
						1995	3.50	5.00	32	4.37	0.00	COLD IN PLACE RECYCLE WITH OVERLAY	
						1996	2.70	5.00	49	4.03	0.09		
						1997	2.70	5.00	49	4.03	0.12		
						1998	2.70	5.00	49	4.03	0.13		
						1999	2.70	5.00	39	4.03	0.13		
						2000	2.60	5.00	39	3.99	0.13		
						2001	2.70	5.00	39	4.03	0.14		
						2002	2.60	4.80	39	3.86	0.15		
4	S.H.-50	002260	004.792	005.100	N	1993	2.40	1.50	55	1.87			
						*1994	2.50	1.50	39	1.91	0.26		
						1995	3.50	5.00	37	4.38	0.00	PLANT MIX OVERLAY	
						1996	2.70	5.00	52	4.05	0.13		
						1997	2.50	5.00	52	3.96	0.10		
						1998	2.50	5.00	52	3.96	0.08		
						1999	2.40	4.40	47	3.57	0.07		
						2000	2.40	4.40	47	3.57	0.08		
						2001	2.20	4.20	47	3.37	0.07		
						2002	2.60	4.00	47	3.42	0.07		
4	S.H.-50	002260	005.100	008.092	N	1993	2.60	2.00	54	2.24			
						*1994	2.90	2.00	39	2.37	0.48		
						1995	2.80	2.00	39	2.33	0.46		
						1996	2.90	2.00	48	2.37	0.35		
						1997	2.80	1.90	48	2.27	0.37		
						1998	2.80	1.90	48	2.27	0.38		
						1999	2.80	1.90	54	2.27	0.37		
						2000	2.80	1.90	54	2.27	0.38		
						2001	2.80	1.90	54	2.27	0.40		
						2002	2.50	1.90	54	2.14	0.39		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
4	S.H.-74	002210	000.050	004.648	N	1993	2.80	4.50	45	3.79		
						*1994	2.80	4.50	36	3.79	0.19	
						1995	2.80	4.50	36	3.79	0.19	
						1996	3.70	4.50	39	4.16	0.07	
						1997	3.50	4.50	39	4.08	0.09	
						1998	3.50	4.50	39	4.08	0.09	
						1999	3.40	4.50	47	4.04	0.11	
						2000	3.40	4.50	47	4.04	0.13	
						2001	3.40	4.50	47	4.04	0.11	
						2002	3.30	4.50	47	4.00	0.14	
4	S.H.-74	002210	004.648	005.068	N	1993	2.70	4.50	41	3.74		
						1994	2.70	4.50	31	3.74	0.18	
						1995	2.70	4.50	31	3.75	0.18	
						1996	3.70	4.50	33	4.16	0.12	
						*1997	3.40	4.50	33	4.03	0.12	
						1998	3.50	4.50	34	4.08	0.11	
						1999	3.40	4.50	43	4.04	0.16	
						2000	3.30	4.50	43	4.00	0.18	
						2001	3.40	4.50	43	4.04	0.13	
						2002	3.20	4.50	43	3.95	0.20	
4	S.H.-74	002210	005.155	006.116	N	1993	2.70	4.50	41	3.74		
						1994	2.70	4.50	31	3.74	0.18	
						1995	2.70	4.50	31	3.75	0.18	
						1996	3.70	4.50	33	4.16	0.12	
						*1997	3.40	4.50	33	4.03	0.12	
						1998	3.30	4.50	32	3.99	0.14	
						1999	3.20	4.50	32	3.95	0.14	
						2000	3.40	4.50	32	4.03	0.16	
						2001	3.30	4.50	32	3.99	0.16	
						2002	3.30	4.50	32	3.99	0.18	
4	S.H.-74	002210	006.116	006.888	N	1993	2.50	4.50	43	3.64		
						1994	2.40	4.50	28	3.60	0.14	
						1995	2.40	4.50	28	3.60	0.14	
						1996	3.70	4.50	26	4.15	0.14	
						1997	3.20	4.50	26	3.94	0.17	
						1998	3.20	4.50	26	3.94	0.19	
						1999	3.20	4.50	30	3.94	0.21	
						2000	3.10	4.50	30	3.90	0.22	
						2001	3.20	4.50	30	3.94	0.20	
						2002	3.30	4.50	30	3.98	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-74	002210	006.888	007.307	N	1993	1.70	4.00	31	3.08		
						1994	1.50	4.00	43	3.00	0.10	
						1995	1.50	4.00	43	3.00	0.10	SEALCOAT
						1996	2.50	4.00	36	3.39	0.08	
						1997	2.00	4.00	36	3.19	0.09	
						1998	2.00	4.00	36	3.19	0.10	
						1999	1.90	3.80	48	3.03	0.10	
						2000	1.70	3.80	48	2.95	0.11	
						2001	1.90	3.80	48	3.03	0.11	
						2002	2.30	3.80	48	3.19	0.12	
4	S.H.-74	002210	007.307	007.835	N	1993	1.60	3.50	23	2.74		
						1994	1.60	3.50	20	2.74	0.18	
						1995	1.60	3.50	20	2.74	0.18	SEALCOAT
						1996	1.80	3.50	34	2.82	0.12	
						1997	1.40	3.50	34	2.66	0.12	
						1998	1.40	3.50	34	2.66	0.12	
						1999	1.60	3.50	46	2.74	0.14	
						2000	1.40	3.50	46	2.66	0.12	
						2001	1.40	3.50	46	2.66	0.17	
						2002	1.30	3.50	46	2.62	0.15	
4	S.H.-74	007630	000.000	000.129	N	1999	2.20	4.50	43	3.62	0.15	
						2000	2.20	4.50	43	3.62	0.18	
						2001	2.30	4.50	43	3.66	0.15	
						2002	1.80	4.50	43	3.47	0.17	
4	S.H.-74	016297	000.010	000.050	N	*1996	2.90	4.00	48	3.55	0.35	
						1997	2.80	4.00	48	3.51	0.37	
						1998	2.80	4.00	48	3.51	0.38	
						1999	2.80	4.00	54	3.51	0.37	
						2000	2.80	4.00	54	3.51	0.38	
						2001	2.80	4.00	54	3.50	0.40	
						2002	2.50	4.00	54	3.37	0.39	
4	S.H.-75	002230	073.659	074.055	N	1993	2.80	4.50	51	3.78		
						1994	2.80	4.50	51	3.78	0.09	
						1995	2.80	4.50	51	3.78	0.09	
						1996	3.50	3.50	35	3.50	0.13	
						1997	3.30	2.40	35	2.77	0.15	
						1998	3.30	2.40	35	2.77	0.18	
						1999	2.80	2.40	42	2.56	0.17	
						2000	2.80	2.40	42	2.56	0.14	
						2001	3.10	2.40	42	2.69	0.20	
						2002	2.80	2.40	42	2.56	0.19	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
4	S.H.-75	002230	074.055	080.946	N	1993	2.60	4.00	57	3.37		
						1994	2.60	3.50	40	3.09	0.18	
						1995	2.60	3.50	40	3.09	0.18	
						1996	3.50	3.50	45	3.50	0.10	
						1997	3.30	2.70	45	2.96	0.10	
						1998	3.20	2.70	45	2.92	0.14	
						1999	3.20	2.70	51	2.92	0.15	
						2000	3.20	2.70	51	2.92	0.16	
						2001	3.20	2.70	51	2.92	0.18	
						2002	3.10	2.60	51	2.82	0.19	
4	S.H.-75	002230	080.946	086.794	N	1993	3.10	4.00	59	3.59		
						1994	3.10	3.50	42	3.32	0.23	
						1995	3.10	2.80	42	2.93	0.23	
						1996	3.50	2.80	47	3.11	0.16	
						1997	3.40	2.50	47	2.90	0.16	
						1998	3.40	2.50	47	2.90	0.19	
						1999	3.30	2.50	56	2.85	0.19	
						2000	3.30	2.50	56	2.85	0.19	
						2001	3.40	2.50	56	2.90	0.20	
						2002	3.20	2.50	56	2.81	0.20	
4	S.H.-75	002230	086.794	092.688	N	1993	3.20	4.00	58	3.64		
						1994	3.10	3.50	43	3.32	0.23	
						1995	3.10	3.50	43	3.32	0.23	
						1996	3.50	3.50	48	3.50	0.16	
						1997	3.30	3.50	48	3.41	0.16	
						1998	3.30	3.40	48	3.35	0.18	
						1999	3.30	3.30	56	3.30	0.19	
						2000	3.30	3.30	56	3.30	0.20	
						*2001	3.30	3.30	56	3.30	0.22	
4	S.H.-75	002230	086.794	092.765	N	2002	3.20	2.50	56	2.81	0.19	
4	S.H.-75	002230	092.688	093.459	N	1993	2.90	4.00	60	3.50		
						1994	2.90	3.50	44	3.23	0.12	
						1995	2.90	3.00	44	2.95	0.12	
						1996	3.40	3.00	53	3.17	0.15	
						1997	3.20	3.00	53	3.08	0.12	
						1998	3.20	3.00	53	3.08	0.17	
						1999	3.10	3.00	58	3.04	0.17	
						2000	3.10	2.50	58	2.76	0.13	
						*2001	3.30	2.50	58	2.85	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	S.H.-75	002230	092.765	102.130	N	2002	3.60	5.00	58	4.36	0.08	C.R.A.B.S.	2002
4	S.H.-75	002230	093.459	102.130	N	1993	3.30	3.00	58	3.13			
						1994	3.30	3.00	43	3.13	0.10		
						1995	3.30	3.00	43	3.13	0.10		
						1996	3.90	3.00	51	3.40	0.09		
						*1997	3.70	2.80	51	3.20	0.10		
						1998	3.70	2.80	51	3.20	0.08		
						1999	3.60	2.80	58	3.15	0.09		
						2000	3.60	2.80	58	3.16	0.09		
						*2001	3.60	2.50	58	2.99	0.11		
4	S.H.-75	002230	102.130	107.240	N	1993	2.40	3.00	56	2.73			
						1994	2.60	2.90	38	2.76	0.35		
						1995	2.60	2.90	38	2.76	0.35		
						1996	3.10	2.90	40	2.99	0.30		
						*1997	3.80	5.00	40	4.45	0.06	PLANT MIX OVERLAY	1997
						1998	3.90	5.00	40	4.50	0.10		
						1999	3.90	5.00	43	4.50	0.12	SEALCOAT	1999
						2000	3.80	5.00	43	4.45	0.13		
						2001	3.90	5.00	43	4.50	0.16		
						2002	3.80	4.50	43	4.18	0.17	C.R.A.B.S.	2002
4	S.H.-75	002230	107.240	110.789	N	1993	2.70	4.00	53	3.41			
						1994	2.80	3.50	29	3.18	0.42		
						1995	2.80	3.50	29	3.18	0.42		
						1996	3.10	3.50	29	3.31	0.43		
						*1997	3.80	5.00	29	4.45	0.05	PLANT MIX OVERLAY	1997
						1998	4.10	5.00	29	4.59	0.15		
						1999	4.10	5.00	57	4.59	0.19		
						2000	4.10	5.00	57	4.59	0.22		
						2001	4.10	5.00	57	4.59	0.26		
						2002	3.90	4.90	57	4.44	0.30		
4	S.H.-75	002230	110.789	110.950	N	1993	2.80	4.50	53	3.72			
						1994	2.80	4.50	53	3.72	0.29		
						1995	2.80	4.50	53	3.72	0.29		
						1996	3.40	4.50	44	3.99	0.23		
						*1997	3.40	4.50	44	3.99	0.15	PLANT MIX OVERLAY	1997
						1998	4.20	5.00	29	4.66	0.14		
						1999	4.20	5.00	57	4.66	0.18		
						2000	4.20	5.00	57	4.66	0.25		
						2001	4.20	5.00	57	4.66	0.26		
						2002	3.80	4.80	57	4.37	0.33		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-75	002230	110.950	112.791	N	1993	2.80	4.50	53	3.72		
						1994	2.80	4.50	53	3.72	0.29	
						1995	2.80	4.50	53	3.72	0.29	
						1996	3.40	4.50	44	3.99	0.23	
						*1997	3.40	4.50	44	3.99	0.15	
						1998	3.30	4.50	44	3.94	0.18	
						1999	3.30	4.50	58	3.94	0.21	PLANT MIX OVERLAY
						2000	3.50	4.50	58	4.03	0.13	
						2001	3.60	2.90	58	3.22	0.18	
						2002	3.40	2.90	58	3.13	0.16	
4	S.H.-75	002230	112.791	114.316	N	1993	3.10	4.50	56	3.85		
						1994	3.00	4.50	30	3.81	0.25	
						1995	3.00	4.50	30	3.81	0.25	
						1996	3.40	4.50	39	3.99	0.23	
						1997	3.10	4.50	39	3.85	0.33	
						1998	2.90	1.90	39	2.36	0.39	
						1999	2.80	5.00	54	3.98	0.45	PLANT MIX OVERLAY
						2000	3.70	5.00	54	4.39	0.13	
						2001	3.70	5.00	54	4.39	0.23	
						2002	3.70	4.60	54	4.18	0.27	
4	S.H.-75	002230	114.316	115.526	N	1993	3.20	4.50	56	3.90		
						1994	3.10	4.50	34	3.85	0.19	
						1995	3.10	4.50	34	3.86	0.19	
						1996	3.40	4.50	41	3.99	0.27	
						1997	3.20	4.50	41	3.90	0.29	
						1998	3.10	2.20	41	2.61	0.39	
						1999	2.90	5.00	59	4.02	0.41	PLANT MIX OVERLAY
						2000	3.60	5.00	59	4.35	0.15	
						2001	3.70	5.00	59	4.39	0.22	
						2002	3.70	4.70	59	4.23	0.25	
4	S.H.-75	002230	115.526	115.850	N	2002	3.50	4.40	59	4.00	0.12	
4	S.H.-75	002230	115.526	115.890	N	1993	2.40	4.50	57	3.59		
						1994	2.90	5.00	36	4.09	0.22	NEW CONST OR RECONST (FLEX)
						1995	2.90	5.00	36	4.09	0.22	
						1996	3.50	4.50	40	4.06	0.12	
						1997	3.00	3.00	40	3.00	0.13	
						*1998	2.90	3.00	40	2.95	0.13	
						1999	2.80	5.00	36	4.03	0.25	PLANT MIX OVERLAY
						2000	3.60	5.00	59	4.38	0.10	
						*2001	3.70	5.00	59	4.43	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
4	S.H.-75	002230	115.850	116.967	N	2002	3.00	5.00	59	4.13	0.07	MILL AND INLAY	2002
4	S.H.-75	002230	115.890	116.040	N	1993	2.40	4.50	57	3.59			
						1994	2.90	5.00	36	4.09	0.22	NEW CONST OR RECONST (FLEX)	1994
						1995	2.90	5.00	36	4.09	0.22		
						1996	3.50	4.50	40	4.06	0.12		
						1997	3.00	3.00	40	3.00	0.13		
						*1998	2.90	3.00	40	2.95	0.13		
						1999	2.30	3.00	60	2.69	0.12		
						2000	2.80	5.00	60	4.03	0.09		
						*2001	2.80	5.00	60	4.03	0.14		
4	S.H.-75	002230	116.040	116.386	N	1993	2.30	4.50	59	3.55			
						1994	3.00	5.00	45	4.13	0.08	NEW CONST OR RECONST (FLEX)	1994
						1995	3.00	5.00	45	4.13	0.08		
						1996	3.00	5.00	48	4.13	0.11		
						1997	2.60	5.00	48	3.95	0.13		
						1998	2.50	5.00	48	3.90	0.10		
						1999	2.40	5.00	48	3.86	0.17		
						2000	2.10	5.00	60	3.73	0.19		
						*2001	2.20	4.50	60	3.49	0.22		
4	S.H.-75	002230	116.386	116.688	N	1993	2.20	4.50	59	3.51			
						1994	3.00	5.00	41	4.14	0.00	NEW CONST OR RECONST (FLEX)	1994
						1995	3.00	5.00	41	4.13	0.00		
						1996	2.90	4.80	41	3.97	0.11		
						1997	2.40	4.00	41	3.30	0.13		
						1998	2.50	3.70	41	3.17	0.08		
						1999	2.20	3.50	59	2.93	0.19		
						2000	1.90	3.50	59	2.80	0.15		
						*2001	2.20	3.50	59	2.93	0.25		
4	S.H.-75	002230	116.688	116.967	N	1993	2.30	3.50	52	2.98			
						1994	3.00	5.00	40	4.14	0.05	NEW CONST OR RECONST (FLEX)	1994
						1995	3.00	5.00	40	4.13	0.05		
						1996	2.90	5.00	45	4.09	0.12		
						1997	2.50	4.50	45	3.63	0.17		
						1998	2.50	4.50	45	3.63	0.19		
						1999	2.40	4.50	45	3.58	0.27		
						2000	2.30	4.50	59	3.54	0.16		
						*2001	2.50	4.50	59	3.63	0.26		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
4	S.H.-75	002230	116.967	117.160	N	2002	3.10	5.00	59	4.17	0.08	MILL AND INLAY	2002
4	S.H.-75	002230	116.967	119.680	N	1993	3.10	4.50	56	3.85			
						1994	3.10	4.50	33	3.86	0.15	NEW CONST OR RECONST (FLEX)	1994
						1995	3.10	4.50	33	3.85	0.15		
						1996	3.60	4.50	40	4.08	0.16		
						1997	3.30	3.40	40	3.35	0.18		
						*1998	3.10	2.40	40	2.72	0.26		
						*1999	3.30	5.00	52	4.21	0.15	PLANT MIX OVERLAY	1999
						2000	3.30	4.50	51	3.94	0.09		
						*2001	3.30	4.30	51	3.83	0.15		
4	S.H.-75	002230	117.160	119.680	N	2002	3.30	3.00	49	3.13	0.12		
4	S.H.-75	002230	119.680	121.650	N	1993	3.10	4.50	56	3.85			
						1994	3.10	4.50	33	3.86	0.15		
						1995	3.10	4.50	33	3.85	0.15		
						1996	3.60	4.50	40	4.08	0.16		
						1997	3.30	3.40	40	3.35	0.18		
						*1998	3.10	2.40	40	2.72	0.26		
						*1999	3.30	5.00	52	4.21	0.15	MILL AND INLAY	1999
						2000	3.10	2.00	53	2.51	0.26		
						2001	3.20	1.90	53	2.50	0.30		
						2002	3.30	1.90	53	2.54	0.22		
4	S.H.-75	002230	121.650	123.150	N	1993	2.90	4.00	52	3.52			
						*1994	2.90	4.00	34	3.52	0.16		
						1995	3.10	4.50	33	3.85	0.15		
						1996	3.60	4.50	40	4.08	0.16		
						1997	3.30	3.40	40	3.35	0.18		
						*1998	3.10	2.40	40	2.72	0.26		
						1999	2.80	2.60	55	2.69	0.24		
						2000	2.70	1.80	55	2.21	0.27		
						2001	3.00	1.80	55	2.35	0.16		
						2002	3.90	5.00	55	4.48	0.09		
4	S.H.-75	002230	123.150	126.300	N	1993	2.90	4.00	52	3.52			
						*1994	2.90	4.00	34	3.52	0.16		
						1995	2.90	3.90	34	3.44	0.18		
						1996	3.50	3.90	38	3.71	0.17		
						1997	3.20	3.90	38	3.57	0.17		
						*1998	2.90	2.60	38	2.74	0.26		
						1999	3.40	5.00	52	4.25	0.09	PLANT MIX OVERLAY	1999
						2000	3.30	5.00	52	4.20	0.13		
						2001	3.40	5.00	52	4.25	0.16		
						2002	3.00	3.50	52	3.26	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
4	S.H.-75	002230	126.300	126.782	ASC	1997	3.00	3.60	45	3.32	0.11							
						1998	2.90	3.60	45	3.28	0.17							
						*1999	2.80	3.60	50	3.23	0.14							
						2000	2.60	3.60	49	3.14	0.10							
						2001	2.90	3.60	49	3.28	0.22							
						2002	1.20	5.00	49	3.26	0.24							
						4	S.H.-75	002230	126.300	126.782	DES	1997	3.50	3.60	45	3.55	0.00	
												1998	2.90	3.60	45	3.28	0.17	
												*1999	2.80	3.60	50	3.23	0.14	
												2000	2.60	3.60	49	3.14	0.10	
2001	2.90	3.60	49	3.28	0.22													
2002	1.20	3.60	49	2.50	0.24													
4	S.H.-75	002230	126.782	127.400	N							1993	2.90	4.00	52	3.52		
												*1994	2.90	4.00	34	3.52	0.16	
												1995	3.50	3.90	37	3.71	0.00	MAJOR WIDENING
												1996	3.40	3.90	45	3.67	0.10	
						2000	2.70	2.90	52	2.80	0.15							
						2001	2.90	2.90	52	2.90	0.25							
						2002	1.90	2.90	52	2.43	0.14							
						4	S.H.-75	002230	127.400	127.778	N	1993	2.90	4.00	52	3.52		
												*1994	2.90	4.00	34	3.52	0.16	
												1995	2.70	3.90	30	3.38	0.04	
1996	3.50	3.90	41	3.72	0.11													
1997	3.00	3.80	41	3.45	0.11													
1998	2.70	3.70	41	3.26	0.12													
1999	2.90	3.70	47	3.35	0.22													
2000	2.80	3.70	47	3.30	0.24													
2001	3.00	3.70	47	3.39	0.22													
2002	3.10	3.70	47	3.43	0.17													
4	S.H.-75	002230	127.778	128.219	N	1993	2.40	4.00	56	3.30								
						1994	2.40	4.00	39	3.30	0.11							
						1995	2.40	4.00	39	3.30	0.11							
						1996	3.70	4.00	45	3.86	0.08							
						1997	3.30	4.00	45	3.69	0.10							
						1998	2.70	3.90	45	3.37	0.18							
						1999	3.20	3.90	48	3.59	0.05							
						2000	3.10	3.90	48	3.55	0.09							
						2001	3.40	3.90	48	3.68	0.13							
						2002	3.10	3.90	48	3.55	0.20							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-75	002230	128.219	128.368	N	1993	0.60	3.00	52	1.96		
						1994	2.10	3.00	33	2.61	0.02	
						1995	2.10	3.00	33	2.61	0.02	
						1996	3.40	3.00	43	3.17	0.07	
						1997	2.40	3.00	43	2.73	0.09	
						1998	3.10	3.00	43	3.04	0.09	
						1999	2.60	3.00	43	2.82	0.13	
						2000	2.10	3.00	48	2.60	0.16	
						*2001	2.30	3.00	48	2.69	0.20	
4	S.H.-75	002230	128.219	128.535	N	2002	4.00	5.00	48	4.56	0.14	MILL AND INLAY
4	S.H.-75	002230	128.368	128.535	N	1993	1.50	3.00	58	2.35		
						1994	1.70	5.00	41	3.58	0.04	NEW CONST OR RECONST (FLEX)
						1995	1.70	5.00	41	3.58	0.04	
						1996	2.70	4.50	34	3.71	0.07	
						1997	2.40	3.80	34	3.19	0.10	
						1998	2.30	3.80	34	3.15	0.13	
						1999	1.90	3.80	34	2.97	0.21	
						2000	1.50	3.80	48	2.80	0.25	
						*2001	1.80	3.80	48	2.93	0.28	
4	S.H.-75	002230	128.535	129.239	N	1993	2.50	3.00	52	2.78		SEALCOAT
						1994	2.80	3.00	32	2.91	0.27	NEW CONST OR RECONST (FLEX)
						1995	2.80	3.00	32	2.91	0.27	
						1996	2.80	3.00	28	2.91	0.29	
						1997	2.60	3.00	28	2.83	0.28	
						1998	2.40	3.00	28	2.74	0.31	
						1999	2.40	3.00	50	2.74	0.34	
						2000	2.40	3.00	50	2.74	0.35	
						2001	3.50	3.00	50	3.21	0.05	
						2002	3.40	3.00	50	3.16	0.08	
4	S.H.-75	002230	129.239	129.869	N	1993	3.10	4.50	53	3.86		SEALCOAT
						1994	2.90	4.50	35	3.77	0.22	
						1995	2.90	4.00	35	3.50	0.22	
						1996	3.90	4.00	28	3.95	0.19	
						1997	3.60	4.00	28	3.81	0.21	
						1998	3.70	4.00	28	3.86	0.22	
						1999	3.40	4.00	41	3.72	0.25	
						2000	3.30	4.00	41	3.68	0.25	
						2001	3.40	4.00	41	3.72	0.28	
						2002	3.20	4.00	41	3.63	0.28	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	S.H.-75	002230	129.869	136.590	N	1993	3.00	4.80	59	3.99		SEALCOAT	1993
						1994	2.80	4.80	44	3.90	0.17		
						1995	2.80	4.80	44	3.90	0.17		
						1996	3.80	4.80	47	4.35	0.12		
						1997	3.50	4.80	47	4.22	0.12		
						*1998	3.40	4.80	47	4.17	0.18		
						1999	3.50	4.80	57	4.21	0.18		
						2000	3.50	4.60	57	4.10	0.19	SEALCOAT	2000
						2001	3.60	4.60	57	4.15	0.21		
						2002	3.40	4.60	57	4.06	0.19		
4	S.H.-75	002230	136.590	137.575	N	1993	3.00	4.80	59	3.99			
						1994	2.80	4.80	44	3.90	0.17		
						1995	2.80	4.80	44	3.90	0.17		
						1996	3.80	4.80	47	4.35	0.12		
						1997	3.50	4.80	47	4.22	0.12		
						*1998	3.40	4.80	47	4.17	0.18		
						1999	3.00	5.00	63	4.10	0.06	COLD IN PLACE RECYCLE WITH OVERLAY	1999
						2000	3.30	4.60	63	4.01	0.12	SEALCOAT	2000
						2001	3.50	4.60	63	4.10	0.07		
						2002	3.30	4.60	63	4.01	0.08		
4	S.H.-75	002230	137.575	143.014	N	1993	2.70	3.50	62	3.14			
						1994	2.70	3.50	43	3.14	0.20		
						1995	2.70	3.50	43	3.14	0.20		
						1996	3.20	3.30	52	3.25	0.17		
						1997	3.10	3.30	52	3.21	0.16		
						1998	3.10	3.30	52	3.21	0.19		
						1999	3.10	5.00	62	4.15	0.20	COLD IN PLACE RECYCLE WITH OVERLAY	1999
						2000	3.60	4.60	62	4.15	0.05	SEALCOAT	2000
						2001	3.70	4.60	62	4.19	0.06		
						2002	3.50	4.60	62	4.10	0.05		
4	S.H.-75	002230	143.014	148.260	N	1993	2.70	3.50	61	3.14			
						1994	2.70	3.50	46	3.14	0.20		
						1995	2.70	3.50	46	3.14	0.20		
						1996	3.10	3.50	49	3.32	0.17		
						1997	3.00	3.50	49	3.27	0.18		
						1998	2.90	3.50	49	3.23	0.18		
						1999	2.90	5.00	60	4.06	0.20	COLD IN PLACE RECYCLE WITH OVERLAY	1999
						2000	3.30	5.00	60	4.24	0.06	SEALCOAT	2000
						2001	3.60	5.00	60	4.37	0.05		
						2002	3.40	4.70	60	4.12	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-75	002230	148.260	152.850	N	1993	2.60	4.50	60	3.65		
						1994	2.50	4.50	49	3.60	0.16	
						1995	2.50	4.50	49	3.60	0.16	
						1996	3.50	4.50	56	4.05	0.09	
						1997	3.30	4.50	56	3.96	0.11	
						1998	3.20	4.50	56	3.92	0.10	
						1999	3.20	4.40	63	3.86	0.09	
						2000	3.10	4.40	63	3.82	0.09	SEALCOAT
						2001	3.20	4.40	63	3.86	0.08	
						2002	3.20	4.40	63	3.86	0.08	
4	S.H.-75	002230	152.850	157.930	N	1993	2.40	4.80	62	3.73		
						1994	2.30	4.50	45	3.51	0.47	
						1995	2.30	4.50	45	3.51	0.47	
						1996	3.60	4.50	51	4.09	0.07	
						1997	3.20	4.50	51	3.92	0.09	
						1998	3.10	3.90	51	3.54	0.09	
						1999	3.20	3.90	56	3.58	0.09	
						2000	3.00	3.90	56	3.49	0.10	
						2001	3.20	3.90	56	3.58	0.09	
						2002	3.40	3.80	56	3.62	0.07	
4	S.H.-75	002230	157.930	162.900	N	1993	2.50	4.50	58	3.60		
						1994	2.50	4.50	45	3.60	0.38	
						*1995	2.50	4.00	45	3.33	0.38	
						1996	3.80	4.00	52	3.91	0.08	
						1997	3.40	4.00	52	3.73	0.08	SEALCOAT
						1998	3.30	4.00	52	3.68	0.09	
						1999	3.30	4.00	58	3.68	0.09	
						2000	3.20	4.00	58	3.64	0.09	
						2001	3.30	4.00	58	3.68	0.09	
						2002	3.40	4.00	58	3.73	0.09	
4	S.H.-75	002230	162.900	168.039	N	1993	2.50	4.50	58	3.60		
						1994	2.50	4.50	45	3.60	0.38	
						*1995	2.50	4.00	45	3.33	0.38	
						1996	2.70	5.00	45	3.97	0.15	COLD IN PLACE RECYCLE WITH OVERLAY
						1997	4.00	5.00	45	4.55	0.09	1997 SEALCOAT
						1998	4.10	4.70	45	4.43	0.06	
						1999	4.10	4.50	62	4.32	0.05	
						2000	4.00	4.50	62	4.27	0.06	
						2001	4.10	4.00	62	4.04	0.06	
						2002	3.90	4.00	62	3.95	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	S.H.-75	002230	168.039	172.640	N	1993	2.40	3.00	59	2.73									
						*1994	1.60	2.50	44	2.09									
						*1995	2.40	2.40	44	2.40	0.18								
						1996	2.40	5.00	46	3.84	0.16	COLD IN PLACE RECYCLE WITH OVERLAY	1996						
						1997	4.20	5.00	46	4.64	0.09	SEALCOAT	1997						
						1998	4.30	5.00	46	4.68	0.05								
						1999	4.30	4.50	62	4.41	0.04								
						2000	4.30	4.30	62	4.30	0.05								
						2001	4.30	4.30	62	4.30	0.04								
						2002	3.80	4.30	62	4.07	0.04								
						4	S.H.-75	002230	172.640	176.457	N	1993	2.40	3.00	59	2.73			
												*1994	1.60	2.50	44	2.09			
*1995	2.40	2.40	44	2.40	0.18							PLANT MIX OVERLAY	1995						
1996	4.40	5.00	41	4.73	0.08														
1997	4.00	5.00	41	4.55	0.11							SEALCOAT	1997						
1998	4.10	4.70	41	4.43	0.09														
1999	4.00	4.50	61	4.27	0.10														
2000	4.00	4.30	61	4.16	0.10														
2001	4.00	4.30	61	4.16	0.10														
2002	3.80	4.00	61	3.91	0.09														
4	S.H.-75	002230	176.457	178.112	N							1993	2.40	3.00	59	2.73			
												*1994	1.60	2.50	44	2.09			
						1995	3.50	5.00	44	4.33	0.00	PLANT MIX OVERLAY	1995						
						1996	4.50	5.00	44	4.77	0.05								
						1997	4.20	2.30	44	3.14	0.06	SEALCOAT	1997						
						1998	4.10	2.30	44	3.10	0.08								
						1999	4.00	2.30	60	3.05	0.09								
						2000	4.00	2.30	60	3.05	0.09								
						2001	4.00	2.30	60	3.05	0.08								
						2002	3.70	2.30	60	2.92	0.09								
						4	S.H.-75	002230	178.112	182.875	N	1993	2.50	2.50	57	2.50			
												1994	2.50	2.40	43	2.44	0.20		
1995	3.50	5.00	43	4.33	0.00							PLANT MIX OVERLAY	1995						
1996	4.60	5.00	41	4.82	0.06														
1997	4.30	3.50	41	3.85	0.06							SEALCOAT	1997						
1998	4.10	3.50	41	3.76	0.09														
1999	4.10	3.50	61	3.76	0.08														
2000	4.10	3.50	61	3.76	0.09														
2001	4.20	3.50	61	3.81	0.09														
2002	3.90	3.50	61	3.67	0.09														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	S.H.-75	002230	182.875	185.125	N	1993	2.40	3.00	57	2.73									
						*1994	2.40	2.80	42	2.62	0.19	PLANT MIX OVERLAY	1995						
						*1995	2.30	2.40	41	2.35	0.19	SEALCOAT	1997						
						1996	4.40	5.00	36	4.73	0.07								
						1997	4.20	2.50	36	3.25	0.09	SEALCOAT	1997						
						1998	4.10	2.50	36	3.21	0.13								
						1999	4.10	2.50	55	3.21	0.12								
						2000	4.00	2.50	55	3.16	0.12								
						2001	4.10	2.50	55	3.21	0.13								
						2002	3.90	2.50	55	3.12	0.13								
						4	S.H.-75	002230	185.125	189.980	N	1993	2.40	3.00	57	2.73			
												*1994	2.40	2.80	42	2.62	0.19	SEALCOAT	1996
												*1995	2.30	1.80	35	2.02	0.29	COLD IN PLACE RECYCLE WITH OVERLAY	1997
1996	2.80	5.00	26	4.01	0.18							SEALCOAT	1997						
1997	4.10	5.00	26	4.59	0.04														
*1998	4.00	5.00	26	4.55	0.06														
1999	4.00	4.70	58	4.38	0.05														
2000	3.90	4.50	58	4.23	0.06														
2001	4.00	4.50	58	4.27	0.05														
2002	3.80	4.20	58	4.02	0.06														
4	S.H.-75	002230	189.980	195.080	N							1993	2.30	1.50	56	1.85			
												1994	2.30	1.80	35	2.02	0.29	SEALCOAT	1997
												*1995	2.30	1.80	35	2.02	0.29	PLANT MIX OVERLAY	1996
						1996	2.60	1.80	46	2.15	0.15	SEALCOAT	1997						
						1997	2.50	1.80	46	2.11	0.17	PLANT MIX OVERLAY	1998						
						*1998	4.00	5.00	46	4.55	0.12	SEALCOAT	1999						
						1999	3.30	4.80	51	4.13	0.12								
						2000	3.30	4.50	51	3.96	0.13								
						2001	3.40	4.50	51	4.00	0.12								
						2002	3.40	4.00	51	3.73	0.14								
						4	S.H.-75	002230	195.080	202.476	N	1993	1.90	2.50	50	2.23			
												1994	1.90	2.30	33	2.12	0.46	PLANT MIX OVERLAY	1998
												1995	1.90	2.30	33	2.12	0.46	SEALCOAT	1999
1996	2.50	2.30	45	2.38	0.21														
1997	2.30	2.30	45	2.30	0.21														
1998	4.00	5.00	45	4.55	0.23														
1999	3.30	5.00	53	4.24	0.14														
2000	3.30	4.80	53	4.13	0.14														
2001	3.40	4.80	53	4.17	0.14														
2002	3.40	4.50	53	4.00	0.16														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
4	S.H.-75	002230	202.476	209.138	N	1993	2.00	3.00	55	2.55		
						1994	2.00	2.80	31	2.44	0.32	
						1995	2.00	2.80	31	2.44	0.32	
						1996	2.60	2.80	39	2.71	0.20	
						1997	2.40	2.00	39	2.17	0.21	
						1998	4.00	5.00	39	4.55	0.16	PLANT MIX OVERLAY
						1999	3.10	5.00	56	4.15	0.12	SEALCOAT
						2000	3.10	5.00	56	4.15	0.13	
						2001	3.20	5.00	56	4.19	0.12	
						2002	3.30	4.80	56	4.13	0.13	
4	S.H.-75	002230	209.138	214.400	N	1993	2.10	2.50	54	2.32		
						1994	2.10	2.40	35	2.26	0.33	
						1995	2.10	2.40	35	2.26	0.33	
						1996	2.50	2.20	41	2.33	0.20	
						1997	2.20	2.10	41	2.14	0.24	
						1998	4.00	5.00	41	4.55	0.13	PLANT MIX OVERLAY
						*1999	3.10	5.00	58	4.15	0.14	SEALCOAT
						2000	3.10	5.00	58	4.15	0.16	
						2001	3.10	4.80	58	4.04	0.16	
						2002	3.20	4.80	58	4.08	0.16	
4	S.H.-75	002230	214.400	217.186	N	1993	2.10	2.50	54	2.32		
						1994	2.10	2.40	35	2.26	0.33	
						1995	2.10	2.40	35	2.26	0.33	
						1996	2.50	2.20	41	2.33	0.20	
						1997	2.20	2.10	41	2.14	0.24	
						1998	4.00	5.00	41	4.55	0.13	PLANT MIX OVERLAY
						*1999	3.10	5.00	58	4.15	0.14	SEALCOAT
						2000	3.20	5.00	58	4.19	0.14	
						2001	3.20	4.70	58	4.03	0.14	
						2002	3.20	4.70	58	4.03	0.15	
4	S.H.-75	002231	000.000	000.338	N	1993	0.20	3.00	65	1.91		
						1994	2.00	3.00	25	2.61	0.30	
						1995	2.00	3.00	25	2.61	0.30	
						1996	2.70	3.00	35	2.88	0.12	
						1997	2.70	3.00	35	2.88	0.15	
						1998	2.30	3.00	35	2.72	0.16	
						1999	2.50	3.00	35	2.80	0.20	
						2000	2.10	3.00	58	2.65	0.29	
						2001	2.10	3.00	58	2.65	0.39	
						2002	4.00	5.00	58	4.61	0.26	REHABILITATION AND RESURFACE
											2002	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
4	S.H.-75	002231	000.338	003.599	N	1993	2.10	3.00	58	2.62							
							1994	2.20	3.00	40	2.69	0.27					
							1995	2.20	3.00	40	2.69	0.27					
							1996	2.50	3.00	46	2.81	0.17					
							1997	2.10	3.00	46	2.65	0.20					
							1998	2.00	3.00	46	2.62	0.23					
							1999	2.00	3.00	55	2.61	0.23					
							2000	1.90	2.50	55	2.27	0.23					
							2001	2.00	2.00	55	2.00	0.25					
							2002	3.50	5.00	55	4.43	0.35	REHABILITATION AND RESURFACE				2002
						4	S.H.-77	002300	000.000	001.100	N	1993	2.30	1.50	55	1.82	
	*1994	2.30	1.50	46	1.82							0.28					
	1995	3.50	5.00	46	4.39							0.00	PLANT MIX OVERLAY				1995
	1996	3.70	5.00	51	4.47							0.11					
	1997	3.50	5.00	51	4.39							0.12	SEALCOAT				1997
	1998	3.30	5.00	51	4.31							0.11					
	*1999	3.40	4.50	66	4.05							0.11					
	2000	3.70	5.00	60	4.47							0.16	NEW CONST OR RECONST (FLEX)				2000
	2001	3.10	5.00	60	4.32							0.06					
	2002	3.00	5.00	60	4.28							0.06					
4	S.H.-77	002300	001.100	007.495	N							1993	2.10	1.50	55	1.74	
							*1994	2.10	1.50	45	1.74	0.19					
							1995	3.50	5.00	46	4.39	0.00	PLANT MIX OVERLAY				1995
							1996	3.70	5.00	51	4.47	0.11					
							1997	3.50	5.00	51	4.39	0.12	SEALCOAT				1997
							1998	3.30	5.00	51	4.31	0.11					
							*1999	3.40	4.50	66	4.05	0.11					
							2000	3.30	4.50	66	4.01	0.12					
							2001	3.40	4.50	66	4.05	0.11					
							2002	3.40	4.50	66	4.05	0.11					
						4	S.H.-77	002300	007.495	008.990	N	1993	1.60	1.80	56	1.71	
	1994	1.60	1.80	46	1.71							0.32					
	1995	3.50	5.00	46	4.38							0.00	PLANT MIX OVERLAY				1995
	1996	3.70	5.00	43	4.46							0.14					
	1997	3.50	5.00	43	4.38							0.12	SEALCOAT				1997
	1998	3.50	5.00	43	4.38							0.13					
	1999	3.40	5.00	63	4.34							0.15					
	2000	3.30	4.00	63	3.71							0.14					
	2001	3.50	4.00	63	3.79							0.14					
	2002	3.40	3.70	63	3.57							0.17					

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
4	S.H.-77	002300	008.990	014.000	N	1993	2.30	2.50	54	2.42			
						*1994	2.20	2.00	41	2.07	0.38	PLANT MIX OVERLAY	1995
							3.50	5.00	46	4.38	0.00	PLANT MIX OVERLAY	1996
							3.50	5.00	52	4.38	0.12	SEALCOAT	1997
							3.50	5.00	52	4.38	0.11		
							3.40	5.00	52	4.34	0.11		
							3.40	5.00	65	4.34	0.11		
							3.30	5.00	65	4.29	0.11		
							3.50	3.90	65	3.73	0.12		
							3.40	3.90	65	3.69	0.13		
						4	S.H.-77	002300	014.000	018.870	N	1993	2.30
*1994	2.20	2.00	41	2.07	0.38							PLANT MIX OVERLAY	1996
	2.20	2.00	39	2.07	0.35							SEALCOAT	1997
	2.30	2.00	42	2.11	0.26								
	3.80	5.00	42	4.54	0.04								
	3.70	5.00	42	4.51	0.05								
	3.70	5.00	60	4.51	0.05								
	3.60	5.00	60	4.47	0.07								
	3.80	5.00	60	4.54	0.07								
	3.70	5.00	60	4.51	0.08								
4	S.H.-77	002300	018.870	022.860	N							1993	1.90
						1994	2.10	1.40	39	1.68	0.31		
							2.30	1.40	39	1.77	0.27		
						*1996	2.30	1.40	45	1.77	0.23	SEALCOAT	1997
							3.70	5.00	45	4.46	0.14		
							3.70	5.00	45	4.46	0.16		
							3.70	5.00	58	4.46	0.16		
							3.60	5.00	58	4.42	0.17		
							3.70	5.00	58	4.46	0.17		
							3.70	5.00	58	4.46	0.17		
						4	S.H.-77	002300	022.860	027.296	N	1993	2.40
1994	3.00	5.00	32	4.24	0.29							NEW CONST OR RECONST (FLEX)	1994
	3.00	5.00	32	4.24	0.29								
*1996	3.80	5.00	40	4.54	0.08							SEALCOAT	1997
	3.60	5.00	41	4.46	0.08								
	3.50	5.00	41	4.42	0.09								
	3.60	5.00	54	4.46	0.12								
	3.60	5.00	54	4.46	0.09								
	3.70	5.00	54	4.50	0.14								
	3.50	5.00	54	4.43	0.15								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
4	S.H.-77	002300	027.296	030.676	N	1993	2.80	1.40	53	1.97			
						1994	3.00	5.00	38	4.17	0.33	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	38	4.17	0.33		
						1996	4.20	5.00	38	4.66	0.09		
						1997	4.10	5.00	38	4.62	0.09		
						1998	4.10	5.00	38	4.62	0.16		
						1999	4.10	5.00	49	4.62	0.18		
						2000	4.00	5.00	49	4.58	0.17		
						2001	4.00	4.80	49	4.46	0.20		
						2002	3.60	4.00	49	3.83	0.21		
4	S.H.-79	002250	000.000	000.280	N	1993	2.30	3.00	53	2.70			
						1994	2.10	3.00	30	2.61	0.24		
						1995	2.10	3.00	30	2.61	0.24		
						1996	2.40	3.00	26	2.74	0.09		
						1997	2.30	3.00	26	2.70	0.12		
						1998	2.20	3.00	26	2.65	0.11		
						1999	2.20	2.60	34	2.42	0.12	SEALCOAT	1999
						2000	2.10	2.60	34	2.38	0.14		
						2001	2.20	2.60	34	2.42	0.21		
						2002	2.00	2.60	34	2.34	0.23		
4	S.H.-79	002250	000.280	001.940	N	1993	3.10	4.80	44	4.13			
						1994	3.10	4.50	17	3.94	0.33		
						1995	3.10	4.50	17	3.94	0.33		
						1996	3.20	4.50	19	3.98	0.09		
						1997	3.00	4.50	19	3.90	0.10		
						1998	3.00	4.50	19	3.90	0.15		
						1999	2.90	4.50	32	3.86	0.18	SEALCOAT	1999
						2000	2.90	4.50	32	3.86	0.15		
						2001	3.10	4.50	32	3.94	0.27		
						2002	3.00	4.50	32	3.89	0.22		
4	S.H.-79	002250	001.940	002.228	N	1993	2.40	2.00	47	2.15	SEALCOAT		1993
						1994	2.60	2.00	33	2.23	0.17		
						1995	2.60	2.00	33	2.23	0.17		
						1996	3.30	2.00	25	2.51	0.12		
						1997	3.30	2.00	25	2.51	0.10		
						1998	3.30	2.00	25	2.51	0.18		
						1999	3.30	2.00	32	2.51	0.12	SEALCOAT	1999
						2000	3.20	4.50	32	3.98	0.18		
						2001	3.20	2.60	32	2.83	0.13		
						2002	2.90	2.60	32	2.71	0.21		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	S.H.-79	002250	002.228	002.422	N	1993	3.10	2.00	54	2.43		SEALCOAT	1993
						1994	2.70	2.00	52	2.27	0.27		
						1995	2.70	2.00	52	2.27	0.27		
						1996	3.20	2.00	30	2.47	0.16		
						1997	3.00	2.00	30	2.39	0.10		
						1998	3.20	2.00	30	2.47	0.25		
						*1999	2.70	2.00	47	2.27	0.20		
						2000	3.30	2.10	32	2.57	0.26		
						2001	3.40	2.10	32	2.61	0.23		
						2002	2.90	2.10	32	2.41	0.12		
4	S.H.-79	002250	002.422	002.564	N	1993	3.10	2.00	54	2.43		SEALCOAT	1993
						1994	2.70	2.00	52	2.27	0.27		
						1995	2.70	2.00	52	2.27	0.27		
						1996	3.20	2.00	30	2.47	0.16		
						1997	3.00	2.00	30	2.39	0.10		
						1998	3.20	2.00	30	2.47	0.25		
						*1999	2.70	2.00	47	2.27	0.20		
						2000	2.80	5.00	47	4.12	0.19		
						2001	2.70	5.00	47	4.08	0.21		
						2002	2.30	5.00	47	3.92	0.20		
4	S.H.-81	002310	000.000	004.890	N	1993	2.50	2.00	50	2.20			
						1994	2.70	2.00	38	2.28	0.20		
						1995	2.70	5.00	38	4.07	0.20		
						1996	3.80	5.00	52	4.51	0.12		
						1997	3.60	5.00	52	4.43	0.12		
						1998	3.50	5.00	52	4.39	0.12		
						1999	3.60	4.00	58	3.83	0.13		
						2000	3.50	4.00	58	3.79	0.13		
						2001	3.80	4.00	58	3.91	0.12		
						2002	3.60	4.00	58	3.83	0.14		
4	S.H.-81	002310	004.890	007.888	N	1993	2.30	2.50	50	2.41			
						1994	2.40	2.00	42	2.16	0.38		
						1995	2.40	5.00	42	3.95	0.38		
						1996	3.90	5.00	55	4.55	0.12		
						1997	3.70	5.00	55	4.47	0.11		
						1998	3.50	5.00	55	4.39	0.10		
						1999	3.60	5.00	62	4.43	0.10		
						2000	3.50	4.60	62	4.15	0.10		
						2001	3.60	4.60	62	4.19	0.11		
						2002	3.40	4.00	62	3.75	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
4	S.H.-81	002310	007.888	015.166	N	1993	2.90	3.00	49	2.95			
						1994	3.10	3.00	33	3.04	0.26	LEVELING COURSE	1994
						1995	3.10	5.00	33	4.23	0.26		
						1996	4.20	5.00	51	4.67	0.10		
						1997	4.10	5.00	51	4.63	0.09		
						1998	4.10	5.00	51	4.63	0.11		
						1999	4.10	5.00	57	4.63	0.18		
						2000	4.00	5.00	57	4.59	0.14		
						2001	3.80	5.00	57	4.51	0.21		
						2002	3.30	4.80	57	4.19	0.17		
4	S.H.-81	002310	015.166	021.232	N	1993	2.70	2.40	54	2.52			
						1994	2.80	1.80	44	2.21	0.44	LEVELING COURSE	1994
						1995	2.80	5.00	44	4.09	0.44		
						1996	4.00	5.00	54	4.59	0.11		
						1997	3.80	5.00	54	4.53	0.10		
						1998	3.80	5.00	54	4.53	0.12		
						1999	3.80	5.00	61	4.53	0.13		
						2000	3.70	4.70	61	4.31	0.11		
						2001	3.90	4.50	61	4.26	0.16		
						2002	3.50	4.40	61	4.05	0.14		
4	S.H.-81	002310	021.232	026.048	N	1993	2.40	2.30	51	2.34			
						1994	2.50	2.00	40	2.20	0.28	LEVELING COURSE	1994
						1995	2.50	5.00	40	3.96	0.28		
						1996	3.90	5.00	47	4.54	0.10		
						1997	3.70	4.60	47	4.22	0.09		
						1998	3.60	4.60	47	4.18	0.10		
						1999	3.70	4.60	56	4.23	0.13		
						2000	3.60	4.60	56	4.18	0.11		
						2001	3.70	4.50	56	4.16	0.17		
						2002	3.40	4.50	56	4.04	0.15		
4	S.H.-81	002310	026.048	029.500	N	1993	2.70	1.70	47	2.11			
						1994	3.00	5.00	37	4.16	0.25	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	37	4.16	0.25		
						1996	4.20	5.00	40	4.66	0.09		
						1997	4.10	5.00	40	4.62	0.09		
						1998	4.10	5.00	40	4.62	0.14		
						1999	4.10	5.00	44	4.62	0.15		
						2000	4.10	5.00	44	4.62	0.15		
						2001	4.10	5.00	44	4.62	0.18		
						2002	3.80	5.00	44	4.50	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	S.H.-81	002310	029.500	032.860	N	1993	2.30	1.40	52	1.77			
						1994	3.00	5.00	38	4.16	0.32	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	38	4.16	0.32		
						1996	4.20	5.00	40	4.66	0.10		
						1997	4.00	5.00	40	4.58	0.10		
						1998	4.00	5.00	40	4.58	0.14		
						1999	3.90	5.00	41	4.54	0.18		
						2000	4.00	5.00	41	4.58	0.19		
						2001	4.10	5.00	41	4.62	0.22		
						2002	3.80	4.80	41	4.38	0.24		
4	S.H.-81	002310	032.860	033.978	N	1993	2.40	3.00	50	2.74			
						1994	3.00	5.00	33	4.15	0.39	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	33	4.15	0.39		
						1996	4.10	5.00	31	4.62	0.14		
						1997	3.90	5.00	31	4.53	0.16		
						1998	3.80	5.00	31	4.49	0.22		
						1999	3.90	5.00	36	4.53	0.24		
						2000	3.80	5.00	36	4.49	0.27		
						2001	3.90	5.00	36	4.53	0.32		
						2002	3.60	4.90	36	4.35	0.33		
4	S.H.-81	002311	000.000	000.340	N	1993	1.40	3.80	48	2.89			
						1994	1.30	3.80	48	2.86	0.20		
						1995	1.30	3.80	48	2.86	0.20		
						1996	1.80	3.00	41	2.54	0.36		
						1997	1.70	2.40	41	2.13	0.40		
						1998	1.80	1.50	41	1.61	0.49		
						1999	2.60	4.00	41	3.47	0.23		
						2000	2.70	2.60	36	2.63	0.31		
						2001	2.90	2.60	36	2.71	0.30		
						2002	3.00	1.90	36	2.31	0.33		
4	I-84	001010	121.094	128.154	ASC	1993	3.90	3.00	49	3.45		CONCRETE REHAB	1993
						1994	3.80	4.00	30	3.89	0.01		
						1995	3.80	3.30	27	3.55	0.01		
						1996	3.60	3.30	25	3.45	0.05		
						1997	3.30	2.10	23	2.70	0.07		
						1998	3.20	2.10	23	2.65	0.04		
						1999	3.10	2.10	29	2.60	0.05		
						2000	2.80	2.10	29	2.45	0.04		
						2001	2.80	2.00	32	2.40	0.05		
						2002	2.20	2.00	32	2.10	0.05		
4	I-84	001010	121.094	128.154	DES	1993	3.90	3.00	48	3.45		CONCRETE REHAB	1993
						1994	3.90	4.00	33	3.94	0.01		
						1995	3.90	3.80	33	3.85	0.01		
						1996	3.80	3.80	29	3.80	0.05		
						1997	3.70	3.00	28	3.35	0.06		
						1998	3.50	2.90	32	3.20	0.04		
						1999	3.40	2.90	31	3.15	0.04		

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	I-84	001010	128.154	132.243	ASC	2000	3.20	2.70	31	2.95	0.04		
						2001	3.20	2.40	31	2.80	0.05		
						2002	2.60	2.40	31	2.50	0.05		
						1993	3.90	3.50	49	3.70			
						1994	4.00	3.50	34	3.75	0.03		
						1995	4.00	3.50	34	3.75	0.03		
						1996	4.00	3.50	52	3.75	0.17	SEALCOAT	1996
						1997	3.80	3.50	37	3.65	0.14		
						1998	3.80	3.50	37	3.65	0.17		
						1999	3.80	3.50	45	3.65	0.27		
4	I-84	001010	128.154	132.243	DES	2000	3.80	3.50	45	3.65	0.28		
						2001	4.00	3.50	40	3.75	0.29		
						2002	3.60	3.50	40	3.55	0.32		
						1993	3.90	4.00	50	3.94			
						1994	3.90	4.00	38	3.94	0.11		
						1995	3.90	4.00	38	3.94	0.11		
						1996	4.20	4.00	54	4.10	0.21	SEALCOAT	1996
						1997	4.10	4.00	43	4.05	0.20		
						1998	4.10	4.00	49	4.05	0.30		
						1999	4.00	4.00	50	4.00	0.31		
4	I-84	001010	132.243	136.000	ASC	2000	4.00	4.00	50	4.00	0.33		
						2001	4.20	4.00	50	4.10	0.39		
						2002	3.90	4.00	50	3.94	0.42		
						1993	3.90	3.50	50	3.70			
						1994	4.00	3.50	34	3.75	0.03		
						1995	4.00	3.50	37	3.75	0.03		
						1996	4.20	3.50	51	3.85	0.16	SEALCOAT	1996
						1997	4.10	3.50	42	3.80	0.11		
						1998	4.00	3.50	42	3.75	0.21		
						1999	4.00	3.50	47	3.75	0.24		
4	I-84	001010	132.243	136.000	DES	2000	4.00	3.50	47	3.75	0.27		
						2001	4.00	3.50	44	3.75	0.29		
						2002	3.60	3.50	44	3.55	0.28		
						1993	3.80	3.50	49	3.65			
						1994	3.90	3.50	35	3.70	0.14		
						1995	3.90	3.50	35	3.70	0.14		
						1996	4.10	3.50	56	3.80	0.17	SEALCOAT	1996
						1997	4.00	3.50	43	3.75	0.19		
						1998	4.00	3.50	49	3.75	0.28		
						1999	4.00	3.50	48	3.75	0.31		
4	I-84	001010	132.243	136.000	ASC	2000	3.90	3.50	48	3.70	0.32		
						2001	4.00	3.50	48	3.75	0.35		
						2002	3.60	3.50	48	3.55	0.39		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
4	I-84	001010	136.000	140.900	ASC	1993	3.90	4.50	52	4.19			
						1994	4.00	4.50	35	4.24	0.00		
						1995	4.00	4.50	37	4.24	0.00		
						1996	4.10	4.50	33	4.29	0.27	RUT FILLING	1996
						1997	3.90	4.50	35	4.19	0.27		
						1998	3.80	4.50	35	4.14	0.35		
						1999	3.80	4.50	44	4.14	0.42		
						2000	3.80	4.50	44	4.14	0.43	SEALCOAT	2000
						2001	3.70	4.50	54	4.09	0.47		
						2002	3.40	4.50	54	3.94	0.48		
4	I-84	001010	136.000	140.900	DES	1993	3.70	4.50	49	4.09			
						1994	3.70	4.50	40	4.09	0.01		
						1995	3.70	4.50	40	4.09	0.01		
						1996	4.10	4.50	41	4.29	0.22	RUT FILLING	1996
						1997	4.00	4.50	39	4.24	0.23		
						1998	3.90	4.50	46	4.19	0.27		
						1999	3.90	4.50	46	4.19	0.30		
						2000	3.90	4.50	46	4.19	0.30	SEALCOAT	2000
						2001	3.90	4.50	46	4.19	0.33		
						2002	3.60	4.50	46	4.04	0.38		
4	I-84	001010	140.900	148.220	ASC	1993	4.10	4.00	50	4.05			
						1994	4.10	3.50	27	3.80	0.11		
						1995	4.10	3.50	31	3.80	0.11		
						1996	3.80	3.50	47	3.65	0.35	RUT FILLING	1996
						1997	3.90	3.50	41	3.70	0.26		
						1998	3.90	3.50	41	3.70	0.34		
						1999	3.90	3.50	51	3.70	0.42	SEALCOAT	1999
						2000	3.80	3.50	51	3.65	0.44		
						2001	3.80	3.50	49	3.65	0.46		
						2002	3.30	3.00	49	3.15	0.48		
4	I-84	001010	140.900	148.220	DES	1993	3.90	4.00	54	3.94			
						1994	4.10	3.50	29	3.80	0.06		
						1995	4.10	3.50	29	3.80	0.06		
						1996	4.10	3.50	49	3.80	0.14	RUT FILLING	1996
						1997	3.80	3.50	37	3.65	0.14		
						1998	4.00	3.50	43	3.75	0.21		
						1999	4.00	3.50	45	3.75	0.23	SEALCOAT	1999
						2000	4.00	3.50	45	3.75	0.24		
						2001	4.00	3.50	45	3.75	0.26		
						2002	3.50	3.50	45	3.50	0.29		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
4	I-84	001010	148.220	149.500	ASC	1993	4.10	4.50	57	4.29			
						1994	4.20	4.50	29	4.34	0.02		
						1995	4.20	4.00	30	4.10	0.02		
						1996	3.90	4.00	30	3.94	0.30		
						1997	3.80	4.00	32	3.89	0.33		
						1998	3.60	4.00	32	3.79	0.38		
						1999	3.50	4.00	37	3.74	0.42	SEALCOAT	1999
						2000	3.40	4.00	37	3.69	0.40		
						2001	3.50	4.00	48	3.74	0.42		
						2002	2.90	3.00	48	2.94	0.44		
4	I-84	001010	148.220	149.500	DES	1993	3.70	4.50	54	4.09			
						1994	3.90	4.50	26	4.19	0.06		
						1995	3.90	4.50	26	4.19	0.06		
						1996	4.00	4.50	33	4.24	0.15		
						1997	2.70	4.50	28	3.58	0.11		
						1998	4.00	4.50	38	4.24	0.23		
						1999	3.80	4.50	42	4.14	0.21	SEALCOAT	1999
						2000	3.90	4.50	42	4.19	0.27		
						2001	3.90	4.50	42	4.19	0.27		
						2002	3.70	4.50	42	4.09	0.30		
4	I-84	001010	149.500	156.200	ASC	1993	3.70	4.50	59	4.09			
						1994	3.80	4.00	26	3.89	0.00		
						1995	3.80	4.00	30	3.89	0.00		
						1996	4.20	4.00	27	4.10	0.14		
						1997	4.00	4.00	29	4.00	0.16		
						1998	4.00	4.00	29	4.00	0.20		
						1999	4.00	4.00	38	4.00	0.25	SEALCOAT	1999
						2000	3.90	4.00	38	3.94	0.23		
						2001	3.90	4.00	47	3.94	0.26		
						2002	3.60	3.90	47	3.74	0.26		
4	I-84	001010	149.500	156.200	DES	1993	3.50	4.50	57	3.99			
						1994	3.70	4.50	27	4.09	0.04		
						1995	3.70	4.50	27	4.09	0.04		
						1996	4.20	4.50	33	4.34	0.25		
						1997	4.20	4.50	29	4.34	0.25		
						1998	4.00	4.30	39	4.14	0.31		
						1999	4.00	4.30	42	4.14	0.36	SEALCOAT	1999
						2000	3.90	4.30	42	4.09	0.35		
						2001	4.00	4.30	42	4.14	0.37		
						2002	3.80	4.30	42	4.04	0.40		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	I-84	001010	156.200	156.213	ASC	1993	3.20	3.00	56	3.10		
						1994	3.30	2.90	31	3.10	0.09	
						1995	3.30	2.80	36	3.05	0.09	
						1996	3.40	2.80	31	3.10	0.14	
						*1997	3.70	5.00	31	4.33	0.04	
						1998	4.00	5.00	39	4.49	0.31	
						1999	4.00	5.00	42	4.49	0.36	SEALCOAT
						2000	3.90	5.00	42	4.44	0.35	
						2001	4.00	5.00	42	4.49	0.37	
						2002	3.80	5.00	42	4.39	0.40	
4	I-84	001010	156.200	156.213	DES	1993	3.30	3.00	56	3.15		
						1994	3.40	2.90	30	3.15	0.09	
						1995	3.40	2.80	30	3.10	0.09	
						1996	3.40	2.80	35	3.10	0.12	
						*1997	3.40	5.00	25	4.18	0.12	
						1998	4.00	4.30	39	4.14	0.31	
						1999	4.00	4.30	42	4.14	0.36	SEALCOAT
						2000	3.90	4.30	42	4.09	0.35	
						2001	4.00	4.30	42	4.14	0.37	
						2002	3.80	4.30	42	4.04	0.40	
4	I-84	001010	156.213	161.319	ASC	1993	3.20	3.00	56	3.10		
						1994	3.30	2.90	31	3.10	0.09	
						1995	3.30	2.80	36	3.05	0.09	
						1996	3.40	2.80	31	3.10	0.14	
						*1997	3.70	5.00	31	4.33	0.04	C.R.A.B.S.
						1998	3.70	5.00	31	4.33	0.06	
						1999	3.70	5.00	35	4.33	0.11	SEALCOAT
						2000	3.60	4.50	35	4.03	0.13	
						2001	3.60	4.50	42	4.03	0.14	
						2002	3.40	4.50	42	3.93	0.10	
4	I-84	001010	156.213	161.319	DES	1993	3.30	3.00	56	3.15		
						1994	3.40	2.90	30	3.15	0.09	
						1995	3.40	2.80	30	3.10	0.09	
						1996	3.40	2.80	35	3.10	0.12	
						*1997	3.40	5.00	25	4.18	0.12	C.R.A.B.S.
						1998	3.70	5.00	25	4.33	0.08	
						1999	3.80	4.60	31	4.19	0.10	SEALCOAT
						2000	3.70	4.60	31	4.13	0.12	
						2001	3.70	4.60	31	4.13	0.13	
						2002	3.20	4.60	31	3.88	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	I-84	001010	161.319	164.699	ASC	1993	3.20	2.80	55	3.00		
						1994	3.20	2.80	29	3.00	0.13	
						1995	3.20	2.80	33	3.00	0.13	
						1996	3.30	2.80	32	3.05	0.20	
						*1997	4.00	5.00	32	4.49	0.05	C.R.A.B.S.
						*1998	3.70	5.00	32	4.33	0.05	
						1999	3.70	5.00	35	4.33	0.08	SEALCOAT
						2000	3.60	4.50	35	4.03	0.10	
						2001	3.60	4.50	41	4.03	0.11	
						2002	3.10	3.90	41	3.49	0.13	
4	I-84	001010	161.319	164.699	DES	1993	3.20	2.80	56	3.00		
						1994	3.20	2.60	27	2.90	0.15	
						1995	3.20	2.60	27	2.90	0.15	
						1996	3.10	2.60	32	2.85	0.15	
						*1997	3.10	5.00	25	4.03	0.15	C.R.A.B.S.
						*1998	3.70	5.00	25	4.33	0.04	
						1999	3.70	5.00	32	4.33	0.07	SEALCOAT
						2000	3.70	5.00	32	4.33	0.07	
						2001	3.70	5.00	32	4.33	0.09	
						2002	3.30	4.60	32	3.93	0.11	
4	I-84	001010	164.699	168.363	ASC	1993	3.60	4.00	48	3.79		
						1994	3.60	4.00	18	3.79	0.20	
						1995	3.60	4.00	21	3.79	0.20	
						1996	3.70	4.00	55	3.84	0.21	SEALCOAT
						1997	3.70	4.00	34	3.84	0.07	
						1998	3.70	4.00	34	3.84	0.08	
						1999	3.70	4.00	42	3.84	0.11	SEALCOAT
						2000	3.70	4.00	42	3.84	0.11	
						2001	3.60	4.00	36	3.79	0.13	
						2002	3.30	4.00	36	3.64	0.17	
4	I-84	001010	164.699	168.363	DES	1993	3.70	4.50	50	4.09		
						1994	3.80	4.00	19	3.89	0.24	
						1995	3.80	4.00	19	3.89	0.24	
						1996	3.90	4.00	48	3.94	0.17	SEALCOAT
						1997	3.90	4.00	41	3.94	0.10	
						1998	3.90	4.00	41	3.94	0.13	
						1999	3.90	4.00	46	3.94	0.16	SEALCOAT
						2000	3.80	4.00	46	3.89	0.16	
						2001	3.80	4.00	46	3.89	0.19	
						2002	3.40	4.00	46	3.69	0.23	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	I-84	001010	168.363	172.690	ASC	1993	3.50	4.50	47	3.99		
						1994	3.60	4.50	18	4.04	0.19	
						1995	3.60	4.00	20	3.79	0.19	
						1996	3.80	3.90	51	3.84	0.18	SEALCOAT
						1997	3.70	3.90	29	3.79	0.10	
						1998	3.70	3.70	29	3.70	0.14	
						1999	3.70	3.70	38	3.70	0.19	
						2000	3.70	3.70	38	3.70	0.15	
						2001	3.70	3.70	33	3.70	0.20	
						2002	3.30	3.40	33	3.34	0.21	
4	I-84	001010	168.363	172.690	DES	1993	3.60	4.50	50	4.04		
						1994	3.60	4.50	17	4.04	0.22	
						1995	3.60	4.50	17	4.04	0.22	
						1996	3.80	4.50	50	4.14	0.14	SEALCOAT
						1997	3.80	4.50	34	4.14	0.15	
						1998	3.70	4.50	34	4.08	0.18	
						1999	3.70	4.50	39	4.08	0.20	
						2000	3.70	4.50	39	4.08	0.23	
						2001	3.70	4.50	39	4.08	0.24	
						2002	3.40	4.20	39	3.78	0.29	
4	I-84	001010	172.690	173.500	ASC	1993	3.20	5.00	48	4.08		
						1994	3.20	5.00	48	4.08	0.15	
						1995	3.20	5.00	48	4.08	0.15	
						1996	3.60	5.00	41	4.28	0.11	SEALCOAT
						1997	3.50	4.70	37	4.09	0.09	
						1998	3.40	4.50	37	3.94	0.13	
						1999	3.40	4.50	45	3.94	0.14	
						2000	3.30	4.50	45	3.88	0.13	
						2001	3.30	4.50	45	3.88	0.19	
						2002	3.00	3.40	45	3.19	0.19	
4	I-84	001010	172.690	173.500	DES	1993	3.20	5.00	49	4.08		
						1994	3.20	5.00	49	4.08	0.12	
						1995	3.20	5.00	49	4.08	0.12	
						1996	3.50	4.50	55	3.99	0.11	SEALCOAT
						1997	3.60	4.50	47	4.04	0.10	
						1998	3.40	4.30	47	3.84	0.05	
						1999	3.40	4.30	29	3.84	0.08	
						2000	3.30	4.30	29	3.79	0.11	
						2001	3.30	4.00	29	3.64	0.09	
						2002	3.00	3.70	29	3.34	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	I-84	001010	173.500	176.638	ASC	1993	3.00	1.40	51	2.21									
						1994	3.00	5.00	51	3.98	0.20	NEW CONST OR RECONST (FLEX)	1994						
						1995	3.20	5.00	51	4.08	0.12	CONCRETE RESURFACE	1995						
						1996	3.70	5.00	26	4.34	0.02								
						1997	3.70	5.00	21	4.33	0.02								
						1998	3.60	5.00	21	4.28	0.04								
						1999	3.60	5.00	28	4.28	0.04								
						2000	3.60	4.60	28	4.09	0.05								
						2001	3.70	4.60	25	4.14	0.04								
						2002	3.40	4.60	25	3.98	0.05								
						4	I-84	001010	173.500	176.638	DES	1993	3.30	1.50	49	2.41			
												1994	3.40	5.00	49	4.18	0.08	NEW CONST OR RECONST (FLEX)	1994
1995	3.50	5.00	49	4.23	0.00							CONCRETE RESURFACE	1995						
1996	3.40	5.00	37	4.18	0.03														
1997	3.40	5.00	29	4.18	0.04														
1998	3.40	5.00	29	4.18	0.03														
1999	3.30	5.00	33	4.13	0.03														
2000	3.40	5.00	33	4.18	0.03														
2001	3.40	5.00	33	4.18	0.02														
2002	3.30	5.00	33	4.13	0.02														
4	I-84	001010	176.638	181.252	ASC							1993	3.00	1.40	52	2.21			
												*1994	3.00	5.00	52	3.98	0.24	NEW CONST OR RECONST (FLEX)	1994
						1995	3.50	5.00	52	4.23	0.00	CONCRETE RESURFACE	1995						
						1996	3.90	5.00	30	4.44	0.03								
						1997	3.90	5.00	25	4.44	0.02								
						1998	3.80	5.00	25	4.38	0.05								
						1999	3.80	5.00	33	4.38	0.05								
						*2000	3.80	5.00	33	4.38	0.06								
						2001	3.90	5.00	33	4.44	0.05								
						2002	3.60	5.00	33	4.28	0.06								
						4	I-84	001010	176.638	181.252	DES	1993	3.20	1.50	45	2.36			
												*1994	3.20	5.00	45	4.08	0.08	NEW CONST OR RECONST (FLEX)	1994
1995	3.50	5.00	45	4.23	0.00							CONCRETE RESURFACE	1995						
1996	3.40	5.00	38	4.18	0.05														
1997	3.40	5.00	33	4.18	0.05														
1998	3.40	5.00	33	4.18	0.03														
1999	3.30	5.00	34	4.13	0.03														
*2000	3.40	5.00	34	4.18	0.03														
2001	3.40	5.00	34	4.18	0.03														
2002	3.20	5.00	34	4.08	0.03														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS							
4	I-84	001010	181.252	188.027	ASC	1993	4.00	3.50	53	3.75										
						*1994	4.00	2.50	28	3.26	0.06	NEW CONST OR RECONST (FLEX)	1994							
						1995	4.00	2.50	34	3.26	0.06	CONCRETE RESURFACE	1995							
						1996	3.70	2.50	29	3.11	0.13									
						1997	3.60	2.50	30	3.06	0.11									
						1998	3.50	2.50	30	3.01	0.14									
						1999	3.20	2.50	40	2.85	0.17									
						*2000	3.50	2.50	40	3.01	0.13									
						2001	3.40	5.00	54	4.18	0.18	C.R.A.B.S.	2001							
						2002	3.60	5.00	54	4.28	0.11									
						4	I-84	001010	181.252	188.027	DES	1993	3.90	3.50	52	3.70				
												*1994	4.00	3.00	23	3.50	0.05	NEW CONST OR RECONST (FLEX)	1994	
												1995	3.90	3.00	31	3.45	0.06	CONCRETE RESURFACE	1995	
1996	3.80	3.00	31	3.40	0.21															
1997	3.60	3.00	29	3.30	0.20															
1998	3.50	3.00	29	3.25	0.26															
1999	3.40	3.00	39	3.20	0.27															
*2000	3.50	3.00	39	3.25	0.24															
2001	3.70	5.00	39	4.33	0.12							C.R.A.B.S.	2001							
2002	3.40	5.00	39	4.18	0.09															
4	I-84	001010	188.027	194.160	ASC							1993	3.80	3.50	50	3.65				
												1994	3.80	3.50	27	3.65	0.08			
												*1995	3.80	3.50	30	3.65	0.08			
						1996	3.80	3.50	29	3.65	0.11									
						1997	3.80	3.50	30	3.65	0.15									
						1998	3.70	3.50	30	3.60	0.15									
						1999	3.70	3.50	41	3.60	0.18									
						2000	3.60	3.50	41	3.55	0.13									
						2001	3.80	5.00	52	4.38	0.17	C.R.A.B.S.	2001							
						2002	3.30	5.00	52	4.13	0.13									
						4	I-84	001010	188.027	194.160	DES	1993	3.60	3.50	53	3.55				
												1994	3.70	3.50	24	3.60	0.05			
												*1995	3.70	3.50	31	3.60	0.05			
1996	3.80	3.50	31	3.65	0.16															
1997	3.70	3.50	31	3.60	0.16															
1998	3.60	3.50	37	3.55	0.19															
1999	3.60	3.50	39	3.55	0.21															
2000	3.60	3.50	39	3.55	0.21															
2001	3.40	5.00	39	4.18	0.08							C.R.A.B.S.	2001							
2002	3.40	5.00	39	4.18	0.08															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	I-84	001010	194.160	200.537	ASC	1993	3.30	2.50	49	2.90			
						1994	3.30	2.20	27	2.75	0.07		
						1995	3.30	2.10	26	2.70	0.07		
						*1996	2.90	5.00	21	3.93	0.20	MILL INLAY AND OVERLAY	1996
						1997	3.90	5.00	43	4.44	0.11	SEALCOAT	1997
						1998	4.00	5.00	43	4.48	0.14		
						1999	3.80	5.00	46	4.38	0.16		
						2000	4.00	4.70	46	4.34	0.18		
						2001	4.10	4.70	30	4.39	0.19		
						2002	3.70	3.70	30	3.70	0.25		
4	I-84	001010	194.160	200.537	DES	1993	3.00	2.60	46	2.80			
						1994	3.00	2.20	18	2.60	0.10		
						1995	3.00	2.20	24	2.60	0.10		
						*1996	2.70	5.00	24	3.83	0.24	MILL INLAY AND OVERLAY	1996
						1997	3.90	5.00	42	4.44	0.04	SEALCOAT	1997
						1998	3.70	5.00	42	4.33	0.17		
						1999	3.70	4.50	41	4.09	0.21		
						2000	3.70	4.50	41	4.09	0.23		
						2001	3.70	4.50	41	4.09	0.26		
						2002	3.40	4.40	41	3.89	0.29		
4	I-84	001010	200.537	207.257	ASC	1993	3.20	1.50	55	2.36			
						1994	3.00	1.40	32	2.21	0.29		
						1995	3.00	1.40	32	2.21	0.29		
						1996	2.10	5.00	29	3.52	0.28	MILL INLAY AND OVERLAY	1996
						1997	4.10	5.00	41	4.54	0.09	SEALCOAT	1997
						1998	4.10	5.00	41	4.54	0.14		
						1999	4.00	4.80	41	4.39	0.05		
						2000	4.20	4.50	41	4.34	0.15		
						2001	4.20	4.40	29	4.29	0.17		
						2002	3.70	4.30	29	3.99	0.19		
4	I-84	001010	200.537	207.257	DES	1993	3.00	1.60	57	2.31			
						1994	2.80	1.40	31	2.11	0.20		
						1995	2.80	1.40	40	2.11	0.20		
						1996	2.20	5.00	40	3.57	0.35	MILL INLAY AND OVERLAY	1996
						1997	4.20	5.00	42	4.59	0.02	SEALCOAT	1997
						1998	3.80	5.00	43	4.38	0.14		
						1999	3.80	5.00	43	4.38	0.17		
						2000	3.80	4.80	43	4.28	0.18		
						2001	3.90	4.80	43	4.34	0.20		
						2002	3.50	4.40	29	3.94	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	I-84	001010	207.257	207.750	ASC	1993	3.30	5.00	52	4.13		MILL AND INLAY	1993
						1994	3.40	5.00	37	4.18	0.03		
						*1995	3.40	4.70	38	4.04	0.03		
						1996	2.00	5.00	31	3.47	0.26	MILL INLAY AND OVERLAY	1996
						1997	4.20	5.00	45	4.59	0.06	SEALCOAT	1997
						1998	4.20	5.00	45	4.59	0.08		
						1999	3.70	5.00	45	4.33	0.04		
						2000	4.20	5.00	45	4.59	0.10		
						2001	4.30	4.50	29	4.39	0.12		
						2002	3.90	4.50	29	4.19	0.14		
4	I-84	001010	207.257	207.750	DES	1993	3.30	5.00	52	4.13		MILL AND INLAY	1993
						1994	3.50	5.00	31	4.23	0.04		
						*1995	3.50	4.70	41	4.09	0.04		
						1996	2.40	5.00	41	3.67	0.28	MILL INLAY AND OVERLAY	1996
						1997	3.50	5.00	46	4.23	0.03	SEALCOAT	1997
						1998	3.20	5.00	42	4.08	0.05		
						1999	3.40	5.00	42	4.18	0.07		
						2000	3.40	5.00	42	4.18	0.10		
						2001	3.50	5.00	42	4.23	0.10		
						2002	3.30	5.00	29	4.13	0.14		
4	I-84	001010	207.750	211.203	ASC	1993	3.30	5.00	52	4.13		MILL AND INLAY	1993
						1994	3.40	5.00	37	4.18	0.03		
						*1995	3.40	4.70	38	4.04	0.03		
						1996	3.70	4.70	31	4.19	0.04		
						1997	3.40	4.70	27	4.04	0.04		
						1998	3.40	4.40	42	3.89	0.05		
						1999	3.30	4.00	37	3.64	0.07		
						2000	3.20	4.00	37	3.59	0.06		
						2001	3.10	2.30	30	2.70	0.09		
						2002	2.60	2.30	30	2.45	0.11		
4	I-84	001010	207.750	211.203	DES	1993	3.30	5.00	52	4.13		MILL AND INLAY	1993
						1994	3.50	5.00	31	4.23	0.04		
						*1995	3.50	4.70	41	4.09	0.04		
						1996	3.90	4.50	39	4.19	0.04		
						1997	3.90	4.50	35	4.19	0.04		
						1998	3.70	4.20	40	3.94	0.05		
						1999	3.60	3.50	41	3.55	0.08		
						2000	3.50	2.90	41	3.20	0.07		
						2001	3.40	2.70	41	3.05	0.10		
						2002	2.90	2.50	41	2.70	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	I-84	001010	211.203	216.037	ASC	1993	3.50	5.00	56	4.23		MILL AND INLAY	1993
						1994	3.60	5.00	33	4.29	0.00		
						1995	3.60	4.50	35	4.04	0.00		
						1996	4.00	4.30	29	4.14	0.06		
						1997	3.80	4.30	29	4.04	0.03		
						1998	3.70	3.80	35	3.74	0.05		
						1999	3.50	3.80	36	3.64	0.07		
						2000	3.40	3.80	36	3.59	0.07		
						2001	3.20	2.50	30	2.85	0.11		
						2002	2.80	2.50	30	2.65	0.10		
4	I-84	001010	211.203	216.037	DES	1993	3.40	5.00	53	4.18		MILL AND INLAY	1993
						1994	3.40	5.00	35	4.18	0.01		
						1995	3.40	4.50	42	3.94	0.01		
						1996	4.10	4.20	40	4.14	0.03		
						1997	3.90	4.20	35	4.04	0.04		
						1998	3.60	4.20	42	3.89	0.07		
						1999	3.60	3.90	44	3.74	0.10		
						2000	3.40	3.90	44	3.64	0.08		
						2001	3.40	2.50	44	2.95	0.14		
						2002	3.10	2.50	44	2.80	0.15		
4	I-84	001010	216.037	222.480	ASC	1993	3.20	3.00	56	3.10			
						1994	3.20	2.90	34	3.05	0.31		
						1995	3.20	2.90	32	3.05	0.31	SEALCOAT	1995
						1996	4.00	2.90	33	3.45	0.24		
						1997	3.70	2.90	33	3.30	0.27		
						1998	3.70	2.90	39	3.30	0.31		
						*1999	3.70	2.90	37	3.30	0.32		
						2000	2.90	3.80	39	3.34	0.32	RUT FILLING	2000
						2001	3.70	3.30	51	3.50	0.11		
						2002	3.30	3.20	51	3.25	0.15		
4	I-84	001010	216.037	222.480	DES	1993	3.30	3.00	54	3.15			
						1994	3.30	2.70	30	3.00	0.09		
						1995	3.30	2.70	49	3.00	0.09	SEALCOAT	1995
						1996	3.30	2.50	53	2.90	0.13		
						1997	3.20	2.50	46	2.85	0.13		
						1998	3.10	2.50	51	2.80	0.16		
						*1999	3.10	2.40	52	2.75	0.21		
						2000	3.40	4.00	42	3.69	0.28	RUT FILLING	2000
						2001	4.00	4.00	57	4.00	0.11		
						2002	3.60	3.80	57	3.69	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	I-84	001010	222.480	228.000	ASC	1993	3.20	3.00	56	3.10		
						1994	3.20	2.90	34	3.05	0.31	
						1995	3.20	2.90	32	3.05	0.31	SEALCOAT
						1996	4.00	2.90	33	3.45	0.24	
						1997	3.70	2.90	33	3.30	0.27	
						1998	3.70	2.90	39	3.30	0.31	
						*1999	3.70	2.90	37	3.30	0.32	
						2000	3.00	5.00	37	3.99	0.10	MILL INLAY AND OVERLAY
						2001	3.90	5.00	55	4.44	0.14	
						2002	3.70	5.00	55	4.34	0.18	
4	I-84	001010	222.480	228.000	DES	1993	3.30	3.00	54	3.15		
						1994	3.30	2.70	30	3.00	0.09	
						1995	3.30	2.70	49	3.00	0.09	SEALCOAT
						1996	3.30	2.50	53	2.90	0.13	
						1997	3.20	2.50	46	2.85	0.13	
						1998	3.10	2.50	51	2.80	0.16	
						*1999	3.10	2.40	52	2.75	0.21	
						2000	3.20	5.00	54	4.09	0.14	MILL INLAY AND OVERLAY
						2001	4.00	5.00	59	4.49	0.14	
						2002	3.80	5.00	59	4.39	0.16	
4	I-84	001010	228.000	229.300	ASC	1993	3.20	3.00	56	3.10		
						1994	3.20	2.90	34	3.05	0.31	
						1995	3.20	2.90	32	3.05	0.31	SEALCOAT
						1996	4.00	2.90	33	3.45	0.24	
						1997	3.70	2.90	33	3.30	0.27	
						1998	3.70	2.90	39	3.30	0.31	
						*1999	3.70	2.90	37	3.30	0.32	
						2000	3.60	5.00	42	4.29	0.19	MILL INLAY AND OVERLAY
						2001	4.00	5.00	57	4.49	0.12	
						2002	3.80	5.00	57	4.39	0.12	
4	I-84	001010	228.000	229.300	DES	1993	3.30	3.00	54	3.15		
						1994	3.30	2.70	30	3.00	0.09	
						1995	3.30	2.70	49	3.00	0.09	SEALCOAT
						1996	3.30	2.50	53	2.90	0.13	
						1997	3.20	2.50	46	2.85	0.13	
						1998	3.10	2.50	51	2.80	0.16	
						*1999	3.10	2.40	52	2.75	0.21	
						2000	3.10	2.40	57	2.75	0.21	MILL INLAY AND OVERLAY
						2001	4.20	5.00	60	4.59	0.08	
						2002	4.00	5.00	60	4.49	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
4	I-84	001010	229.300	229.500	ASC	1993	3.50	2.40	55	2.95			
						1994	3.40	2.40	40	2.90	0.02		
						1995	3.40	2.40	39	2.90	0.02		
						1996	3.90	2.40	32	3.15	0.16		
						1997	3.80	2.40	33	3.10	0.17		
						1998	3.70	2.40	39	3.05	0.18		
						*1999	3.70	2.40	45	3.05	0.22		
						2000	3.50	2.40	57	2.95	0.07		
						*2001	3.50	2.40	60	2.95	0.12		
4	I-84	001010	229.300	229.500	DES	1993	3.10	2.90	52	3.00			
						1994	3.10	2.50	32	2.80	0.03		
						1995	3.10	2.50	47	2.80	0.03		
						1996	3.40	2.50	54	2.95	0.13		
						1997	3.40	2.50	47	2.95	0.13		
						1998	3.30	2.50	53	2.90	0.17		
						*1999	3.30	2.40	56	2.85	0.18		
						2000	3.10	2.40	53	2.75	0.43		
						*2001	3.10	2.40	48	2.75	0.50		
4	I-84	001010	229.300	237.200	ASC	2002	3.60	5.00	45	4.29	0.19	C.R.A.B.S.	2002
4	I-84	001010	229.300	237.200	DES	2002	3.10	2.40	49	2.75	0.52	C.R.A.B.S.	2002
4	I-84	001010	229.500	239.400	ASC	1993	3.50	3.50	55	3.50			
						1994	3.50	3.50	38	3.50	0.06		
						1995	3.50	3.50	40	3.50	0.06		
						1996	3.90	3.50	38	3.70	0.15		
						1997	3.70	2.40	38	3.05	0.15		
						1998	3.60	2.40	51	3.00	0.18		
						1999	3.60	2.40	49	3.00	0.20		
						2000	3.50	2.40	49	2.95	0.19		
						*2001	3.60	2.40	46	3.00	0.27		
4	I-84	001010	229.500	239.400	DES	1993	3.30	2.90	57	3.10			
						1994	3.30	2.80	38	3.05	0.29		
						1995	3.30	2.80	42	3.05	0.29		
						1996	3.70	2.50	43	3.10	0.38		
						1997	3.50	2.50	47	3.00	0.33		
						1998	3.40	2.50	53	2.95	0.49		
						1999	3.40	2.50	53	2.95	0.46		
						2000	3.40	2.50	53	2.95	0.48		
						*2001	3.40	2.50	49	2.95	0.50		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	I-84	001010	237.200	239.400	ASC	2002	3.90	5.00	48	4.44	0.28	
4	I-84	001010	237.200	239.400	DES	2002	3.30	2.50	48	2.90	0.52	
4	I-84	001010	239.400	245.200	ASC	1993	3.40	3.00	57	3.20		
						1994	3.40	3.00	35	3.20	0.33	
						1995	3.40	3.00	35	3.20	0.33	
						1996	4.00	3.00	43	3.50	0.16	SEALCOAT
						1997	3.90	3.50	43	3.70	0.12	
						1998	3.90	3.50	54	3.70	0.17	
						1999	3.80	3.50	53	3.65	0.18	
						*2000	3.80	3.50	53	3.65	0.22	
						2001	3.90	3.50	51	3.70	0.19	
						2002	3.70	3.50	51	3.60	0.18	
4	I-84	001010	239.400	245.200	DES	1993	3.30	2.30	57	2.80		
						1994	3.30	2.20	27	2.75	0.02	
						1995	3.30	2.20	54	2.75	0.02	
						1996	3.40	2.20	51	2.80	0.11	SEALCOAT
						1997	3.40	2.20	50	2.80	0.09	
						1998	3.30	2.20	54	2.75	0.14	
						1999	3.20	2.20	53	2.70	0.14	
						*2000	3.10	2.20	53	2.65	0.16	
						2001	3.70	2.80	50	3.25	0.14	
						2002	3.40	2.60	50	3.00	0.15	
4	I-84	001010	245.200	253.000	ASC	1993	3.40	3.00	57	3.20		
						1994	3.40	3.00	35	3.20	0.33	
						1995	3.40	3.00	35	3.20	0.33	
						1996	4.00	3.00	43	3.50	0.16	SEALCOAT
						1997	3.90	3.50	43	3.70	0.12	
						1998	3.90	3.50	54	3.70	0.17	
						1999	3.80	3.50	53	3.65	0.18	
						*2000	3.80	3.50	53	3.65	0.22	
						2001	3.80	3.50	52	3.65	0.24	C.R.A.B.S.
						2002	3.70	3.50	52	3.60	0.28	
4	I-84	001010	245.200	253.000	DES	1993	3.30	2.30	57	2.80		
						1994	3.30	2.20	27	2.75	0.02	
						1995	3.30	2.20	54	2.75	0.02	
						1996	3.40	2.20	51	2.80	0.11	SEALCOAT
						1997	3.40	2.20	50	2.80	0.09	
						1998	3.30	2.20	54	2.75	0.14	
						1999	3.20	2.20	53	2.70	0.14	
						*2000	3.10	2.20	53	2.65	0.16	
						2001	4.10	5.00	60	4.54	0.03	C.R.A.B.S.
						2002	3.70	5.00	60	4.34	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	I-84	001010	253.000	254.230	ASC	*1993	2.80	1.40	55	2.10		
						1994	3.30	1.40	32	2.35	0.05	
						1995	3.30	1.40	27	2.35	0.05	
						1996	3.40	1.40	52	2.40	0.18	SEALCOAT
						1997	3.20	2.50	44	2.85	0.23	1996
						1998	2.90	2.50	39	2.70	0.19	
						1999	3.10	2.50	42	2.80	0.16	
						2000	3.00	2.50	42	2.75	0.19	
						2001	3.40	5.00	36	4.19	0.04	C.R.A.B.S.
						2002	3.40	5.00	36	4.19	0.13	2001
4	I-84	001010	253.000	254.230	DES	*1993	2.60	1.60	57	2.10		
						1994	3.20	1.60	30	2.40	0.03	
						1995	3.20	1.60	54	2.40	0.03	
						1996	3.60	1.60	48	2.60	0.16	SEALCOAT
						1997	3.50	1.60	44	2.55	0.14	1996
						1998	3.40	1.60	48	2.50	0.19	
						1999	3.40	1.60	46	2.50	0.19	
						2000	3.30	1.60	46	2.45	0.20	
						2001	3.80	5.00	59	4.39	0.03	C.R.A.B.S.
						2002	3.60	5.00	59	4.29	0.09	2001
4	I-84	001010	254.230	261.016	ASC	*1993	2.80	1.40	55	2.10		
						1994	3.00	5.00	44	3.99	0.03	MILL INLAY AND OVERLAY
						1995	3.00	5.00	46	3.99	0.03	
						1996	4.30	5.00	40	4.64	0.03	
						1997	4.20	5.00	44	4.59	0.03	
						1998	4.10	5.00	50	4.54	0.05	
						1999	4.10	5.00	50	4.54	0.06	
						2000	4.10	5.00	50	4.54	0.06	
						2001	4.10	4.50	40	4.29	0.07	C.R.A.B.S.
						2002	3.90	4.50	40	4.19	0.09	2001
4	I-84	001010	254.230	261.016	DES	*1993	2.60	1.60	57	2.10		
						1994	3.00	5.00	42	3.99	0.14	MILL INLAY AND OVERLAY
						1995	3.00	5.00	49	3.99	0.14	
						1996	4.40	5.00	47	4.69	0.03	
						1997	4.30	5.00	48	4.64	0.03	
						1998	4.20	5.00	52	4.59	0.05	
						1999	4.20	5.00	52	4.59	0.05	
						2000	4.20	4.60	52	4.39	0.06	
						2001	4.20	4.60	47	4.39	0.07	C.R.A.B.S.
						2002	3.90	4.60	47	4.24	0.09	2001

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS							
4	I-84	001010	261.016	263.100	ASC	1993	2.80	1.00	57	1.90										
						1994	3.00	5.00	43	3.99	0.12	MILL INLAY AND OVERLAY	1994							
						1995	3.00	5.00	46	3.99	0.12									
						1996	4.40	5.00	40	4.69	0.03									
						1997	4.20	5.00	47	4.59	0.04									
						1998	4.20	5.00	52	4.59	0.05									
						1999	4.20	5.00	49	4.59	0.06									
						2000	4.20	5.00	49	4.59	0.08									
						2001	4.20	5.00	41	4.59	0.07									
						2002	3.90	5.00	41	4.44	0.09									
						4	I-84	001010	261.016	263.100	DES	1993		2.90	2.00	57	2.45			
												1994		3.00	5.00	38	3.99	0.19	MILL INLAY AND OVERLAY	1994
1995	3.00	5.00	44	3.99	0.19															
1996	4.40	5.00	42	4.69	0.03															
1997	4.40	4.70	45	4.54	0.02															
1998	4.30	4.70	50	4.49	0.04															
1999	4.30	4.70	50	4.49	0.05															
2000	4.30	4.70	50	4.49	0.06															
2001	4.30	4.70	48	4.49	0.06															
2002	3.90	4.70	48	4.29	0.07															
4	I-84	001010	263.100	269.000	ASC							1993	3.20	2.50	57	2.85				
												1994	3.00	5.00	42	3.99	0.04	MILL INLAY AND OVERLAY	1994	
						1995	3.00	5.00	48	3.99	0.04									
						1996	4.50	5.00	43	4.74	0.05									
						1997	4.30	4.60	45	4.44	0.07									
						*1998	4.30	4.60	49	4.44	0.11									
						1999	4.10	4.60	46	4.34	0.11									
						2000	4.30	4.60	46	4.44	0.12									
						2001	4.30	4.50	42	4.39	0.15									
						2002	4.00	4.40	42	4.19	0.18									
						4	I-84	001010	263.100	269.000	DES	1993	3.30	3.00	58	3.15				
												1994	3.00	5.00	31	3.99	0.05	MILL INLAY AND OVERLAY		1994
1995	3.00	5.00	37	3.99	0.05															
1996	4.40	5.00	34	4.69	0.09															
1997	4.30	5.00	39	4.64	0.09															
*1998	4.30	5.00	41	4.64	0.14															
1999	4.40	5.00	37	4.69	0.11															
2000	4.30	4.50	37	4.39	0.14															
2001	4.40	4.50	42	4.44	0.16															
2002	3.90	4.40	42	4.14	0.20															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	I-84	001010	269.000	275.650	ASC	1993	3.20	2.50	57	2.85			
						1994	3.00	5.00	42	3.99	0.04		
						1995	3.00	5.00	48	3.99	0.04		
						1996	4.50	5.00	43	4.74	0.05		
						1997	4.30	4.60	45	4.44	0.07		
						*1998	4.30	4.60	49	4.44	0.11		
						1999	2.70	5.00	51	3.83	0.28	NEW CONST OR RECONST (FLEX)	1999
						2000	4.40	5.00	51	4.69	0.12		
						2001	4.30	5.00	57	4.64	0.15		
						2002	4.00	5.00	57	4.49	0.15		
4	I-84	001010	269.000	275.650	DES	1993	3.30	3.00	58	3.15			
						1994	3.00	5.00	31	3.99	0.05		
						1995	3.00	5.00	37	3.99	0.05		
						1996	4.40	5.00	34	4.69	0.09		
						1997	4.30	5.00	39	4.64	0.09		
						*1998	4.30	5.00	41	4.64	0.14		
						1999	3.10	5.00	50	4.04	0.53	NEW CONST OR RECONST (FLEX)	1999
						2000	4.10	5.00	50	4.54	0.03		
						2001	4.10	4.60	61	4.34	0.09		
						2002	3.80	4.60	61	4.19	0.10		
4	I-84	002040	169.447	171.550	N	1993	2.90	3.50	53	3.23			
						1994	2.60	3.50	53	3.09	0.23		
						1995	2.60	3.50	53	3.09	0.23		
						1996	3.30	3.50	49	3.41	0.16		
						1997	3.00	3.50	49	3.27	0.15		
						1998	2.90	3.50	49	3.23	0.20		
						1999	2.90	3.50	49	3.23	0.19		
						2000	2.90	3.50	50	3.23	0.19		
						2001	2.90	2.60	61	2.73	0.19		
						2002	3.00	2.60	61	2.77	0.21		
4	I-84	002040	171.550	172.604	N	1993	2.80	3.50	51	3.20			
						1994	2.70	3.50	51	3.16	0.66	SEALCOAT	1994
						1995	2.70	3.50	51	3.16	0.66		
						1996	3.40	3.50	37	3.45	0.39		
						1997	3.10	3.50	37	3.33	0.33		
						1998	3.00	3.50	37	3.29	0.35		
						1999	3.00	3.50	37	3.29	0.49		
						2000	3.10	3.50	50	3.33	0.48		
						2001	3.10	3.50	61	3.33	0.52		
						2002	3.00	3.50	61	3.29	0.53		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
4	I-84	002040	257.538	258.038	N	1993	3.10	4.00	41	3.60		
						1994	3.10	4.00	41	3.60	0.21	
						1995	3.10	3.80	41	3.49	0.21	
						1996	3.00	3.80	30	3.45	0.14	
						1997	3.00	3.40	30	3.22	0.13	
						1998	2.70	3.00	30	2.86	0.18	
						1999	2.70	2.50	30	2.58	0.23	
						2000	2.60	2.10	50	2.31	0.19	
						2001	2.80	2.10	61	2.40	0.14	
						2002	2.70	2.10	61	2.35	0.18	
4	I-84	002040	258.038	258.404	N	1993	3.20	3.00	47	3.08		
						1994	2.30	3.00	47	2.69	0.24	
						1995	2.30	3.00	47	2.69	0.24	
						1996	3.00	3.00	30	3.00	0.18	
						1997	2.50	3.00	30	2.78	0.28	
						1998	2.40	3.00	30	2.73	0.27	
						1999	2.40	2.50	30	2.45	0.29	
						2000	2.40	2.50	50	2.45	0.33	
						2001	2.40	2.30	61	2.34	0.29	
						2002	2.40	2.20	61	2.28	0.26	
4	I-84	002040	258.404	258.900	N	1993	2.30	2.50	47	2.40		
						*1994	1.90	2.50	47	2.22	0.37	
						1995	1.40	3.00	46	2.25	0.31	
						1996	3.10	3.00	28	3.04	0.11	
						1997	2.70	3.00	28	2.86	0.13	
						1998	2.50	3.00	28	2.76	0.18	
						1999	2.50	3.00	28	2.76	0.18	
						2000	2.50	2.50	50	2.50	0.17	
						2001	2.50	2.50	61	2.50	0.19	
						2002	2.50	2.40	61	2.44	0.16	
4	I-84	002040	258.900	259.492	N	1993	2.30	2.50	47	2.40		
						*1994	1.90	2.50	47	2.22	0.37	
						1995	3.50	5.00	48	4.30	0.00	COLD IN PLACE RECYCLE WITH OVERLAY1995
						1996	2.80	5.00	30	3.97	0.06	
						1997	2.60	5.00	30	3.88	0.07	
						1998	2.50	5.00	30	3.83	0.14	
						1999	2.50	5.00	30	3.83	0.17	
						2000	2.40	5.00	50	3.79	0.12	
						2001	2.60	5.00	61	3.88	0.17	
						2002	2.80	5.00	61	3.97	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	I-84	002040	259.492	259.798	N	1993	2.30	2.00	50	2.12		
						1994	2.10	2.00	50	2.04	0.05	
						1995	3.50	5.00	50	4.35	0.00	COLD IN PLACE RECYCLE WITH OVERLAY1995
						1996	2.50	5.00	27	3.92	0.05	
						1997	2.20	5.00	27	3.78	0.05	
						1998	2.20	5.00	27	3.78	0.07	
						1999	2.30	5.00	27	3.82	0.09	
						2000	1.70	5.00	50	3.57	0.07	
						2001	2.30	5.00	61	3.83	0.08	
						2002	2.30	5.00	61	3.84	0.07	
4	I-84	002040	259.798	260.899	N	1993	2.80	2.00	52	2.36		
						1994	2.70	2.00	52	2.32	0.18	
						1995	3.50	5.00	52	4.31	0.00	COLD IN PLACE RECYCLE WITH OVERLAY1995
						1996	3.70	5.00	20	4.40	0.06	
						1997	3.40	5.00	20	4.26	0.07	
						1998	3.30	5.00	20	4.21	0.10	
						1999	3.30	5.00	20	4.21	0.12	
						2000	3.20	5.00	50	4.16	0.11	
						2001	3.40	4.70	61	4.10	0.15	
						2002	3.50	4.70	61	4.14	0.16	
4	I-84	002040	260.899	261.840	ASC	1993	2.90	2.00	47	2.40		
						1998	3.80	5.00	32	4.45	0.17	
						1999	3.80	5.00	32	4.45	0.19	
						2000	3.60	5.00	50	4.36	0.15	
						2001	3.80	4.50	61	4.18	0.23	
						2002	3.50	4.50	61	4.04	0.26	
4	I-84	002040	260.899	261.840	DES	1993	2.30	2.00	52	2.13		
						1998	3.60	5.00	38	4.36	0.15	
						1999	3.40	5.00	38	4.27	0.18	
						2000	3.50	4.70	50	4.15	0.19	
						2001	3.50	4.70	61	4.15	0.21	
						2002	3.30	4.70	61	4.06	0.24	
4	I-84	002240	138.600	138.970	N	1993	1.80	3.50	36	2.79		
						1994	2.30	3.50	33	3.00	0.10	
						1995	2.30	3.50	33	3.00	0.10	
						1996	2.70	3.50	37	3.16	0.23	
						1997	2.40	3.50	37	3.04	0.20	
						1998	2.40	3.50	37	3.04	0.24	
						1999	2.40	3.50	37	3.04	0.30	
						2000	2.40	3.50	50	3.04	0.25	
						2001	2.40	3.50	61	3.04	0.31	
						2002	2.30	3.50	61	3.00	0.27	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
4	I-84	002290	021.807	022.440	N	1993	2.10	4.50	44	3.43		
						1994	1.70	4.50	18	3.24	0.21	
						1995	1.70	4.50	18	3.27	0.21	
						1996	2.80	4.50	33	3.74	0.20	
						1997	2.60	3.70	33	3.21	0.23	
						1998	2.60	3.70	33	3.20	0.23	
						1999	2.60	3.70	33	3.21	0.28	
						2000	2.40	2.90	50	2.67	0.30	
						2001	2.50	2.70	61	2.61	0.27	
						2002	2.40	2.70	61	2.56	0.36	
4	I-84	002290	022.440	022.690	N	1993	1.20	4.00	44	2.67		
						1994	1.90	4.00	18	2.99	0.34	
						1995	1.90	4.00	18	3.00	0.34	
						1996	3.00	4.00	29	3.52	0.21	
						1997	2.50	3.90	29	3.23	0.22	
						1998	2.50	3.90	29	3.22	0.29	
						*1999	2.40	3.90	29	3.17	0.32	
						2000	2.30	3.60	50	3.01	0.18	
						2001	2.80	3.60	61	3.24	0.29	
						2002	2.70	2.70	61	2.70	0.21	
4	I-84	002290	022.690	023.256	N	1993	1.80	2.00	45	1.90		
						1994	2.00	2.00	19	2.00	0.38	
						1995	2.00	2.00	19	2.00	0.38	
						1996	2.30	1.90	33	2.08	0.36	
						1997	2.10	1.90	33	1.99	0.36	
						*1998	2.10	1.90	33	1.99	0.47	
						*1999	2.40	3.90	29	3.17	0.32	
						2000	2.70	5.00	50	3.90	0.09	
						2001	2.70	5.00	61	3.90	0.10	
						2002	2.80	5.00	61	3.95	0.13	SEALCOAT
4	I-84	002290	023.256	023.590	N	1993	1.80	2.00	45	1.90		2002
						1994	2.00	2.00	19	2.00	0.38	
						1995	2.00	2.00	19	2.00	0.38	
						1996	2.30	1.90	33	2.08	0.36	
						1997	2.10	1.90	33	1.99	0.36	
						*1998	2.10	1.90	33	1.99	0.47	
						1999	3.00	5.00	35	4.04	0.06	PLANT MIX OVERLAY
						2000	2.70	4.70	50	3.76	0.10	
						2001	2.80	4.70	61	3.81	0.09	
						2002	2.80	4.70	61	3.81	0.15	SEALCOAT
												1999
												2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
4	I-84	002290	023.590	024.106	ASC	1993	1.90	2.30	40	2.11		
						1994	1.90	2.30	18	2.11	0.32	
						1995	1.90	2.30	18	2.11	0.32	
						1996	2.00	2.20	32	2.10	0.21	
						1997	1.70	2.20	32	1.97	0.25	
						1998	1.60	2.00	32	1.81	0.28	
						1999	2.40	5.00	32	3.82	0.05	PLANT MIX OVERLAY
						2000	2.60	5.00	50	3.91	0.06	
						2001	2.50	5.00	61	3.86	0.07	
						2002	2.60	5.00	61	3.91	0.08	SEALCOAT
4	I-84	002290	023.590	024.106	DES	1993	1.90	2.30	40	2.11		
						1994	1.90	2.30	18	2.11	0.32	
						1995	1.90	1.50	18	1.68	0.32	
						1996	2.00	1.50	32	1.72	0.21	
						1997	1.70	1.50	32	1.59	0.25	
						1998	2.00	1.50	32	1.72	0.13	
						1999	2.90	5.00	32	4.04	0.08	PLANT MIX OVERLAY
						2000	2.90	5.00	50	4.04	0.10	
						2001	3.00	5.00	61	4.09	0.08	
						2002	3.00	5.00	61	4.09	0.12	SEALCOAT
4	I-86	001260	000.000	008.000	ASC	1993	3.20	1.50	56	2.35		
						1994	3.10	1.50	32	2.30	0.12	
						1995	3.10	1.50	32	2.30	0.12	
						1996	2.70	1.50	47	2.10	0.25	MILL INLAY AND OVERLAY
						1997	3.70	5.00	38	4.34	0.05	SEALCOAT
						1998	3.60	4.00	38	3.79	0.08	
						1999	3.60	3.90	55	3.74	0.08	
						2000	3.50	3.40	55	3.45	0.10	
						2001	3.60	2.40	46	3.00	0.11	
						2002	3.20	2.40	46	2.80	0.13	
4	I-86	001260	000.000	008.000	DES	1993	3.00	1.50	54	2.25		
						1994	3.10	1.50	30	2.30	0.21	
						1995	3.10	1.50	29	2.30	0.21	
						1996	2.70	1.50	57	2.10	0.22	MILL INLAY AND OVERLAY
						1997	4.20	5.00	46	4.59	0.04	SEALCOAT
						1998	4.10	5.00	59	4.54	0.09	
						1999	4.10	4.60	59	4.34	0.08	
						2000	4.00	4.40	59	4.19	0.07	
						2001	4.00	3.70	59	3.85	0.11	
						2002	3.70	3.70	59	3.70	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
4	I-86	001260	008.000	014.818	ASC	1993	2.80	1.50	56	2.15			
						1994	2.70	1.40	31	2.05	0.13		
						1995	2.70	1.40	31	2.05	0.13		
						1996	2.50	1.30	50	1.90	0.20	MILL INLAY AND OVERLAY	1996
						1997	4.10	5.00	40	4.54	0.04	SEALCOAT	1997
						1998	4.00	4.00	40	4.00	0.09		
						1999	3.90	3.60	59	3.75	0.11		
						2000	3.80	3.00	59	3.40	0.13		
						2001	3.80	2.40	41	3.10	0.14		
						2002	3.30	2.40	41	2.85	0.16		
4	I-86	001260	008.000	014.818	DES	1993	3.20	2.50	52	2.85			
						1994	3.20	1.50	23	2.35	0.23		
						1995	3.20	1.50	24	2.35	0.23		
						1996	3.10	1.50	52	2.30	0.22	MILL INLAY AND OVERLAY	1996
						1997	4.00	5.00	47	4.49	0.11	SEALCOAT	1997
						1998	3.80	4.00	55	3.89	0.19		
						1999	3.80	4.00	56	3.89	0.20		
						2000	3.80	4.00	56	3.89	0.21		
						2001	3.90	4.00	56	3.94	0.24		
						2002	3.50	4.00	56	3.74	0.26		
4	U.S.-93	002040	211.480	212.094	N	1997	2.80	5.00	22	3.92	0.09	NEW CONST OR RECONST (FLEX)	1997
						1998	3.70	5.00	30	4.37	0.06		
						2000	3.70	5.00	38	4.37	0.10		
						2001	3.70	5.00	38	4.37	0.09		
						2002	3.60	5.00	38	4.32	0.12		
4	U.S.-93	002040	212.094	213.064	N	1993	2.40	2.00	51	2.19			
						1994	2.40	2.00	34	2.19	0.32		
						1995	2.40	2.00	34	2.19	0.32	SEALCOAT	1995
						1996	2.80	1.50	28	2.13	0.36		
						1997	2.70	1.50	28	2.08	0.25	NEW CONST OR RECONST (FLEX)	1997
						*1998	3.00	1.50	28	2.23	0.27		
						1999	3.70	5.00	36	4.36	0.06		
						2000	3.60	5.00	36	4.32	0.07		
						2001	3.70	5.00	36	4.37	0.10		
						2002	3.50	5.00	36	4.27	0.13		
4	U.S.-93	002040	213.064	215.346	N	1993	2.40	2.00	51	2.19			
						1994	2.40	2.00	34	2.19	0.32		
						1995	2.40	2.00	34	2.19	0.32	SEALCOAT	1995
						1996	2.80	1.50	28	2.13	0.36		
						1997	2.70	1.50	28	2.08	0.25	NEW CONST OR RECONST (FLEX)	1997
						*1998	3.00	1.50	28	2.23	0.27		
						1999	2.40	5.00	31	3.73	0.34	NEW CONST OR RECONST (FLEX)	1999
						2000	3.90	5.00	36	4.46	0.04		
						2001	3.90	5.00	36	4.46	0.09		
						2002	3.80	5.00	36	4.41	0.10		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	U.S.-93	002040	215.346	215.600	N	1993	2.30	2.00	43	2.13			
						1994	2.20	2.00	25	2.09	0.48		
						1995	2.20	2.00	25	2.09	0.48		
						1996	2.90	1.50	25	2.14	0.44		
						1997	2.90	1.50	25	2.14	0.57		
						1998	3.50	1.50	25	2.41	0.46		
						1999	2.40	5.00	25	3.80	0.32	NEW CONST OR RECONST (FLEX)	1999
						2000	3.90	5.00	36	4.49	0.03		
						2001	3.90	5.00	36	4.49	0.04		
						2002	3.80	5.00	36	4.44	0.04		
4	U.S.-93	002040	215.600	215.633	N	1993	2.10	4.00	37	3.16			
						1994	2.20	4.00	19	3.20	0.39		
						1995	2.20	3.50	19	2.92	0.39		
						1996	3.30	3.50	23	3.41	0.05		
						1997	2.90	3.50	23	3.23	0.08		
						*1998	2.80	3.50	23	3.19	0.09		
						1999	2.40	5.00	25	3.80	0.32	NEW CONST OR RECONST (FLEX)	1999
						2000	3.90	5.00	36	4.49	0.03		
						2001	3.90	5.00	36	4.49	0.04		
						2002	3.80	5.00	36	4.44	0.04		
4	U.S.-93	002040	215.633	216.435	N	1993	2.10	4.00	37	3.16			
						1994	2.20	4.00	19	3.20	0.39		
						1995	2.20	3.50	19	2.92	0.39		
						1996	3.30	3.50	23	3.41	0.05	MILL AND INLAY	1996
						1997	2.90	3.50	23	3.23	0.08	SEALCOAT	1997
						*1998	2.80	3.50	23	3.19	0.09		
						1999	2.80	3.50	46	3.19	0.09		
						2000	3.10	3.50	46	3.32	0.09		
						2001	3.20	3.50	46	3.36	0.09		
						2002	3.20	3.50	46	3.36	0.10		
4	U.S.-93	002040	216.435	216.940	N	1995	2.20	3.80	18	3.08	0.51		
						1996	3.80	3.80	18	3.80	0.03	MILL AND INLAY	1996
						1997	3.30	3.80	18	3.58	0.05	SEALCOAT	1997
						1998	3.20	3.80	23	3.53	0.09		
						1999	3.20	3.80	37	3.53	0.09		
						2000	3.20	3.80	37	3.53	0.11		
						2001	3.30	3.80	37	3.57	0.12		
						2002	3.10	3.80	37	3.48	0.10		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	U.S.-93	002043	217.199	217.282	N	1993	2.50	3.50	35	3.06		
						1994	0.30	3.50	35	2.12	0.52	
						1995	0.30	3.50	35	2.13	0.52	
						1996	2.30	3.50	18	2.98	0.05	MILL AND INLAY
						1997	2.10	3.50	18	2.90	0.09	
						1998	2.20	3.50	23	2.94	0.23	
						1999	2.20	3.50	37	2.94	0.21	
						2000	2.10	3.50	37	2.90	0.16	
						2001	2.10	3.50	37	2.90	0.21	
						2002	1.80	3.50	37	2.74	0.28	
4	U.S.-93	002220	000.000	002.000	N	1993	3.10	2.50	47	2.78		SEALCOAT
						*1994	3.30	2.50	47	2.88	0.17	
						1995	3.50	2.50	44	2.97	0.00	MAJOR WIDENING
						1996	3.90	2.50	23	3.16	0.11	
						1997	4.00	2.50	23	3.21	0.11	
						1998	3.90	2.50	23	3.17	0.12	
						1999	3.90	2.50	32	3.16	0.18	
						2000	3.90	2.50	32	3.16	0.21	
						2001	3.80	2.50	32	3.11	0.25	MAJOR WIDENING
						2002	3.30	2.50	32	2.88	0.28	
4	U.S.-93	002220	002.000	006.300	N	1993	3.10	2.50	47	2.78		SEALCOAT
						*1994	3.30	2.50	47	2.88	0.17	
						1995	3.30	2.50	48	2.88	0.17	
						1996	3.80	2.50	26	3.11	0.11	
						1997	3.60	2.50	26	3.02	0.11	
						1998	3.60	2.50	26	3.02	0.16	
						1999	3.60	2.50	41	3.02	0.16	
						2000	3.60	2.40	41	2.97	0.18	
						2001	3.60	2.40	41	2.97	0.20	MAJOR WIDENING
						2002	3.30	2.40	41	2.82	0.23	
4	U.S.-93	002220	006.300	007.400	N	1993	3.10	2.50	47	2.78		SEALCOAT
						*1994	3.30	2.50	47	2.88	0.17	
						1995	3.50	2.50	49	2.97	0.00	MAJOR WIDENING
						1996	3.90	2.50	29	3.16	0.14	
						1997	3.70	2.40	29	3.02	0.14	
						1998	3.80	2.40	29	3.07	0.18	
						1999	3.70	2.40	46	3.01	0.20	
						2000	3.80	2.40	46	3.06	0.20	
						2001	3.80	2.40	46	3.06	0.24	
						2002	3.50	2.40	46	2.92	0.29	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	U.S.-93	002220	007.400	013.154	N	1993	3.10	2.50	49	2.78		SEALCOAT	1993
						*1994	3.50	2.50	49	2.97	0.21		
						1995	3.50	2.50	49	2.97	0.22		
						1996	3.90	2.50	28	3.16	0.15		
						1997	3.80	2.50	28	3.12	0.17		
						1998	3.80	2.50	28	3.12	0.20		
						1999	3.70	2.50	42	3.07	0.23		
						2000	3.70	2.50	42	3.07	0.25		
						2001	3.80	2.50	42	3.11	0.28	MAJOR WIDENING	2001
						2002	3.50	2.50	42	2.97	0.32		
4	U.S.-93	002220	013.154	017.316	N	1993	3.30	3.00	51	3.14		SEALCOAT	1993
						1994	3.70	3.00	51	3.33	0.24		
						1995	3.70	3.00	51	3.33	0.24		
						1996	4.10	3.00	29	3.52	0.15		
						1997	3.90	2.90	29	3.37	0.17		
						1998	3.90	2.90	29	3.37	0.21		
						1999	3.90	2.90	46	3.37	0.23		
						2000	3.90	2.90	46	3.37	0.24		
						2001	3.90	2.70	46	3.27	0.23	MAJOR WIDENING	2001
						2002	3.60	2.50	46	3.02	0.26		
4	U.S.-93	002220	017.316	020.300	N	1993	3.70	3.00	49	3.33		SEALCOAT	1993
						1994	3.80	3.00	26	3.38	0.38		
						1995	3.80	3.00	26	3.38	0.38		
						1996	4.10	3.00	31	3.52	0.29		
						1997	3.90	2.60	31	3.22	0.30		
						1998	4.00	2.50	31	3.21	0.33		
						1999	3.80	2.50	36	3.11	0.36		
						2000	3.80	2.40	36	3.06	0.41		
						2001	3.90	2.40	36	3.11	0.29	MAJOR WIDENING	2001
						2002	3.50	5.00	36	4.28	0.11		
4	U.S.-93	002220	020.300	026.160	N	1993	3.10	4.00	49	3.56		SEALCOAT	1993
						1994	3.30	4.00	24	3.66	0.31		
						1995	3.30	4.00	24	3.66	0.31		
						1996	4.10	4.00	19	4.04	0.25		
						1997	3.90	4.00	19	3.95	0.25		
						1998	3.90	4.00	19	3.95	0.31		
						1999	3.90	4.00	38	3.95	0.34		
						2000	3.80	4.00	38	3.90	0.36		
						2001	3.80	4.00	38	3.90	0.37		
						2002	3.60	4.00	38	3.80	0.44		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	U.S.-93	002220	026.160	028.000	N	1993	3.30	3.50	47	3.40		SEALCOAT	1993
						*1994	3.40	3.50	28	3.45	0.34		
						1995	3.30	3.50	20	3.40	0.25		
						1996	3.90	3.50	47	3.69	0.20		
						1997	3.60	3.50	47	3.54	0.22		
						1998	3.60	3.50	47	3.54	0.25		
						1999	3.60	3.50	32	3.54	0.30		
						2000	3.50	3.50	32	3.50	0.32		
						2001	3.60	3.50	32	3.54	0.34		
						2002	3.40	3.50	32	3.45	0.38		
4	U.S.-93	002220	028.000	028.947	N	1993	3.30	3.50	47	3.40		SEALCOAT	1993
						*1994	3.40	3.50	28	3.45	0.34		
						1995	3.50	3.50	34	3.50	0.00	MAJOR WIDENING	1995
						1996	3.90	3.50	30	3.69	0.23		
						1997	3.70	3.50	30	3.59	0.22		
						1998	3.70	3.50	30	3.59	0.28		
						1999	3.70	3.50	35	3.59	0.30		
						2000	3.60	3.50	35	3.54	0.34		
						2001	3.70	3.50	35	3.59	0.32		
						2002	3.20	3.50	35	3.35	0.36		
4	U.S.-93	002220	028.947	030.000	N	1993	3.30	3.50	47	3.40		SEALCOAT	1993
						*1994	3.40	3.50	28	3.45	0.34		
						1995	3.50	3.50	34	3.50	0.00	MAJOR WIDENING	1995
						1996	3.80	3.50	32	3.64	0.12		
						1997	3.70	3.50	32	3.59	0.10		
						1998	3.70	3.50	32	3.59	0.11		
						*1999	3.70	3.50	48	3.59	0.18		
						2000	3.40	3.50	41	3.45	0.25		
						2001	3.50	3.50	41	3.50	0.22		
						2002	3.20	3.50	41	3.35	0.26		
4	U.S.-93	002220	030.000	032.556	N	1993	3.30	3.50	47	3.40		SEALCOAT	1993
						*1994	3.40	3.50	28	3.45	0.34		
						1995	3.50	3.50	32	3.50	0.40		
						1996	4.10	3.50	23	3.78	0.18		
						1997	4.00	3.50	23	3.73	0.20		
						1998	4.00	3.50	23	3.73	0.25		
						1999	4.10	3.50	41	3.78	0.28		
						2000	4.00	3.50	41	3.73	0.30		
						2001	4.10	3.50	41	3.78	0.33		
						2002	3.70	3.50	41	3.59	0.36		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	U.S.-93	002220	032.556	038.081	N	1993	3.30	4.00	48	3.66		SEALCOAT	1993
						1994	3.40	4.00	31	3.71	0.33		
						1995	3.40	4.00	31	3.71	0.33		
						1996	4.10	4.00	21	4.04	0.16		
						1997	3.90	4.00	21	3.95	0.14		
						1998	4.00	4.00	21	4.00	0.22		
						1999	4.00	4.00	34	4.00	0.26		
						2000	3.90	4.00	34	3.95	0.28		
						2001	4.00	4.00	34	4.00	0.30		
						2002	3.60	4.00	34	3.80	0.39		
4	U.S.-93	002220	038.081	041.005	N	1993	2.80	3.50	45	3.16		SEALCOAT	1993
						1994	3.00	3.50	22	3.26	0.25		
						1995	3.00	3.50	22	3.26	0.25	SEALCOAT	1995
						*1996	3.40	3.30	40	3.34	0.12		
						1997	3.30	3.30	41	3.30	0.12		
						1998	3.20	3.30	41	3.25	0.14		
						1999	3.10	3.30	55	3.20	0.14		
						2000	3.10	3.30	55	3.20	0.18		
						2001	3.10	2.90	55	2.99	0.17		
						2002	2.90	2.40	55	2.63	0.20		
4	U.S.-93	002220	041.005	041.600	N	1993	2.80	3.50	45	3.16			
						1994	3.00	3.50	22	3.26	0.25		
						1995	3.00	3.50	22	3.26	0.25	SEALCOAT	1995
						*1996	3.40	3.30	40	3.34	0.12		
						1997	2.50	5.00	30	3.80	0.16	NEW CONST OR RECONST (FLEX)	1997
						1998	3.70	5.00	30	4.37	0.04		
						1999	3.50	5.00	57	4.28	0.04		
						2000	3.50	5.00	57	4.28	0.04		
						2001	3.50	4.80	57	4.17	0.06		
						2002	3.60	4.80	57	4.22	0.05		
4	U.S.-93	002220	046.549	047.425	N	1993	1.80	3.50	31	2.76			
						1994	2.00	3.00	17	2.56	0.38		
						1995	2.00	3.00	17	2.56	0.38		
						1996	2.90	3.00	21	2.95	0.23		
						*1997	2.30	3.00	21	2.69	0.16		
						1998	4.00	5.00	21	4.56	0.29	PLANT MIX OVERLAY	1998
						1999	2.50	4.60	46	3.68	0.06		
						2000	2.70	4.60	46	3.77	0.07		
						2001	2.90	4.60	46	3.85	0.08		
						2002	3.10	4.40	46	3.83	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	U.S.-93	002220	047.425	047.750	N	1993	1.80	3.50	31	2.76									
						1994	2.00	3.00	17	2.56	0.38	NEW CONST OR RECONST (FLEX)	1994						
						1995	2.00	3.00	17	2.56	0.38								
						1996	2.90	3.00	21	2.95	0.23								
						*1997	2.30	3.00	21	2.69	0.16								
						1998	3.30	4.00	17	3.68	0.20								
						1999	2.10	4.00	40	3.12	0.29								
						2000	2.10	4.00	40	3.12	0.21								
						2001	2.20	4.00	40	3.17	0.31								
						2002	2.10	4.00	40	3.12	0.33								
						4	U.S.-93	002220	047.750	048.620	N	1994	1.60	4.50	26	3.14	0.40	NEW CONST OR RECONST (FLEX)	1994
1995	1.60	4.20	26	2.98	0.40														
1996	2.80	4.20	25	3.55	0.21														
1997	2.20	4.20	25	3.28	0.25														
1998	2.10	4.20	25	3.23	0.22														
1999	2.30	4.20	47	3.31	0.29														
2000	2.30	4.20	47	3.31	0.23														
2001	2.40	4.20	47	3.36	0.38														
2002	2.50	4.20	47	3.41	0.35														
4	U.S.-93	002220	048.620	049.455	N							1993	1.90	3.50	30	2.79			
												1994	1.90	3.50	28	2.78	0.19		
						1995	1.90	3.50	28	2.79	0.19								
						1996	2.60	3.50	26	3.09	0.12								
						1997	2.30	3.50	26	2.95	0.15								
						1998	2.20	3.50	26	2.91	0.16								
						1999	2.20	3.50	54	2.91	0.23								
						2000	2.20	3.50	54	2.91	0.19								
						2001	2.20	3.50	54	2.91	0.27								
						2002	2.50	2.40	54	2.44	0.21								
						4	U.S.-93	002220	049.455	050.135	N	1993	2.40	4.50	25	3.51			
1994	2.60	4.50	25	3.60	0.22														
1995	2.60	4.00	25	3.33	0.22														
1996	3.10	4.00	22	3.56	0.17														
1997	2.50	4.00	22	3.28	0.14														
1998	2.50	4.00	22	3.28	0.23														
1999	2.50	4.00	45	3.28	0.22														
2000	2.30	4.00	45	3.18	0.14														
2001	2.30	4.00	45	3.18	0.18														
2002	2.10	4.00	45	3.08	0.16														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	U.S.-93	002220	050.135	053.625	ASC	1993	3.00	4.50	28	3.77		PLANT MIX SEAL	1993
						1994	3.00	4.50	30	3.77	0.21		
						1995	3.00	4.50	30	3.77	0.21		
						*1996	3.80	4.50	33	4.16	0.09		
						1997	3.50	4.50	33	4.02	0.11		
						1998	3.40	4.50	33	3.97	0.16		
						1999	3.40	4.50	54	3.96	0.13		
						2000	3.40	4.50	54	3.97	0.18		
						2001	3.50	4.50	54	4.01	0.18		
						2002	3.40	4.50	54	3.97	0.21		
4	U.S.-93	002220	050.135	053.625	DES	1993	3.30	4.50	32	3.92		PLANT MIX SEAL	1993
						1994	3.40	4.50	30	3.96	0.17		
						1995	3.40	4.50	30	3.96	0.17		
						*1996	3.80	4.50	38	4.16	0.09		
						1997	3.50	4.50	38	4.02	0.11		
						1998	3.60	4.50	38	4.06	0.17		
						1999	3.70	4.50	51	4.11	0.18		
						2000	3.60	4.50	51	4.06	0.17		
						2001	3.70	4.50	51	4.11	0.21		
						2002	3.50	4.50	51	4.01	0.25		
4	U.S.-93	002220	053.625	058.731	N	1993	3.10	4.00	49	3.56		PLANT MIX SEAL	1993
						1994	3.10	4.00	42	3.56	0.35	SEALCOAT	1994
						1995	3.10	4.00	42	3.56	0.35		
						*1996	3.70	4.00	34	3.85	0.20		
						1997	3.40	4.00	34	3.71	0.20		
						1998	3.40	4.00	34	3.71	0.25		
						1999	3.40	4.00	51	3.71	0.26		
						2000	3.40	4.00	51	3.71	0.27		
						2001	3.40	3.00	51	3.19	0.28		
						2002	3.10	2.60	51	2.84	0.29		
4	U.S.-93	002220	058.731	065.830	N	1993	3.60	4.50	53	4.06		SEALCOAT	1994
						1994	3.50	4.50	44	4.02	0.29		
						1995	3.50	4.00	44	3.76	0.29		
						1996	4.10	4.00	45	4.04	0.14		
						1997	4.00	4.00	45	4.00	0.13		
						1998	4.00	4.00	45	4.00	0.15		
						1999	4.00	4.00	59	4.00	0.16		
						2000	4.00	4.00	59	4.00	0.19		
						2001	4.00	4.00	59	4.00	0.18		
						2002	3.60	3.70	59	3.65	0.19		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
4	U.S.-93	002220	065.830	066.000	N	1993	3.00	4.80	54	3.93									
						1994	3.00	4.80	45	3.93	0.38	SEALCOAT	1994						
						1995	3.00	4.80	45	3.93	0.38								
						*1996	3.30	4.80	44	4.08	0.16								
						1997	3.90	4.80	50	4.36	0.09								
						1998	3.80	4.80	50	4.32	0.18								
						1999	3.80	4.80	50	4.32	0.13								
						2000	3.90	4.80	59	4.36	0.19								
						2001	3.90	4.80	59	4.36	0.22								
						2002	3.40	4.80	59	4.12	0.25								
						4	U.S.-93	002220	066.000	067.591	N	1993	2.10	2.90	54	2.51			
												1994	2.10	2.90	46	2.51	0.44	SEALCOAT	1994
1995	2.10	2.90	46	2.51	0.44														
*1996	2.90	2.90	40	2.90	0.18							NEW CONST OR RECONST (FLEX)	1996						
1997	2.60	5.00	39	3.84	0.18							NEW CONST OR RECONST (FLEX)	1997						
1998	4.10	5.00	39	4.56	0.09														
1999	4.10	5.00	61	4.56	0.14							SEALCOAT	1999						
2000	4.00	5.00	61	4.52	0.16														
2001	4.10	5.00	61	4.56	0.16														
2002	3.80	5.00	61	4.42	0.17														
4	U.S.-93	002220	067.591	073.184	N							1993	2.30	2.50	54	2.41			
												1994	2.20	2.50	43	2.36	0.30	SEALCOAT	1994
						1995	2.20	2.50	43	2.36	0.30								
						1996	2.60	2.50	35	2.54	0.15	NEW CONST OR RECONST (FLEX)	1996						
						1997	2.30	2.50	35	2.40	0.18	NEW CONST OR RECONST (FLEX)	1997						
						1998	4.00	5.00	35	4.54	0.07								
						1999	4.10	5.00	60	4.59	0.12	SEALCOAT	1999						
						2000	4.00	5.00	60	4.54	0.14								
						2001	4.10	5.00	60	4.59	0.15								
						2002	3.80	5.00	60	4.45	0.17								
						4	U.S.-93	002220	073.184	073.260	N	1993	1.70	2.00	48	1.86			
												1994	1.70	2.00	48	1.86	0.25	SEALCOAT	1994
1995	1.70	2.00	48	1.86	0.25														
1996	2.80	2.00	35	2.36	0.16														
*1997	2.60	2.00	35	2.27	0.16							NEW CONST OR RECONST (FLEX)	1997						
*1998	3.50	5.00	35	4.32	0.08														
1999	3.60	5.00	60	4.36	0.11							SEALCOAT	1999						
2000	3.40	5.00	60	4.27	0.13														
2001	3.40	5.00	60	4.27	0.13														
2002	3.40	5.00	60	4.27	0.20														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS							
4	U.S.-93	002220	073.260	073.659	N	1993	1.70	2.00	48	1.86										
						1994	1.70	2.00	48	1.86	0.25	SEALCOAT	1994							
						1995	1.70	2.00	48	1.86	0.25									
						1996	2.80	2.00	35	2.36	0.16									
						*1997	2.60	2.00	35	2.27	0.16	NEW CONST OR RECONST (FLEX)	1997							
						*1998	2.90	2.00	35	2.40	0.19									
						*1999	2.50	5.00	60	3.86	0.18	NEW CONST OR RECONST (FLEX)	1999							
						2000	3.00	5.00	60	4.09	0.13									
						2001	3.00	5.00	60	4.09	0.12									
						2002	3.00	5.00	60	4.09	0.13									
						4	U.S.-93	002221	000.000	000.910	N	1993	1.40	2.00	29	1.74				
												1994	0.80	2.00	18	1.48	0.35			
1995	0.80	2.00	18	1.48	0.35							SEALCOAT	1995							
1996	3.40	2.00	21	2.60	0.32															
1997	3.10	2.00	21	2.47	0.31															
1998	3.20	2.00	21	2.51	0.39															
1999	3.20	4.50	21	3.94	0.42															
2000	3.20	4.50	68	3.94	0.44															
2001	3.10	4.50	68	3.90	0.50															
2002	3.00	4.30	68	3.74	0.53															
4	U.S.-93	002240	165.950	166.568	N							1993	2.10	2.20	46	2.15			PLANT MIX OVERLAY	1993
												1994	2.80	2.20	35	2.48	0.35			
						1995	2.80	2.00	35	2.38	0.35									
						1996	3.30	2.00	29	2.61	0.28	SEALCOAT	1996							
						1997	2.70	5.00	29	3.91	0.08									
						1998	2.90	4.40	29	3.69	0.12									
						1999	2.80	4.40	54	3.63	0.12									
						2000	3.00	4.40	54	3.73	0.11									
						2001	2.80	4.40	54	3.63	0.14									
						2002	2.90	3.80	54	3.37	0.12									
						4	U.S.-93	002240	166.568	175.200	N	1993	2.70	3.00	50	2.85			PLANT MIX OVERLAY	1993
												1994	2.80	2.80	40	2.80	0.42			
1995	2.80	2.50	40	2.64	0.42															
1996	3.00	2.40	37	2.68	0.31							SEALCOAT	1996							
1997	3.80	5.00	37	4.42	0.10															
1998	3.70	4.00	37	3.85	0.10															
1999	3.80	4.00	64	3.90	0.13															
2000	3.70	4.00	64	3.85	0.15															
2001	3.70	4.00	64	3.85	0.17															
2002	3.30	3.90	64	3.61	0.18															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	U.S.-93	002240	175.200	177.790	N	1993	2.60	3.50	56	3.07		PLANT MIX OVERLAY	1993
						1994	2.50	3.50	43	3.02	0.49		
						1995	2.50	3.50	43	3.02	0.49		
						1996	2.90	3.50	49	3.21	0.33	SEALCOAT	1996
						1997	3.50	3.50	49	3.50	0.13		
						1998	3.50	3.50	49	3.50	0.15		
						1999	3.50	3.50	63	3.50	0.16		
						2000	3.50	3.50	63	3.50	0.19		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS			
4	U.S.-93	002240	177.790	178.900	N	2001	3.50	3.50	63	3.50	0.21	PLANT MIX OVERLAY	1993		
						2002	3.20	3.40	63	3.30	0.22				
						1993	3.30	5.00	62	4.19					
						1994	3.40	5.00	44	4.23	0.09				
						1995	3.40	5.00	44	4.23	0.09				
						1996	4.00	5.00	30	4.52	0.07			SEALCOAT	1996
						1997	3.80	5.00	30	4.42	0.08				
						1998	3.80	5.00	30	4.42	0.04				
						1999	3.80	5.00	69	4.42	0.05				
						2000	3.80	5.00	69	4.42	0.05				
2001	3.90	5.00	69	4.47	0.05										
2002	3.70	5.00	69	4.38	0.05										
4	U.S.-93	002240	178.900	182.660	N	1993	2.50	3.20	52	2.88		PLANT MIX OVERLAY	1996		
						1994	2.60	3.00	41	2.82	0.51				
						1995	2.60	3.00	41	2.82	0.51				
						1996	3.30	3.00	35	3.13	0.34				
						1997	3.80	3.00	35	3.35	0.09				
						1998	3.80	5.00	35	4.47	0.13				
						1999	3.80	5.00	58	4.46	0.17				
						2000	3.70	4.80	58	4.28	0.18				
						2001	3.70	4.40	58	4.09	0.22				
						2002	3.30	4.40	58	3.91	0.28				
4	U.S.-93	002240	182.660	188.600	N	1993	2.10	3.00	58	2.57		SEALCOAT	1994		
						1994	2.20	3.00	48	2.62	0.34				
						1995	2.20	3.00	48	2.62	0.34				
						1996	3.10	3.00	37	3.04	0.20				
						1997	2.80	3.00	37	2.90	0.21				
						1998	2.70	2.70	37	2.70	0.21				
						1999	2.70	2.70	66	2.70	0.20				
						2000	2.60	2.70	66	2.65	0.22				
						2001	2.60	2.40	66	2.49	0.23				
						2002	2.40	2.40	66	2.40	0.24				
4	U.S.-93	002240	188.600	194.866	N	1993	3.30	3.50	59	3.40		SEALCOAT	1994		
						1994	3.40	3.50	47	3.45	0.23				
						1995	3.40	3.50	47	3.45	0.23				
						1996	3.70	3.50	40	3.59	0.16				
						1997	3.50	3.50	40	3.50	0.15				
						1998	3.50	2.50	40	2.97	0.17				
						1999	3.50	2.50	66	2.97	0.20				
						2000	3.40	2.50	66	2.92	0.22				
						2001	3.50	2.40	66	2.91	0.22				
						2002	3.10	2.40	66	2.73	0.23				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
4	U.S.-93	002240	194.866	196.008	N	1993	3.30	4.00	57	3.66			
						1994	3.30	4.00	48	3.66	0.28	SEALCOAT	1994
						1995	3.30	4.00	48	3.66	0.28		
						1996	3.60	4.00	36	3.81	0.17		
						1997	3.40	4.00	36	3.71	0.17		
						1998	3.30	3.20	36	3.24	0.19		
						1999	3.30	3.20	67	3.24	0.19		
						2000	3.30	3.20	67	3.24	0.21		
						2001	3.40	3.20	67	3.29	0.23		
						2002	3.00	3.20	67	3.10	0.24		
4	U.S.-93	002240	196.008	199.270	N	1993	3.30	4.80	59	4.09			
						1994	3.40	4.80	43	4.13	0.15	SEALCOAT	1994
						1995	3.40	4.80	43	4.13	0.15		
						1996	4.00	4.50	35	4.26	0.10		
						1997	3.80	4.30	35	4.06	0.09		
						1998	3.80	4.30	35	4.06	0.11		
						1999	3.80	4.30	66	4.06	0.10		
						2000	3.80	4.30	66	4.06	0.12		
						2001	3.90	4.30	66	4.11	0.12		
						2002	3.60	4.30	66	3.96	0.13		
4	U.S.-93	002240	201.850	204.080	N	1993	3.40	4.80	54	4.13			
						1994	3.40	4.80	38	4.13	0.19		
						1995	3.40	4.80	38	4.13	0.19		
						1996	3.90	4.80	28	4.37	0.07		
						1997	3.80	4.80	28	4.32	0.07		
						1998	3.80	4.80	28	4.32	0.10		
						1999	3.80	4.80	60	4.32	0.10		
						2000	3.80	4.80	60	4.32	0.11		
						2001	3.80	4.80	60	4.32	0.11		
						2002	3.60	4.80	60	4.22	0.12		
4	U.S.-93	002240	204.080	205.200	N	1993	3.00	4.50	40	3.82			
						1994	3.10	4.50	26	3.87	0.21		
						1995	3.10	4.50	26	3.87	0.21		
						1996	3.80	4.50	31	4.18	0.08		
						1997	3.60	4.20	31	3.93	0.08		
						1998	3.60	4.20	31	3.93	0.12		
						1999	3.50	4.20	52	3.88	0.13		
						2000	3.50	2.90	52	3.16	0.15		
						2001	3.60	2.90	52	3.21	0.15		
						2002	3.30	2.90	52	3.07	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS	
4	U.S.-93	002240	205.200	208.771	N	1993	2.90	2.50	55	2.69				
						1994	2.90	2.30	41	2.58	0.28			
						1995	2.90	5.00	41	4.00	0.28			
						1996	4.30	4.80	37	4.56	0.09			
						1997	4.10	4.60	37	4.36	0.09			
						1998	4.10	4.50	37	4.31	0.12			
						1999	4.10	4.50	65	4.30	0.12			
						2000	4.10	4.20	65	4.15	0.13			
						2001	4.10	4.00	65	4.04	0.13			
						2002	3.80	4.00	65	3.90	0.15			
4	U.S.-93	002240	208.771	216.000	N	1993	2.60	3.00	59	2.80				
						1994	2.70	2.40	42	2.54	0.30			
						*1995	2.70	5.00	42	3.90	0.30			
						1996	4.20	5.00	46	4.61	0.12			
						1997	3.90	5.00	46	4.47	0.10	SEALCOAT		1997
						1998	3.90	5.00	46	4.48	0.13			
						1999	3.90	5.00	66	4.48	0.14			
						2000	3.90	4.40	66	4.16	0.14			
						2001	3.90	4.40	66	4.16	0.14			
						2002	3.70	4.40	66	4.06	0.16			
4	U.S.-93	002240	216.000	222.835	N	1993	2.40	3.50	58	2.97				
						1994	2.50	2.80	41	2.65	0.25			
						*1995	2.50	2.60	41	2.55	0.25			
						1996	4.10	5.00	29	4.57	0.06	PLANT MIX OVERLAY		1996
						1997	3.90	5.00	29	4.47	0.09	SEALCOAT		1997
						1998	3.90	5.00	29	4.48	0.09			
						1999	4.00	5.00	68	4.52	0.07			
						2000	4.00	5.00	68	4.52	0.08			
						2001	4.00	5.00	68	4.52	0.08			
						2002	3.70	5.00	68	4.38	0.10			
4	U.S.-93	007356	199.270	201.684	N	1993	3.20	4.80	58	4.04				
						1994	3.00	4.80	43	3.95	0.20			
						1995	3.00	4.80	43	3.95	0.20			
						1996	3.60	4.70	43	4.18	0.09			
						1997	3.40	4.70	43	4.08	0.09			
						1998	3.40	4.70	35	4.08	0.11			
						1999	3.40	4.70	66	4.08	0.10			
						2000	3.40	4.70	66	4.08	0.11			
						2001	3.40	4.70	66	4.08	0.12			
						2002	3.20	4.70	66	3.99	0.12			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS---
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
4	U.S.-93	017876	100.000	100.246	N	1998	3.90	5.00	21	4.47	0.03	
						1999	3.80	5.00	21	4.59	0.04	
						2000	3.90	5.00	68	4.47	0.03	
						2001	3.90	5.00	68	4.47	0.05	
						2002	3.80	5.00	68	4.42	0.04	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------